

NOTES GIVEN BY MASTER E.K. IN 1977

1 .PULSATILLA (PLANT)

Generals :

దీర్ఘ వ్యాధులందు, తరుణ వ్యాధులందు పనికి వచ్చును. సామాన్యముగా స్త్రీలకు ఎక్కువ కావలసి వచ్చును. ఊహ ప్రపంచమున నుండువారు, కట్టుకథలను సులువుగా నమ్మువారు, అకారణముగా దిగులు పడుచుండువారు, సులభముగా ఏడుపు వచ్చువారు, ఈ ఔషధమునకు సరిపోవుదురు. సామాన్యముగా బొద్దుగా, మృదువుగా, సుకుమారంగా నుందురు.

మానసిక లక్షణములు: చాలా అపేక్ష,జాలి,వ్యక్తులపై దిగులుపడుట, సున్నితమైన మనస్సు, భయము, ఆచారములపై, శకునములపై అడుగడుగునా నమ్మకము వుండును. వ్యాధి లక్షణములను అడిగినప్పుడల్లా ఏడుపు వచ్చును. చెప్పుచున్నంత సేపు విలపించును. దయ్యములపై, దేవతలపై, దిష్టి దోషముపై ఎక్కువ విశ్వాసము. (susceptible to all suggestions). తాను మహాపచారం చేసితినను విశ్వాసము. తన్నెవరు క్షమింపరాదు అనిపించును.

Modalities :

- 1.విరోచనము అనేక విధములుగా మారుచుండుట (అజీర్ణము, కలరా, రక్త విరోచనములు మున్నగు వ్యాధులు) No two stools alike.
- 2.వేదనలెప్పుడును మారిపోవుచుండును. (symptoms ever changing).
- 3.మూత్రము, వాంతి, ముక్కులో నుండి వచ్చేవి మొదలగునవి పసుపు రంగులో నుండుట.
- 4.నాలుక, పెదవులు, గొంతు ఎండిపోవుచుండును, కానీ దాహము కాదు. (dryness without thirst). Typical symptom.
- 5.చల్లని పానీయములు, ice creams, ice అన్నచో అతి వ్యామోహము.
- 6.సర్వ లక్షణములు < కోల్డ్, ice creams, చల్లని పానీయాలు. (ముఖ్యముగా జలుబు, గవదబిళ్ళలు, పిల్లల తల్లులు ఎక్కువ పాలతో బాధపడుట, పాల గ్రంధుల వాపుతో పాల జ్వరము, గాలితో, గుడగుడతో, మిక్కిలి కడుపునొప్పితో, ఉబ్బరముతో నీళ్ల విరోచనములు, చెవిలో పోటు, స్త్రీలకు బహువిధములైన బహిష్టు వ్యాధులు.) వివరము: కాలము తేడా, కడుపు నొప్పి, మనస్సు పిచ్చిగానుండుట, ప్రావము అత్యధికముగా లేక స్వల్పంగా ఉండుట.
- 7.ఆకలి ఉన్నను, లేకున్నను కడుపులో శూన్యముగా ననిపించుట.
- 8.రజస్వల ప్రాంత వయస్సున కలుగు మానసిక వ్యాధులు (దిగులు,ఏడ్చుట, దయ్యాలు కనిపించుట మొదలగునవి).
- 9.చన్నీళ్లతో కాళ్లు కడుగుట వలన ఋతు ప్రావము ఆగిపోయి అప్పటినుండి మానసిక వికారములు, అనేక బాధలు కలుగుట.
- 10.అన్ని బాధలును రాత్రి కాలమునందు ఉద్దేకము, ఎండలో, వెచ్చని ప్రదేశాలలో ఇంట్లో బాధలు ఎక్కువ గా ఉండును. ఆరుబయట చల్లని గాలి తగిలినప్పుడు, గచ్చుపై పండుకొనినపుడు అన్ని బాధలకు ఉపశమనము ఉండును.
- 11.శరీరము లోపలినుండి వేడి ఆవిరులు తేలుచున్నట్లు అనిపించును. ముఖ్యముగా బహిష్టు ఆగిపోవు వయసున.
- 12.కనురెప్పలపై మాటిమాటికి వచ్చే కురుపులు (styes).
- 13.అన్ని బాధలు ఋతుకాలమునకు ముందు ఉద్దేకించుట, తరువాత ఉపశమించుట.

ఇతర ఔషధములతో సంబంధము :

KM , Lyco , Silicia , NM -- దీనికి మిత్ర ఔషధములు . దీనితో వైద్యము పూర్తి చేయనని అనేక వ్యాధులలో దీని వైద్యము Silicia తో పూర్తి యగును.

Nux Vomica తో విరుగుడు అగును.

గమనిక: అనేక వైద్యముల చేత తత్వము చికాకై వేదనలు సరిగా అందనపుడు Puls వేసినచో కావలసిన ఔషధము సూచించబడును.

2. LYCOPODIUM

It is a plant drug. ఇది సామాన్యముగా సుదీర్ఘమైన, లోతైన ఔషధము. శరీర, మానసిక తత్వములనే పూర్తిగా మార్చివేయగలదు. ఇది Anti పొరిక్ ఔషధము. దాదాపు Sulphur, Calcareo వంటి గాఢమైన ఔషధము. మానసికముగా చురుకై ఎక్కువ పనిచేయగలిగి ఉండి శారీరకంగా దుర్బలత చెందిన వారికి ఇది పనికి వచ్చును. సంవత్సరముల తరబడి నిదానముగా లొంగదీయుచున్న వ్యాధులు నివారణము చేయు ఔషధములలో ఒకటి.

మానసిక లక్షణములు:

1.a) ఒళ్ళు తన వశము కాదని భయపడుగుట b) మన శరీరములో వాతమేర్పడుతున్నదను చిత్త భ్రమ ఏర్పడును. దానితో బాటుగా వ్యాధి నివారణ కాదు అని దిగులు, నిరాశ.

2.a) అసమర్థత కలిగినదని భ్రాంతి. తలపెట్టిన పని చెడగొట్టుదును అను పిరికితనం. ఆరంభించుటకు జంకు. తప్పించుకొని తిరుగును. కానీ బలవంతముగా ప్రారంభించినచో అద్భుతముగా నెరవేర్చ గలుగుట.

b) పరిక్షలకు ముందు విద్యార్థులకు జబ్బు చేయుట , ముఖ్యముగా జ్వరమో, విరోచనమో అగుట (Silicia).

c) ఇక నేను ఉద్యోగము చేయలేననిపించుట, ఈ సంసారం ఈదలేననిపించుట.

3) నడివయసు రాకముందే తనకు ముసలితనము కలిగినదని భయపడుట, మానసిక నపుంసకత్వము, జీవితమున సంతోషకరమైన ప్రవృత్తుల యందు ఇచ్చ నశించుట, తెలివి తగ్గి ఆవేశమెక్కువగుట, ప్రతి చిన్న విషయమునకు కంటి వెంట నీరు, కంఠము గద్గదము.

4) జ్ఞాపకశక్తి నశించుట, సమయమునకు కావలసిన విషయము జ్ఞప్తికి రాకుండుట, అక్కరలేని ఎంత సూక్ష్మ విషయమైనను జ్ఞప్తి కి వచ్చుచుండుట.

5) బయలుదేరునపుడు కొనిపోదలచిన వస్తువులను తప్పక మర్చిపోవును.

Modalities - ఉద్దేశ ఉపశమన వేళలు :

1. అన్ని వేదనలను ఉద్దేశించు వేళలు 4 to 8 PM .

2. < morning upto about 8 AM.

3. Irritability, anger and despondency (విషాదం).

4. Red sand in urine.

ఒళ్ళు, కీళ్ల నొప్పులు, వాపులు, ఉబ్బరం, వీడి వ్యాధి కారణమైనటువంటి కొన్ని toxins (మత్తును, మందకొడి కలిగించు వ్యాధి) urine ద్వారా పోవుచున్నది అని తెలుసుకొనవలెను. పోనివ్వవలెను. లేనిచో ప్రాణ ప్రమాదము సంభవించును.

చిన్నపిల్లలు మూత్రము పోసినప్పుడు గచ్చు మీద కానీ, వస్త్రము మీద గాని, డాగు పడి, పోకుండుట. (benzoic acid డాగు మాత్రమే కాకుండా చిక్కదనం, మూత్రమునకు orange రంగు, గుర్రపు మూత్రము వలే భయంకరమైన వాసన యుండును).

పిల్లలు ఎండి పోవుదురు. తల, మెడ, గుండెలు పూర్తిగా ఎండి, పొట్ట, పిర్రలు పెద్దవిగా, కాళ్ళు గూడా ఉబ్బరముతో పెద్దవిగా నుండును. Lycopodium వృద్ధులు, నడివయసు వారు, చిచ్చుఱుడ్డి ఆకారము న ఉందురు. దీనికి కారణము లివర్. మూత్ర పిండములు చెడిపోవుట, జీర్ణాశయమున జీర్ణ రస ఆప్లుములు తయారు కాకుండుట, విరోచనము కఠినమై బద్ధకమగుట కాని, తెల్లగా గుడగుడతో అజీర్ణ విరోచనములు కానీ ఉండుట.

5.ఆవేశములు కల్లోలితములగుట, చిరకాల బంధువులు, మిత్రులు కనిపించగానే ఏడ్చును. అభినందించినచో, గుణగణములు కీర్తించినచో, కృతజ్ఞతలు తెలుపుకొన్నచో కానీ, పట్టరాని దుఃఖము బ్రద్దలగును.

6.చాలా తీవ్రమైన ఆకలి. ఆకలి అన్నము చూడగానే లేదా ఒక్క ముద్ద తినగానే కడుపు నిండినట్లే ఆయాసము కలిగి అన్న హితవు నశించును. కొన్ని సమయములందు ఆకలి యుండదు.

7.వ్యక్తులను కలుసుకొనవలెననిన భయము. (Arg Nit). కలుసుకొనబోయే ముందు భయము, వణుకు, నోరు తడి ఆరుట, బొడ్డు దగ్గర వదులైనట్లు ఉండుట, (Arg Nit - విరోచనమగుట)

- 8.a)వేదనలు కుడి ప్రక్క ప్రాధాన్యము వహించును. లేదా కుడి ప్రక్క ప్రారంభమై ఎడమకు ప్రాకును.
b)కుడి చేయి, కుడి కాలు పక్షవాతము మొదట కుడి చేయి, తరువాత ఎడమ చేయి చచ్చుపడుట, అట్లే కాళ్ళు.
c)చూపు మందగించుట, కన్నులలో శుక్లములు, మొదట కుడి కంటికి తరువాత ఎడమ కంటికి.
d)చెవిలో హోరు, చెముడు, మొదట కుడిచెవి, తరువాత ఎడమ చెవి.

వేదనలు ఎడమప్రక్క ప్రాధాన్యము వహించుట -- Lachesis and spigelia
ఒకమారు ఒక ప్రక్క ఇంకొకమారు రెండవ ప్రక్క, మరల మొదటి ప్రక్క మారుచుండుట -- Lac Caninum.
e)Lycu కుడి ప్రక్క తలనొప్పి, అదే సమయమున అజీర్ణమో, ఒళ్ళు బరువో, కడుపు ఉబ్బరమో, కుడి కాలు, కుడి చేయి తిమ్మిరియో యుండును.

Sanguinaria కుడిప్రక్క తలనొప్పి, కుడి కన్ను గుడ్డలో నుండి చీల్చుచున్నట్లు అనిపించుట.
9.పిల్లలు పగలంతయు హోరు పెట్టుదురు. రాత్రి ప్రశాంతముగా నిద్ర పోవుదురు.

Jalapa-- పగలంతయు ఆడుకొని, నిద్రపోవుట, రాత్రి అంతయు నిద్ర పట్టక పోరుపెట్టుట.
Lycu పిల్లలు ఆడుకొను వస్తువులు కానీ, తినుబండారములు కానీ, చూచినపుడు అన్నియు తనకే కావలయునను గర్భాత్తము, ఈర్ష్య , దీర్ఘ కాలము ఏడ్చుట, తీవ్రమైన అసూయ కలిగి యుందురు. ఉదయము నిద్ర లేచినంతనే కొంత కాలము అకారణముగా కసితో ఏడ్చుదురు. గిల్లికజ్జాలు పెట్టుకొందురు.

10.పాలు త్రాగిన వెంటనే పులిసిపోవును. నూనె పదార్థములు బాధలన్నింటిని ఉద్రేకింపచేయును. నెయ్యి పడదు. బంగాళాదుంపలు దీర్ఘ కాలము అజీర్ణము చేయును. ఉల్లిపాయాలు తిన్నచో జీర్ణకోశము చాలా కాలము చక్కపడదు.

11.వేడి ద్రవపదార్థములు స్వీకరించునపుడు, తలకు చలిగాలి గాని తగిలినప్పుడు, నడుము చుట్టూ బట్ట వదులు చేసినపుడును, అన్ని బాధలు ఉపశమించినట్లుండును.

ఇతనికి ఎప్పుడును విందు భోజనము తరువాత వలే ఎగరొప్పు, పొట్ట బరువు, గుండె ఎగతన్నుట ఉండును. నడుము బిగించినచో గొంతు పిసికినట్లుండును.

విశేషము: టైఫాయిడ్, కలరా మున్నగు తరుణ వ్యాధులలో విపత్కరమైన పరిస్థితి కలిగినపుడు, తెలివి తప్పుట, కన్నులు తెరచుకొనియే ఉండుట, క్రింది దవడ జారిపోవుట, ముక్కు పుటములు కదులుచుండుట, మొగము తెల్లబడుట, ముక్కు చుట్టును చెమట పోయుట అను లక్షణములు కలిగినపుడు ఈ మొత్తము Lycu వేదనా సముదాయము యొక్క ప్రత్యేక లక్షణములు కనుక ప్రాణము రక్షించి వ్యాధి తిరుగు ముఖము పట్టును.

Drug Relation: (ఇతర ఔషధములతో సంబంధము)

1. Calcarea తరువాత, Lyco తరువాత Sulphur ప్రత్యేక నిపుణతతో పనిచేయును.
2. Iodine తో ఇది పరిపూరక ఔషధము. సహచరి. Complement.
3. Carbo Veg తరువాతగాని, Lachesis తరువాతగాని బాగుగా పనిచేయును.
4. Lyco కు Antidote - Pulsatilla .

3. CARBO VEG

It is a plant drug. అతి శ్రమ చేత గాని, సరియైన ఆహారము లేక గాని, చిరకాలము నీరసపడిన వారికి, దీర్ఘమైన అజీర్ణ వ్యాధుల వారికి కడుపు ఉబ్బరం, గాలి చేరుట, రక్తము విరిగిపోవుట, లివర్ చెడిపోవుట మున్నగు బాధలకు తరచుగా గురియగుచున్న వారికిని ఇది పనిచేయును. తరుణ వ్యాధుల జబ్బున పడితే లేచిన వెనుక చిరకాలము నీరసము తగ్గక తిన్నగా కోలుకొనక జీర్ణశక్తి లేక బాధపడు వారికి ఎక్కువగా పనిచేయును. పొంగు జ్వరము, ఆటలమ్మ, మశూచి వచ్చి తగ్గిన వెంటనే ప్రారంభించిన ఉబ్బస వ్యాధులలో ఇది మిక్కిలి ఉపయోగము. త్రాగుడెక్కువ ఐనందువలన కలిగిన దీర్ఘమైన అజీర్ణ వ్యాధులు, పెద్ద దెబ్బ తగిలిన తరువాత కానీ, మశూచి వ్యాధి ప్రారంభించి తగ్గని దీర్ఘ వ్యాధులు, క్విన్సెన్ హెచ్చుగా వాడిన తరువాత అణచి పెట్టబడిన మలేరియా వారికి కలిగిన అనేక బాధలు, మురిగిన నెయ్యి, వెన్న, చేపలు, మాంసము వాడుట వలన వచ్చిన వ్యాధులు.

మానసిక లక్షణములు:

1. జ్ఞాపక శక్తి తగ్గుట, slowness of thought.
2. తమకు అనారోగ్యము కలిగించు పదార్థములనే ఎక్కువగా కోరుతూ ఇతరులను బాధపెట్టుదురు. (NUX). ప్రత్యేకముగా వృద్ధులు విస్కీ గాని, బ్రాండ్ కాని కోరి ప్రాణము మీదకు తెచ్చుకొనుచుండురు. పొట్ట బిగింపు భరించలేరు. (Lyco)

General Symptoms :

1. చర్మము మీద (ముఖముగా మొగము మీద) నీలముగా అగుట. కన్నులచుట్టూ చెమట పోసి పొగచూరినట్లు నీలపు రింగులు ఏర్పడుట.
2. గొంతుక బొంగురు పోవుట. < సాయంకాలము లందు మబ్బు గాలి గాని, మంచుగాలి గాని తగిలినచో హెచ్చుట.
3. నిద్ర లేచేసరికి పాదములు, అరచేతులు చల్లగా నుండుట, ముఖముగా మోకాళ్ళు ఎక్కువ చల్లగా నుండుట.
4. తరుచుగా పలుచని విరోచనము తెలియకుండా అయిపోవుచుండుట. అయినప్పుడు నిప్పు వలె మాడుట. శవము కుళ్ళిన వాసన.
5. దేహమంతయు చల్లని చెమటలు, చల్లని శ్వాస, నాలుక, ముక్కు చల్లబడుట, కంఠధ్వని మాయమగుట -- ఈ లక్షణములు అవసానదశను సూచించును. అప్పుడు విసురుచున్నచో లేక ఫ్యాన్ కోరినచో ఈ మందు ప్రాణ రక్షణము చేయవచ్చును.

ఇతర ఔషధములతో సంబంధము:

1. Kali Carb -- complementary
2. China దీనివలెనే ప్రాణము రక్షించును.

3.వైద్యము తిన్నగా జరుగక చెడిపోయిన pneumonia కేసులలో Carbo Veg వలన తాత్కాలికముగా ప్రాణ రక్షణము జరుగును.

4.Plumbum Met పరిపోషక ఔషధముగా వాడినచో కొన్ని కేసులు నివారణ కావచ్చును.

Modalities :

1.వెన్న తగిలినచో అన్ని బాధలు ఉద్దేశించి ప్రాణ ప్రమాదము కలుగవచ్చును.

2.పంది మాంసము లేక ఏ జంతువు కొవ్వు అయినను కొంచము తిన్నను రోగి తప్పక చనిపోవును.

3.అన్ని బాధలును --ముఖ్యముగా గొంతు నొప్పి, బొంగురు అను లక్షణములు, పాట పాడినను, పైకి చదివినను, ఉపన్యాసమిచ్చినను ఉద్దేశించును.

4.Carbo Veg కు antidote -- China .

5.శరీరము చల్లని చెమటలతో నుండి ఇతరులకు చల్లగా నుండుట, తనకు అతి వేడిగా సెగలు కమ్ముచునుండుట.

a)మొగమంతయు చల్లని చెమటలు, కన్నులు మూతబడుచు ముఖ్యముగా ఏదైనా రక్త ప్రావము తరువాత ఏర్పడు నీరసము వలన ఇట్టి పరిస్థితి కలుగును.

b)టైఫాయిడ్ వ్యాధిలో ప్రేగులు చిల్లులు పడుట వలన గాని, మూల వ్యాధి యొక్క రక్త ప్రావము వలన గాని ఇట్టి పరిస్థితి ఏర్పడు నిమిషములలో ఈ మందు వాడినచో ప్రాణము రక్షించును. లేనిచో నిమిషములలో చనిపోవును.

6.బాధ ఎక్కువగా ఉన్నపుడు ఒడలు చెమటతో చల్లగా ఉండి రోగి తపనతో చలిగాలికై కొట్టుకొనును. విసరమనియో, ఫ్యాన్ తెమ్మనియో అరచును.

7.పొట్ట నిండుగా గాలి చేరి ఉబ్బరించి గుండెకు తట్టి ఎగశ్వాసగా నుండును. Bloating, త్రేన్నుగాని అపాన వాయువు గాని కలిగినప్పుడెల్ల తేలిక పడినట్లు, ప్రాణము రక్షింపబడినట్లు అనిపించుట (చైనా) లో ఈ లక్షణము లు అన్నియు వుండి, త్రేన్నులు, అపానవాయువు కలిగినను ఏమియు ఉపశమనము ఉండదు.

4.CHINA

స్థూలమైన, మెత్తనైన శరీరము తరచుగా ఆయాసపడు లక్షణము, అజీర్ణము, కడుపు ఉబ్బరం, రక్తము తక్కువై ముఖము పాలిపోవుట, ఎగశ్వాస, ఒకమారు దిగ చెమటలు, ఒకమారు దేహము ఆవిరులు తేలుట కలవారికి సరిపడును.నీళ్ల విరోచనములలో, రక్త ప్రావమో, కలరా వ్యాధియో, వాంతులొ మున్నగు కారణములలో శరీరములోని ద్రవపదార్థములు తగ్గిపోవుట వలన ఏర్పడిన నీరసము కలవారికి బాగుగా పనిచేయును.

(Acid Phos, Carbo Veg), మన్యపు జ్వరములు, వరుస జ్వరములు అనబడు మలేరియా జ్వరము వలన చిరకాలము బాధపడినవారు, క్వివైన్ హెచ్చుగా, తరచుగా వాడుట వలన రక్తము విరిగిపోవుట, ఆకలి పోవుట, గుండెదడ, నీరసము ఏర్పడిన వారును ఈ ఔషధమునకు సరిపోవుదురు.

పై కారణములు వలన నాడి కృంగిపోవుచు స్వల్ప కాలములో చనిపోవు లక్షణములు చూపుచున్న వారిని రక్షింప వచ్చును.

మానసిక లక్షణములు:

1.నీరసముతో పాటు ఆపేక్షలు తగ్గుట, నర ద్వేషము, ముఖ్యమైన విషయములను, ముఖ్యమైన వ్యక్తుల బాధలను తనవి కానట్లు పట్టించుకొనకుండుట, నిర్లక్ష్యము, నిర్దాక్షిణ్యము, దారుణమైన దృశ్యములను చూచినపుడు

కూడ సహాయము చేయుటకు బుద్ధి గాని, బాధ గాని అనిపించకుండుట. (Sepia -- ఇవే లక్షణములు అతి దీర్ఘకాలం నిద్రాహారములు లేక ఇతరులకు ఉపచారము చేయుటవలన కలిగినవారు)

2. మనసునకు ఉల్లాసము లేకుండుట.

3. చేయవలసిన పనులు చేయరు. ఉద్యోగాదులకు ఆపద సంభవించుచున్నను చేయలేరు. పై అధికారులు మొదలగు వారు అవమానించినను, తిట్టినను మనస్సుకెక్కదు.

4. సామాన్యముగా మనస్సునకు ఎక్కువ ఊహలు గాని, అభిప్రాయములు గాని కలుగవు.

5. తనకు కలిగిన జబ్బు పరిస్థితి, నీరస పరిస్థితి హాయిగా ఉన్నట్లు అనిపించుట, ఇట్లే ఎక్కువ కాలము బాధను అనుభవించుచు విశ్రాంతి తీసుకొనిన బాగుండుననిపించుట.

Modalities :

1. స్త్రీలకు బహిష్టు నిలిచిపోవు వయస్సు సుమారు 45, 46, 47 సం|| ల వయస్సు లో ఉండును. నిలిచిపోవు వయస్సునుండి గాని, నిలిచిపోయిన కొంత కాలము తరువాత గాని, అప్పుడప్పుడు విపత్కరమైన రక్త ప్రావము కలుగుట, వెంటనే నీరసము, రక్తము లేకుండుట, ఒకటి రెండు దినములలో మొగము, కాళ్ళు ఉబ్బుట (క్రమముగా నీరు పట్టుట), శరీరమునుండి ముఖ్యముగా చెవుల నుండి మంటలు వెలువడుట, ఆవిరులు తేలుట, కొంచెము సేపులో చిరుచెమటలు, అంతలో చిన్న చలి వణుకు.

మలేరియా, బైఫాయిడ్, విరోచనములు మున్నగు తరుణ వ్యాధులు కలిగిన కొద్ది కాలమునకు వేడి, చలి, వణుకు, చెమట, నీరు పట్టుట -- అను లక్షణములన్నియు కలుగవచ్చును.

2. వెన్ను, మెడలు, వేళ్ళు కత్తులతో చీల్చుచున్నట్లు విపరీతమైన నొప్పులతో అప్రయత్నముగా పెద్ద మూలుగులు వెలువడుట, మూర్ఛినచో ఉపశమనము.

a) కొన్ని సంవత్సరములు మలేరియా వ్యాధితో, క్వివైన్ వ్యాధితో శుష్కించిన పేదప అది క్షయ వ్యాధి లోనికి దింపును. అట్టి స్థితిలో సాయంకాలములందు చిరుచలి, చలి జ్వరము కనిపించి పోవుచుండుట లేక అర్ధరాత్రి నుండి కొంతసేపు తీవ్ర జ్వరము వచ్చి తగ్గి చెమటలు పోసి బట్టలు తడిసిపోవుట అను లక్షణములు కలిగినపుడు కూడ ఈ ఎముకల నొప్పులు హెచ్చుగా కనిపించును. కీళ్లు కదలుచున్నపుడెల్ల ఎముకలపై పొర తిరిగి పోయినట్లు మనసుకనిపించును.

b) కుష్టు వ్యాధి ప్రవేశించిన తరువాత తెలియులోపల కొన్ని సం || లు పట్టవచ్చును. అట్టి ప్రారంభ దశలో కూడా ఇట్టి ఎముకల నొప్పులు కూడా కనిపించును. దీనికి చైనా గాని, ఆరం మెట్ గాని, Syphillinum గాని మిక్కిలి పెద్ద పొటెన్సీ లో చాల తరుచుగా వాడవలయును.

3. ఒడలు నెప్పులతో కాళ్ళు, చేతులు తరచుగా కదిలించుచు మూల్గుచుండుట వలన ఉపశమనము, ప్రతి చిన్న కదలిక చక్కని ఉపశమనము కలిగించును.

4. విపరీతమైన తలనొప్పి కణతలు నొప్పులు, మొగము ఉబ్బరించి ఎర్రబడుట, తలలో అదరుచుండుట, గొంతు క్రింద త్రాడు వలె రెండు నరములు అదురుచు కంటికి కనిపించుట. ఇట్టి తలనొప్పులు కూర్చున్నను, పండుకొన్నను, హెచ్చయిపోయి తల బ్రద్దలగుననిపించును. లేచి నిలబడినచో కొంత ఉపశమనము, మెల్లగా నడిచినచో చక్కని ఉపశమనము, గబగబా నడిచినచో తల ఊడి పడి పోయినట్లుండుట, గిరున కండ్లు తిరుగుట, ఒక్క క్షణము తెలివి తప్పినట్లుండును.

5. బాలింతలు పిల్లలకు పాలిచ్చుసమయములలో పండ్లు పులిసినట్లుండుట, దంతముల పోటు దవడ నరములలోనికి లాగుట.

6. కడుపు ప్రిగులు ఉబ్బి గాలితో నిండుట, లోపల పులసరము, గొంతు మంట, పులి త్రేన్సులు, మాటలాడునపుడు శ్వాస ఇతరులకు పుల్లని వాసన కొట్టుట (Nitric Acid).
7. పొట్ట ఉబ్బరం, గుండెకు ఎగతన్నుట, ఎగశ్వాస, గుండె బరువు, నొప్పి. అదే సమయములో చెమటలు, త్రేన్సులు, అపానవాయువు కలిగినను ఉపశమనము లేక ఉక్కిరిబిక్కిరిగా నుండుట.
8. ఈ లక్షణములే పండ్లు తినిన తర్వాత హెచ్చుగా ఉద్దేశించి బాధ కలిగించుట.
9. ప్రతిదినము ఒకే సమయమునకు దుర్భరమైన కడుపు నొప్పి వచ్చి ఒకే సమయమునకు తగ్గిపోవుట. ఇట్టి రోగులను కొందరిని పరీక్ష చేసినచో యక్కత్ (గాల్ బ్లాడర్) నందు రాళ్లు ఏర్పడినవని తెలియును.
10. కడుపు నొప్పి రాత్రిలందు భోజనము చేసిన వెంటనే ఎక్కువ అగును. (NUX).
11. విపరీతమైన కడుపు నొప్పి ఉన్న సమయమున, ముందునకు మడతగా వంగినచో ఉపశమనముగా నుండుట (Colocynth) వెనుకకు వంగినచో ఉపశమనము (Dioscoria).
12. నిద్ర పట్టినను సుఖముండదు. నిద్రలో విశ్రాంతి యుండదు. దొర్లుచు బాధపడుచుండును. 3 AM - ఉబ్బరం ఎక్కువై ప్రక్కనుండి లేచిపోవలెను.
13. అర్ధరాత్రి సరిగా 12 గం|| లకు పలుచని పెద్ద విరోచనము అగుట. కొంత సేపు ఉపశమించినట్లుండుట.
14. పంటి చిగుళ్ళనుండి లేక ముక్కులో నుండి ప్రిగులనుండి లేక స్త్రీలకు గర్భాశయము నుండి రక్త ప్రావము -- ఇది కొన్నాళ్ళు అనుదినము కలుగుచుండుట, కొంతకాలము మాని మరల కొంత కాలము కనిపించుట. ఇట్లు సంవత్సరములు జరుగును.
15. పక్క నొప్పి యున్నను మృదువుగా తాకినచో చాలా బాధగా ప్రాణము పోయినట్లుండును. గట్టిగా నొక్కినచో చక్కని ఉపశమనము కలుగును.
16. జ్వరాదులయందు ఒకచేయి చెమటతో చల్లచల్లగా, రెండవ చేయి జ్వరముతో వేడిగా యుండును. ముఖ్యముగా అరచేతులలో ఈ లక్షణములు కనిపించును.
17. చలిజ్వరములు రోజు విడిచి రోజు గాని, మూడు రోజులకు, 4 రోజులకు, 7 రోజులకు ఒక మారు గాని ఒక వరుస వచ్చుచుండుట, ప్రతి సంవత్సరము అదే మాసములో మరల కనిపించుట.

ఇతర ఔషధములతో సంబంధము:

1. Ferrum Met తో పరిపూరక ఔషధము. (ముఖ్యముగా అధిక రక్త ప్రావము అరికట్టుటకు)
2. చైనా తరువాత Calc Phos చక్కగా పనిచేయును. ముఖ్యముగా దీర్ఘ జ్వరములలో చక్కగా పనిచేయును.
3. దీర్ఘకాలం మలేరియా తరువాత క్షయ వ్యాధి లోనికి దింపునపుడు చైనా తరువాత Chin.sulph బాగుగా పనిచేయును.
4. చైనాకు Antidote -- ఇపెకాక్, Natrum Mur .
5. చైనా కు ముందు గాని, తరువాత గాని Digitalis వాడినచో క్రమముగా గుండెకు నీరుపట్టి రక్త ప్రసారము తగ్గిపోయి రోగి తప్పక చనిపోవును.

5.PODOPHYLLUM

అజీర్ణము, పులసరము కలిగి బాధ పడువారికి ప్రత్యేకముగా పిల్లలకు ఇది వినియోగ పడును. పాదరసముతో వాడిన మందులు ఎక్కువగా వాడుట వలన లివర్ చెడిపోయి ఏది తిన్నను జీర్ణము కాదు. తిన్న పదార్థము అదే వైఖరిలో విరోచనము అగుచుండును. (అన్నం మెతుకులు, పప్పు బద్దలు ఏ విధమైన మార్పు లేకయే విరోచనములో పడును). జన్మతః జీర్ణశక్తి కి, ఆకలికి నోచుకోని శరీర తత్వములు.

మానసిక లక్షణములు:

నిద్రలో పండ్లు కొరుకుట, మూలుగుట, ఏడ్పుట, మేలుకొని ఉన్నపుడు కూడా పంటి పన్ను నొక్కి అరగ దీసుకొను చుండుట. పిల్లలు నిరంతరం సన్నసన్నగా ఏడ్చుచుండుట.

Modalities :

1. చన్నీరు అపరిమితముగా త్రాగుచుండవలసిన దుర్గాహము. Bryonia కు ఈ దాహము తో జ్వరము ఉండును. దీనికి జ్వరము ఉండదు.
2. నిమిషములలో లేక క్షణములలో ప్రాణములు కృంగిపోయినట్లు అనిపించుట. అల్పకాలములో చనిపోదుననిపించును. (Bryonia - చనిపోదునని భ్రాంతి యుండును).
3. తలనొప్పి, నీళ్ల విరోచనములు పర్యాయముగా మారుచుండును. శితకాలమున తలనొప్పులు, వేసవిలో నీళ్ల విరోచనములు ఉండును.
4. పిల్లలకు పండ్లు వచ్చుట, నెలలు గాని సంవత్సరములు గాని ఆలస్యమగుట. చిగుళ్లు రుద్దుకొనుచు ఏడ్చుచుండురు. దేహము కన్న తల వేడిగా నుండి ప్రక్క పై కుడి ఎడమలకు త్రిప్పుచుండురు. రోజుల తరబడి లేక మాసముల తరబడి నీళ్ల విరోచనములు. దంతములు వచ్చినపుడు పిల్లలకు వచ్చు నీళ్ల విరోచనములు. (Calc. Carb : తలపై, మొగముపై చెమట, వయసు పెరిగినను మాడు కలియకుండుట, కాళ్ళు, చేతులు, పిర్లలు సన్నబడి పోవుట, ప్రతి పూర్ణిమ కు అనారోగ్యము ఎక్కువగుచుండుట. విరోచనములు రాళ్లవలె అగుట, ఆహారము తీసుకున్న వెంటనే విరోచనము అగుట. రాళ్ల వంటి కురుపులు గాని, గ్రంధులు గాని కట్టుట).
5. పిల్లలు విరోచన సమయమున ఆసనము వెలుపలకు వచ్చుట (Prolapse).
6. లివర్ ప్రదేశమున సన్నని నొప్పి ఎప్పుడును ఉండును. పిల్లలు అచట చేయి పెట్టిన నెట్టి వేయుదురు. పెద్దలు అచట చేయి పెట్టుకొని మెల్లగా రుద్దుకొనుచు మాట్లాడుచుండురు.
7. ఉదయము 7 గంటలకు చలితో జ్వరము ప్రారంభించును. ఆగకుండా వాగు సంధి గుణము ఉండును.
8. స్త్రీలకు కుడి డొక్కలో నొప్పి, మొద్దుబారినట్లుండుట, ఆ నొప్పి అచటినుండి తొడ లోనికి పొడుచుచుండుట, ముఖ్యముగా బహిష్టు సమయములందు కాని, గర్భిణిగానున్నపుడుగాని యుండును. ఈ లక్షణము ఎక్కువగా తరచుగా బహిష్టు ప్రారంభించిన మొదటి సంవత్సరము లోపల కొందరు బాలికలకుండును.
9. కుడిప్రక్క గొంతు నొప్పి, లివర్ లో నొప్పి, కుడిడొక్క లో నొప్పి మున్నగు లక్షణము లన్నియు తిన్నగా కుడి ప్రక్కనే యుండును.

ఈ ఔషధమునకు సంబంధించిన కలరా లక్షణములు :

1. మొదట అజర్ణముతో ప్రారంభమై ఒక విరోచనము పలుచగా, దుర్వాసనతో అగును. ఆ వాసన మురిగిపోయిన కోడిగ్రుడ్డు, కుళ్ళిన మాంసము, చెమట వాసన తో యుండును. పిల్లలకు విరోచనమైనపుడు నేలగాని, వస్త్రములు గాని ఏమి పెట్టి కడిగినను ఆ వాసన కొన్ని గంటలు వచ్చును.
2. సామాన్యముగా విరోచనములోగాని, వెనుక ముందు గాని వాంతి యగును. కొద్ది క్షణములు కాలు, చేయి కదిలించలేనంత నీరసము, మూల్గుటగాని, ఏడ్పుటకు గాని సత్తువ ఉండదు. మొగము కవళికలు మారిపోవును. కన్నులు గుంటలు పడును.
3. అటుపైని విరోచనములన్నియు, సిరంజి గొట్టము నుండి వలె దూరముగా పడును. ప్రతి విరోచనమునను చిక్కని పిండి కలిపి పోసినట్లు తెలుపు , పసుపు రంగులో గాని, చాలా పెద్ద విరోచనమగుచుండును. అంత చిన్న పొట్టలో నుండి ఇంత పదార్థము ఎట్లు వచ్చుచున్నది అని అనిపించును.
4. పాదములు, పిక్కలు, అరచేతులు కొంకొలు కలిగి మెలి తీరిగి పోవుచుండును. (Cup. Met - విపరీతమైన కడుపునొప్పి, పొట్టలో నరములు కూడా కొంకొలు పోవుట).
5. పిల్లవాని శరీరమంతయు దుర్వాసన కలిగి యుండును. విపరీతమైన దాహము. చల్లని నీరు త్రాగుచునే యుండును.

6. CAMPHOR (కలరా DRUG)

- 1.కడుపు నొప్పి, ఒళ్ళు నొప్పులు - అవి జ్ఞాపకమున్నంత సేపు భరింపరాని బాధగా నుండును. < Memory. ఇతర విషయములను మాట్లాడుచున్నప్పుడు బాధలు తక్కువ ఉండును.
- 2.శరీరము చల్లబడుట, శ్వాస చల్లబడుట, కాళ్ళు, చేతులు కదిలించలేకుండుట, తాకిన దేహము చలువలాగా నుండును. కానీ కప్పనీయడు. చల్లని గాలి తగులుచుండవలెను. కప్పినచో తన్ని నెట్టివేయును.
- 3.దేహమంతయు ఏ మాత్రము భరింపలేక గిలిగింతలు వలే electric shock వలే బాధగా నుండును. చూచుచునే యుండును కానీ కదలలేడు. చెమట ఎచటను కనిపించదు. చర్మము ఎండినట్లుండును. నాడి సన్నగా ఉండి లేనట్లు కనిపించును.

7.VERATRUM ALB

Camphor లో చెప్పిన లక్షణములు అన్నియు ఉండును. దేహము చెమటలతో నిండి పోవును. చెమట గ్రుడ్లు గ్రుడ్లుగా, మొగ్గలు మొగ్గలుగా పోయుచుండును. ఈ ఔషధమునకు ఈ కలరా లక్షణములే గాక మరికొన్ని లక్షణములు ఉన్నవి.

1.స్త్రీల Hysteria వ్యాధులలో తానూ గర్భిణిగా ఉన్నట్లు భ్రమ పడును. అప్పుడప్పుడు తన ప్రసవ సమయ ఏర్పాట్లను గురించి బంధు మిత్రులతో ముచ్చటించుచుండును.

Thuja తన గర్భమున శిశువున్నట్లు భ్రమపడుట, బాలింత కూడా వున్నా శిశువు గాక మరియొకటి గర్భమున వుండేనోయని సంశయించును. మగవారిలో కొందరు గర్భమున పిల్లల కంఠములు వినిపించుచున్నవందురు. కొందరికి ఎలుకలు, పందికొక్కలు తిరుగుచున్నవనిపించును. తనను దయ్యములు ఆవేశించి ఉన్నవని అనుకొనుట, చీకటిలో తననెవరో వెన్నాడుతున్నట్లు ఉండుట.

2.కాగితములు గాని, గుడ్డలుగాని, ఏదైనా వస్తువులుగాని కత్తిరించుట, త్రుమ్పివేయుట, చింపి పోగులువెట్టుచుండుట, ఎవరు చూడకుండా ఇతరుల వస్తువులను పాడుచేసి అక్కడ పెట్టి వచ్చుచుండుట, ముగ్గులు చెరుపుట మున్నగునవి (Tarentula - సాలీడు).

3.ఎక్కువ సేపు కామమునకు సంబంధించిన విషయములు, బూతులు మాట్లాడవలెననిపించుట.

4.తలపైన మంచుగడ్డ పెట్టినట్లనిపించుట.

5.పుల్లని వస్తువులపై జిహ్వాపల్యము. బోజనము కన్నా వివిధరూపము గల అల్పాహార వస్తువులపై తాపత్రయము, (పంచదార బిళ్ళలు, జడిలు మున్నగు వానిని ఎవరు చూడకుండా తినుట, చిన్నపిల్ల వలే దొంగిలించి తినుచుండుట, Baryta Carb - పిల్లల దగ్గర బోజన పదార్థము దొంగిలించి తినుట, పిల్లలలో ఆడుకొనుట మొదలైనవి).

ఈ మూడు ఔషధములు పరస్పర పరిషోషకములు. కానీ Camphor వేసిన వెంటనే అంతకుముందు వేసిన ఔషధములన్నియు క్షాళనమగును. వీటిలో కలరా తగ్గిన వెనుక China గాని, Sulphur గాని, Acid phos గాని వాడవలసిన లక్షణములు కనిపించును.

8.CALCAREA CARB

Generals :

చాలా గాఢమైన పరిపూర్ణ నివారణ లక్షణములు గల ఔషధము. (Anti Psoric Remedy) Psora నిర్మూలన ఔషధములలో ఇది ఒకటి. స్థూల శరీర తత్వము కలవారు, దాంపత్య జీవితారంభము నుండి స్థూల శరీరము ఆకస్మికముగా వచ్చుట, పాలిపోయినవారు, రక్తము తక్కువై ఆయాసపడుచు చెమటలు కక్కుచు నడచుచుండు వారు-వీరికి గుండె దుర్బలత్వము ఉండును. పిల్లలలో సామాన్యముగా అతి స్థూల శరీరము, అతి మెత్తని శరీరము కలిగిఉండును. ముఖము ఎర్రగా వచ్చును. సామాన్యముగా ఒంటికి చెమట ఉంటుంది. శరీరము చల్లగా ఉంటుంది. (lack of heat) వేసవి కాలములో ఉక్కిరి బిక్కిరిగా యుండును. తల వెద్దది కలిగి ఉండుట, కాళ్ళు, చేతులు, పిర్రలు సన్నబడుట, బొడ్డు పై ఉన్న పొట్ట సానర్ బొర్లించినట్లుండుట, పసిపిల్లల మాడు కలియదు. ఎముకలలో Calcium content తక్కువగా ఉంటూ మాడుపై నున్న

ఎముకలు కలవవు. ఆలస్యముగా నడక నడిచెదరు. దొడ్డి కాళ్ళు. bones లో సున్నము తక్కువై వచ్చును. Late walking, late learning to walk, చెముడు, చీము, చెవిపోటు. వారికంటే తక్కువ వయసులో ఉన్న పిల్లలలో ఆటలాడుట (Baryta Carb).

Baryta Carb ముందు కాని, వెనుక గాని Calcarea Carb వేయకూడదు.

మానసిక లక్షణములు:

- 1.తనకు గ్రహణశక్తి తగ్గిపోయినదని భయపడును. భ్రాంతిపడును. మనసు విచారంగా నిరాశగా నుండును.
- 2.కొంచెము సేపు చదివిననూ, ఆలోచించిననూ, మరికొంత సేపు గ్రహణశక్తి పూర్తిగా నిలచిపోవును. కొద్దిగా ఏమాత్రము శ్రమ చేసిననూ మానసిక దౌర్బల్యము, తలనొప్పి, కన్నులు పనిచేయకుండుట, ఆయాసము, చెమట, జీవితమును దిగులుపడుట, సంసారమును గూర్చి పోషించలేమనిపించుట, బాగా తనకు పెద్ద జబ్బు రాబోవుచున్నదని, అది నివారణకు వీలు పడదని భయము కలుగుట, ఒంటరిగా నున్నపుడెల్ల జీవితమును గూర్చి భయంకరమైన ఊహలు, విశ్రాంతి తీసుకుంటున్నంత సేపు తాను చేయవలసిన పనుల వివరములన్నియు మనస్సున చక్కగా ఏర్పడుచుండును. చేయుటకు ఆరంభించిన వెంటనే మనస్సు హడావుడిలో ఏపని చేయవలెనో గుర్తుండదు. కాలమంతయు హడావుడి పడుచు పనిచేయక గడచిపోవును. విశ్రాంతి ఆరంభించగానే చేయవలసిన వన్నియు తెలియును. ఎదురుగా ఉన్న వస్తువులు కనిపించవు. (Loss of recognition). చెప్పదలచిన విషయము ఎంతముఖ్యమైనను చెప్పబోవులోపల మనసు నుండి కరిగిపోవును.(వ్యక్తుల పేర్లు జ్ఞప్తికి రానిచో Anacardium).

Modalities :

- 1 కొంచెము శ్రమ పడినను, ఆలోచించినను చెమటలు, ఆయాసపడుట, కొంచెము నడిచినను, పరుగెత్తినను మెడ వైభాగము ఎక్కువగా చెమట పోయును. ఆయాసములో ఊపిరాడదు. ఎత్తు ఎక్కినచో ఎగశ్వాస, దిగచెమటలు, ప్రాణము కడబట్టుట, గుండెలో బరువు, గొంతులో నరములు లాగినట్లుండుట,కొందరికి గుండె నొప్పి కూడా కలుగును. (దిగినప్పుడు బాధలు -- Borax, Stannum Met).
- 2.నిద్రలో తలకు చెమట పోసి దిండు తడిసిపోవును.
- 3.చిన్న పిల్లలలో దంతములు వచ్చుట ఆలస్యము, మాడు కలియదు. నడచుటకు కాళ్ళలో శక్తి ఉండదు.
- 4.ఏ జబ్బులోనైనను జర్ణము కాని ఆహార పదార్థములపై వ్యామోహము - బంగాళాదుంపలపై ఎక్కువ వ్యామోహము. కొడిగ్రుడ్లపై తీరని వ్యామోహము. మాంసమన్నచో అయిష్టత పుట్టును. నెయ్యి అసహ్యము.
- 5.సుద్ధ, చాక్ పీసు ముక్కలు, బియ్యములో గడ్డలు, బియ్యము తినుటపై వ్యామోహము. పిల్లలు మట్టి, బొగ్గులు. గులకరాళ్ళు. బలపములు, పురికొసలు ఆత్రముతో తినుచుందురు.(Coculus Indicus, Alumina, Cicuta Virosa).
- 6.నోరు పుల్లగా నుండుట, పులిత్రేన్పులు, పుల్లని పసరు వాంతియగుట, కడుపుబ్బరము, గట్టిగా నుండుట, ఆయాసముగా నుండుట, పసిపిల్లలు పులుపు వాసన వేయుచుందురు. పిల్లలకు నీళ్ళ విరోచనములు, వదలని అజిర్ణము, విరోచనమైనప్పుడు ఇల్లంతయు పుల్లని వాసన.
- 7.గాలి ఎక్కువగా కోరుట, గాలి తక్కువ ప్రదేశములలో గొంతు పిసికినట్లుండును. ఆరుబయట చల్లని గాలి విసురుగా తగిలినప్పుడు ప్రాణము హాయిగా నుండుట.
- 8.చన్నీళ్ళలో పాదములు తడియుట వలన, తరచు నీళ్లు, గచ్చ తగులుచుండుటవలన అరికాళ్ళు ఒరుపులు, మంట, పగుళ్లు, అరి చేతులు ఒరుపులు, పగుళ్లు.
- 9.విరోచనము సాఫీగా అయిన దినమున ప్రాణము నీరసముగా నుండి అన్నిబాధలు ఎక్కువగా నుండుట, విరోచన బద్ధకమున్నపుడు అన్నిబాధలు ఉపశమించును.
- 10.పలుచని విరోచనములు గాని, విరోచన బద్ధకము గాని తరచుగా నుండుట, విరోచన బద్ధకమున్న రోగులలో కొందరికి ఎనిమా మొదలగు సాధనము చేయనిదే విరోచనము కాకుండుట.

11. ఉదయము వేళ గొంతునొప్పి లేకయే బొంగురు పోవుట, కీచుగా వినిపించుట ఉండును.

12. అనారోగ్య సమయములలో మరియొక వ్యక్తి నిరంతరము జోకొట్టుచు, స్పృశించుచుండనిచో పిల్లలు ఊరుకొనరు. పెద్దలకు ఇంకొకరు తన వెన్ను వెంట స్పృశించుచున్నచో మాత్రమే బాధలుపశమించుట. (Antim Crude - child refuses to touch, but wants to be carried).

13. మనసునకు ఆకారణమైన నిరాశ ఆకస్మికముగా కలుగును. అభివృద్ధికరముగా ఉన్న మంచి ఉద్యోగమును, వ్యాపారములను, అవకాశములను మాని తిరిగివత్తురు.

స్త్రీలకు :

1. వయస్సున అతివేగముగా దేహము పెరుగు శరీరతత్వము. ఆసమయమున వచ్చు వ్యాధులు శరీరమందు Phosphorus తక్కువ.

2. బహిష్టు అతితీతముగా, అతి తీవ్రమైన రక్తము నష్టము అగుచుండును. ఎక్కువ దినముల వరకు బాధించుచుండును. అటుపైన పాలిపోవుట, నీరసము, ఆయాసము.

3. ఏ విధమైన అవేశము కలిగినను వెంటనే అకాలముగా తీవ్రమైన రక్తస్రావము.

ప్రత్యేకముగా తెలియవలసిన విషయములు :

1. ఎముకలకు కురుపులు, ఎముకలలో చీము పట్టుట, ఈ కురుపులు నెలల తరబడిగాని, సంవత్సరముల తరబడి గాని వచ్చుచుండును.

Bone T.B., ఎముకలు మెత్తబడుట మున్నగు వ్యాధులలో Calc. Carb, Calc. Sulph, Calc. Fluor, Conium, Sulphur, Aurum Met, Silicia, Syphillinum అను మందులు తరచుగా కావలసియుండును. వానిలో C.C. , C.S. , ప్రాముఖ్యము వహించును.

2. కండరములలో కురుపులు, చీము, నెత్తురు, రస నెలల తరబడి వచ్చుచుండును. కురుపు వెద్దదైన కొలది మనిషి చిక్కిపోవుట, ఎముకలు కనిపించుట, అన్నహితవు తగ్గుట ఉండును.

3. Cancer వ్యాధిలో నివారణమెన్నడును సాధ్యముకాదు. కానీ సురక్షితముగా బాధను తగ్గించుటకు ఒక్కొక్కప్పుడు సుమారు 15 సం || ల వరకు పట్టును. ఈ నడిమి కాలములో కాన్సర్ వ్యాధి నివారణమైనదనియే అనిపించును. ఇట్లు సహాయము చేయు ఔషధములలో C.C. , Lyco సిద్ధ ఔషధములు. ఇంకను Carbo Animalis (కండరమునందు కాన్సర్, జీర్ణావయవములందు, కంఠమునందు కాన్సర్), Apis (కంఠమునందు , లివర్, స్లిప్స్ ప్రాంతమందు కాన్సర్), Calc. Carb (ఎముకలలో కానీ సంధిబంధమునందు గాని వచ్చు కాన్సర్).

Lyco నందు చర్మము, కండ లోపలి అవయవములు మెత్తని ప్రాంతములు గాని భాగములు, Ledumpal - సామాన్యముగా నిప్పంటించినట్లు ఉండును. మంచుగడ్డ పెట్టినచో ఉపశమనము కలుగు కాన్సర్ , ప్రత్యేకముగా మోకాళ్ళ దిగువ భాగమున.

Drug Relationship :

1. ఇది Sulphur తరువాత ప్రత్యేకముగా నిపుణతతో పనిచేయును. దీని తరువాత Lyco అట్లే పనిచేయును. ఈ క్రమము తలక్రిందులైనచో అనగా Lyco తరువాత C.C., తరువాత Sulphur వాడినచో చికాకులు కలుగును.

2. Bell తో తరుణ వ్యాధులు తగ్గిన తరువాత ఇది బాగుగా పనిచేయును.

3. Lachesis and Calcarea Carb పరస్పర పరిపోషకములు.

4. Tuberculinum and C.C. పరస్పర పరిపోషకములు. తరచుగా ఒకదాని తరువాత ఒకటి కావలసివచ్చుచుండును. శరీర తత్వము అతి వేగముగా సన్నబడిపోవుట, అయినను ఆకలి, భోజనము బాగుగానే చేయుచుండుట అను లక్షణములు కనిపించినపుడు Tuberculinum, C.C., Iodium అను ఔషధములు పరస్పర పరిపోషకములై తరచుగా అక్కరకు వచ్చుచుండును.

5.దీనికి ముందు గాని, వెనుకగాని Baryta Carb వాడ కూడదు. Bryonia కూడా వాడరాదు.

9. NATRUM MUR

General :

ఇది సామాన్యముగా ఏ కారణము కనిపించక, నీరసము ఉన్నట్లు కూడా కనిపించక చిక్కిపోవుచుండుట, చిన్న వయసులోనే ముసలిమొగము పడుట, మొగముల ముడతలు కనిపించుట, చర్మము ఎన్నిసార్లు శుభ్రము చేసికొన్నను నూనె రాసినట్లు జడ్డుగానుండుట, తరచుగా ఇతరులతో మాట్లాడక నలుగురిలో కూడా ఒక మూల చేరి ఒంటరిగా కూర్చుండుట, అర్థము లేని మొగమాటము, ఉత్సాహము అనవసరమనిపించుట, మున్నగు లక్షణములు కల వ్యక్తులకు ఆవశ్యకమగును . ఇది చాలా గాఢముగా పనిచేయు ఔషధము. ముఖ్యముగా మానసిక దౌర్బల్యము క్రమంగా నిరుత్సాహము ఎక్కువై తనలో తాను ఊహించుకొనుచుండుట, నవ్వుకొనుచుండుట , మాటాడుకొనుచుండుట వీరిలో గమనింపదగును. అటుపైన మానసికముగా బాధపడి, దేహము కృశించి క్షయ వ్యాధి తో మరణించుట గాని, లేక శరీరము స్థూలము, దృఢము అయిపోయి ఉన్మాదం వచ్చి నిలిచిపోవుట గాని జరుగును. వీరికి వైద్యము చేయుటకు చాలా నిపుణత కావలెను.

మానసిక లక్షణములు:

చికాకు, అకారణ కోపము, మొండి తనము, పిలిచినప్పుడు పలుకుట, బదులు చెప్పుట కావలెనని మానుదురు, అవసరమైన విషయములను కూడా ఒకటి, రెండు మాటలకన్నా మాట్లాడురు . ఎవరిని చూచినను మొగము చిట్లించుకొనును. చిన్న లోపములకు కోపముతో పిచ్చెక్కి కొన్ని గంటలు ఉండును . పిల్లలు పలుకరించినచో క్రింద పది ఏడ్వదరు. తినువస్తువులను కొద్దిగా పెట్టినను, ఇతరులకు పెట్టినను సహింపరు. పిల్లలు సన్నబడిపోయి, అజిర్ది విరోచనములు తరచుగా కలుగుచుండి, మొగము ముడతలు పడి ముసలి పిల్లల వలె కనిపింతురు . పెదవుల చివరలు, కనురెప్పలు, చంకలు, ఒరుపులు, పుండ్లు పడుట కనిపించును. పిల్లలు ఓదార్చినకొలది పిచ్చెత్తి నట్లు ప్రవర్తింతురు. పెద్దలలో రోగములకు (ప్రత్యేకముగా స్త్రీలకు) ఓదార్చబడినపుడు బాధలు ఎక్కువై దుఃఖము పొంగిపోరలును. సులువుగా అకారణముగా దుఃఖించవలెననిపించును. దుఃఖమునందుండుట మనస్సునకు సుఖముగా నుండును. ఆవేశములు తరచూ కల్లోలితములు, మనస్సు వేగముగా పని చేయుచు, దుఃఖము, జాలి కలిగిన సన్నివేశములను జ్ఞప్తి చేసుకొనుటయో, ఊహించుటయో, కల్పించుకొని అనుభవించుటయో చేయుచుండురు. భౌతిక లోకమున కన్నా కల్పితలోకము ఎక్కువ ప్రాధాన్యము వహించును. ముఖ్యముగా కామమునకు సంబంధించిన భావములు జాలితో కలసి సుడిగుండముల వలె మనస్సున త్రిప్పి వేయుచుండును. సత్యములేని, ఉన్నతములైన, కామ మిశ్రితములైన భావములే ఉండును.

ఉదా : వివాహమై పిల్లలుగల ఒక స్త్రీ తన కోసం విరహపడుచున్నట్లుగా భావించును. అధిక ధనవతియగు ఒక యజమానురాలు తనకు బండిలోలువాడిని గూర్చి జాలి పడి విరహపడుచు మాసముల తరబడి రాత్రులు నిదురింపక, పగలు ఆహారము హితవు లేక అశ్రుధారలు కార్చుచుండును.

రోగి పురుషుడైనపుడు స్త్రీల నడుమ ఎక్కువగా కాలము గడుపును. పురుషులలో చొరవగా రాలేడు. సిగ్గుపడుట, జంకుట ఉండును. స్త్రీలకు కావలసిన పనులు చేసిపెట్టడములో సంతోషము, ఇతరులు చూచుచుండగా కదలకుండగా కూర్చొనలేడు .. చేతులు, కాళ్లు కదిలించుచుండును. గోళ్ళతో వస్తువులను మీటుచుండుట ఉండును.

Modalities :

- 1.పిల్లలలో మెడ, గొంతుక చిక్కి కోడి మెడ వలె కనిపించును. చాల తరచుగా దగ్గు, జలుబు, అజీర్ణము, పర్యాయము చెందుచుండును.
- 2.పిల్లలుగాని, పెద్దలుగాని ఓదార్చినకొలది దుఃఖము, బాధలు హెచ్చగును.
- 3.నడుచుట, కాళ్ళు, చేతులు కదలుట చాలా వికారంగా నుండును. ఒక తీరుండదు. ఒక కాలికి ఇంకొక కాలు తగిలిపడుట, వస్తువులు పట్టుకొనుటలో, తెచ్చుటలో, అందించుటలో తొందర. క్రింద పారవేయుట, పగులగొట్టుట, వేడి వస్తువులు మీద పోసుకొనుట, కాల్చుకొనుట, వాతలు, బాటపై నడచుచూ పడి తరచుగా చెక్కుకొనిపోవుట, పుండ్లు ఆరకుండుట, నరముల దౌర్బల్యము వలన ఏ పని చేసినను పాడుచేయకుండ చేయలేడు.
- 4.ఏడ్చుట యందు అబిలాష, విషాదకరములైన సన్నివేశములు ఎక్కువగా చెప్పుచుండును.
- 5.విద్యార్థి దశలో రక్తము తగ్గుట, పాలిపోవుట, శుష్కించుట, పాండురోగము. అట్టివారికి వచ్చు తలనొప్పులు, ముఖ్యముగా ఈ వయస్సున ఉన్న బాలికల తలనొప్పులకు బాగుగా పనిచేయును (ఫాస్ఫరస్).
- 6.పార్శ్వపు నొప్పులు, ప్రతిదినము వచ్చు తలనొప్పులు, సూర్యోదయముతో ప్రారంభమై మిట్ట మధ్యాహ్నము దుర్భరమై సాయంకాలము తగ్గిపోవును.
- 7.మరియొక రకమైన తలనొప్పులు ఉదయం 10 గం || లకు ఆకస్మికముగా ప్రారంభించి మధ్యాహ్నం 12 గం || లవరకు దుర్భరముగా పెరిగిపోయి అప్పటినుండి సాయంత్రము వరకు తగ్గుచుండును. రాత్రికి తగ్గిపోవును. పార్శ్వపు నొప్పి తరచుగా ఎడమ ప్రక్కనుండి వచ్చును. తలలోపల నుండి వెలుపలకు బ్రద్దలగుచున్నట్లు, తలలో కొంత మంది సుత్తులతో పని చేయుచున్నట్లుండును.
- 8.తలనొప్పితో వికారము, వాంతులు, స్త్రీలలో సామాన్యముగా ఈ తలనొప్పులు బహిష్టు 3 దినములుగాని తరువాత 4,5 దినముల లోపల గాని కలుగును.
- 9.తలనొప్పి చెమట పోసిన వెంటనే ఉపశమించును.
- 10.తలనొప్పి ఆరంభించుటకు ముందు కొంతసేపు కన్నులు కనిపించవు. లేదా వస్తువులు సగము, సగము కనిపించును. తాత్కాలికముగా చూపు మసక అగుట, లేక కన్నుల ఎదుట మెరుపుతీగలు తిరుగుచుండుట కనిపించును. ఈ తలనొప్పులు సినిమా చూచినపుడు, ఎక్కువగా చదివినపుడు, నిద్ర మేల్కొన్నపుడు తరచుగా జరుగుచుండును. దగ్గినను, ఆవలించినను, తుమ్మినను కన్నులవెంట ధారాపాతముగా నీరు వచ్చుట, తరచుగా జలుబు, ధారాశుద్ధియైన తుమ్ములు, ముక్కులోపలి భాగమున పురుగు ప్రాకుచున్నట్లు, కాళ్ళు కదిలించుచున్నట్లుండును.
- 11.ఎండలో ఎక్కువగా తిరిగినచో వెంటనే జలుబుచేసి తుమ్ములు వచ్చుట.
- 12.నాలుకపై ఎర్రగా, తెల్లగా మచ్చలు, మచ్చలుగా నుండుట, రుచి తెలిసికొనుశక్తి తక్కువ అగును.
- 13.ఉప్పు తక్కువైనదనిపించి తెగ తినుచుందురు.
- 14.నిద్ర పట్టిన స్వల్పకాలంలో నరముల ఉలికిపాటు, మంచము మీద నుండి పడిపోయినట్లు, చెరువులలో మునిగిపోయినట్లు, ప్రాకుడు కొండ మీద కారు జారుచున్నట్లు కలవచ్చి మెలకువ వచ్చును.
- 15.పోలీసులో, దొంగలో, శత్రువులో తరుముతున్నట్లు కలలు.
- 16.విరోచన బద్ధకం, ఆసనము ముడిపెట్టిననిపించుట, మలపదార్థము కోసుగల రాళ్ళ వలె ఉండి విరోచనములో చిట్టి నెత్తురువచ్చును. విరోచన అనంతరము ఆయాసము, చిరచిరలాడుట, మండుట, సూదులు గుచ్చినట్లుండుట.
- 17.నడచుచుండగా, దగ్గుచుండగా, నవ్వుచుండగా, అప్రయత్నముగా మూత్రము వచ్చుట (Causticum, Silicia, Pulsatilla).
- 18.చుట్టుపక్కల జనమున్నచో మూత్ర, పురీష విసర్జనము రోజులతరబడి జరగదు. క్రొత్త చోటికి వెళ్ళినపుడు మూత్ర పురీష బంధనము.
- 19.గుండె దడ తరచుగా ఉదయమునందు కనిపించును. దడతో శరీరమంతయు కదలుట కనిపించును.
- 20.బాలింతలకు తల దువ్వినపుడెల్ల జుట్టు ఊడిపోవుట.
- 21.ఇంటిలో దొంగలు పడి దోచుచున్నట్లు కలలు.
- 22.మెలకువ వచ్చిన తరువాత కొన్ని నిమిషములు సత్యమనిపించుచుండును.
- 23.పెదవుల మీద, చుట్టుప్రక్కల పెసరగింజ వంటి నీటి పొక్కులు లేక చీము పొక్కులు.

24. శరీర శ్రమ చేయుచుండగా ఒడలంతయు భరింపరాని దురద. దురద ఎచట ఉన్నదో, ఎక్కడ గోకవలెనో తెలియదు.
25. వ్యాధి లక్షణములు ఉదయమునుండి గాని, 10, 12 గం || ల మధ్య నుండి గాని, మధ్యాహ్నము వరకు ఉద్రిక్తమును. మధ్యాహ్నము తరువాత ఉపశమించును. ఎండవేళ మానసిక పరిశ్రమ చేసినపుడు, ఎక్కువగా మాట్లాడినపుడు ఉద్రిక్తమును. గుండె నొప్పి, దడ లక్షణములు పండుకొనినపుడు ఉద్రిక్తమును.

అనేక విధములైన చలి జ్వరములు :

ప్రతి దినము ఉదయము ప్రారంభమై మధ్యాహ్నము వరకు పెచ్చు పెరిగి సాయంత్రమునకు తగ్గుచుండును. రోజు విడిచి రోజు వచ్చు జ్వరములు కూడా ఇట్టి లక్షణములనే కలిగి ఉండును. తలనొప్పి, జ్వరము మున్నగు ఏ తరుణ వ్యాధుల బాధలైనను ఉదయము ఆరంభించుట, మధ్యాహ్నము వరకు పెచ్చు పెరుగుట, సాయంత్రమున ఉపశమించుట, పెచ్చు పెరుగు సమయమున వాంతులు , పుల్లని, చేదైన పసరు పోవుట అను లక్షణములు ఉండును.

పురాతనముగా జర్మింపుకొనిన మలేరియా వ్యాధులలో క్వినైన్ అతిగా వాడుట వలన చెడిపోయిన శరీర తత్వము లోను బాగుగా పనికి వచ్చును. 3X , 6X, 12X potency లలో అనుదినము వాడుట వలన క్వినైన్ విషమును విరిచివేయును. దానివలన కలిగిన గుండె జబ్బులు, ఎండరోగము , నిరసము, అకారణ భీతి, అకారణ విచారము అను లక్షణములు నిర్మూలనం చేయును. (Ipecac, Chin.Ars.(Arsenic of China)

Note :

1. సముద్రపుగాలి పడక కలిగిన వాంతులు, వికారము, అన్న ద్వేషము పోగొట్టును. (N.S.)
2. ఎండదెబ్బ కొట్టినపుడు నిరసము, తలపైన లేక తల వెనుక భాగమున బరువు పెట్టినట్లు నొప్పి, అతి నిరసము, దాహము, అన్న హితవు తప్పుట అను లక్షణములు కలిగినపుడు NM 3X , 6X, 12X potency లలో నివారణము చేయును. అరగంటకు రెండు మాత్రలు చొప్పున ఇచ్చుచు వేడి నీళ్లలో కొంచము నేయి కలిపి త్రాగించినచో వడ దెబ్బ వెంటనే తగ్గిపోవును. చల్లని పానీయములు త్రాగనియరాదు. అట్లు చేసినచో రోగి చనిపోవచ్చును. ఎండిన తంగేడు పుడకలు వేడినీటిలో డికాక్షన్ వలే తీసి త్రాగించినచో వెంటనే వడదెబ్బ తొలగిపోవును.
3. పెద్ద ఉల్లిపాయలు జేబులో ఉంచుకొని ఎండలో తిరిగినచో వడదెబ్బ కొట్టదు.
4. పుట్టమట్టి తడిపి ఎండు మిరపకాయతో గుడ్డలో కలిపి ఎడమచేతి మణికట్టుకు కట్టితే ఎంతటి జ్వరమైన 15 ని || లలో తగ్గును.
5. ఉప్పు, కరివేపాకు, మిరియపు గింజనూరి ఉండ చేసి చింతపండు coating పెట్టవలెను. పూటకు ఒకటి చొప్పున రోజుకు రెండు - మూడు దినములు మింగినచో ఎట్టి కామెర్లు అయినను తగ్గిపోవును. మంగళవారము, శనివారం వైద్యము ప్రారంభించినచో ఈ మందు పనిచేయదు.

తలనొప్పి గాని, మలేరియా గాని ప్రారంభించునపుడు, హెచ్చఅగునపుడు NM వాడరాదు. సాయంకాలము బాధలు పశమించిన సమయమున వాడినచో మరునాటి నుండి నివారణ యగును. జ్వరము ప్రారంభించుచుండగా గాని, హెచ్చజ్వరముఉండగా గాని ఎన్నడూ NM వాడరాదు. Fever down అగుచున్న సమయములలో ఇట్లు వాడినచో తలనొప్పిగాని, జ్వరము గాని రోజుల తరబడి నిలబడిపోవును.

ఇతర ఔషధములతో సంబంధము :

1. Apis దీనికి ముందు గాని, వెనుకగాని ప్రత్యేకముగా పనిచేయును.
2. Ignatia, Hyoscyamus లో నివారణ యైన వ్యాధులకు NM వైద్యము పూర్తి చేయును.
3. Sepia, Thuja దీనికి ముందుగాని, వెనుకగాని ప్రత్యేకముగా పనిచేయును.

4. దీర్ఘ వ్యాధులలో తరచుగా వాడరాదు. పనిచేసినచోట దీర్ఘవ్యాధులలో ఒక మోతాదు, వైద్యము పూర్తి చేయును. చాలా కాలము తరువాత అనగా కనీసము 20 రోజుల తరువాత కానీ రెండవ మోతాదు వాడరాదు. ఇట్టి దీర్ఘ వ్యాధులలో 10M దానికి పైన potency లలో మాత్రమే ఉపయోగముండును. తరుణ వ్యాధులలో ఎంత తరచుగా వాడినను తప్పలేదు.

5. గమనిక : తలనొప్పి, అతినీరసము హెచ్చుగా నుండి NM లక్షణములు కనిపించినను, కొంతవరకు పనిచేసి మానినచో అటుపైన Nux ఒక మోతాదుతో అన్నియు చక్కబడును. ముఖ్యముగా తలతిరుగుచున్నట్లు తఱచుగానున్నచో ఇట్లే చేయవలెను. ఈ మందును విరుగుడు చేయుట అసాధ్యము. రెండు గంటల లోపల అయినచో strong కాఫీ, ఉల్లిపాయలు సేవించినచో విరుగుడుగును.

10. THUJA : IT IS A PLANT DRUG

అతి గాఢమైన, అతి దీర్ఘమైన, ప్రభావము గల Anti-sycotic ఔషధము. Hahnemann దీనికి King of Sycotic Miasm అనెను. అతి స్థూల శరీరము. కాకరకాయ వలే ఎగుడుదిగుడు లేని శరీరము, ఆవగింజలు మొదలు నిమ్మకాయ వరకు సైజులలో చర్మముపై అక్కడక్కడా గట్టి కాయలు, ఎండిపోయిన, స్పర్శ జ్ఞానము తక్కువైన చర్మము, పెద్ద మొటిమలు, పులిపిరులు, ఆనెకాయలు, అనేక ప్రదేశములలో చర్మము దళసరియై పొరలు లేచుచుండుట మున్నగు లక్షణములు కలిగి, చర్మము, ధరించిన వస్త్రములు దుర్వాసన వేయుచు చాలా చిన్న తనమునుండి దృష్టి దోషము, చదువురాదు. జడత్వము, తఱచు జీర్ణాశయమున పురుగులు, పాములు కడులుచుండుట అను లక్షణములు కలిగి మధుమేహము మున్నగు మాత్రవ్యాధులు కలుగుచుండు వ్యక్తులలో ఈ ఔషధము ప్రశస్తమగును. తరచుగా మాత్రపిండమున రాళ్లు తయారగును. ఆకలి తక్కువ. మందము, పులసరము, వికారము పెట్టుట, ఏమి తిన్నను ఆయాసపెట్టుట మున్నగు లక్షణము లుండును. ఇట్టివారికి చిన్న తనము నుండి వైద్యము సరిలేనిచో నడివయసు తరువాత నుండి కాన్సర్ కానీ, ఉన్మాదము గాని, క్షయగాని, కండలలో వ్రణములు కానీ, రాచపుండు, తీనెతుట్ట వ్రణము, అహుతవ్రణము (gangrene) మున్నగు ఘోర వ్యాధులు కలిగి మరణింతురు.

మానసిక లక్షణములు:

1. స్థిరమైన తప్పుడు అభిప్రాయము. ఉదా : ఈ ఇంట్లో దయ్యమున్నది.
2. చీకటిలో దొంగ నక్కియున్నాడు.
3. ఒక స్త్రీ 8 సం || నుండి తాను గర్భిణిని అని నమ్మకము.
4. కడుపులో ఎవరో ఉన్నారని అనిపించుట.
5. తన్నెవరో వెన్నాడుచున్నాడనిపించును. తన రహస్యములు నిరంతరము ఎవరో తెలుసుకొనుచున్నారు. బాలింత అయినా స్త్రీ తాను మరల గర్భిణి అని భ్రమ పడును.
6. ఊయలనుండి పిల్లవాని నెత్తుకొని మరల ఊయలలో ఇంకొకరున్నారనిపించి వెనుదిరిగి చూచును. తనలో చాలా దయ్యములు ఉన్నాయనిపించును. తన ఆత్మ, శరీరము వేరువేరుగా పనిచేయుచున్నవనిపించును. దేవతలో, గంధర్వులలో, పరమగురువులో తనకనుక్షణము ఉపదేశించుచున్నారను నమ్మకము. తాను కారణజన్మజనని నమ్ముట, (ఉదా : పూర్వజన్మ లో తాను శ్రీకృష్ణదేవరాయలు అని చెప్పును).
7. ఇంటిలోని బంధువులందరూ తనకు వ్యతిరేకమని నమ్ముట.
8. ముఖ్యముగా స్త్రీలలో బాలింత వ్యాధులు కలిగి తగ్గిన తరువాత ఉన్మాదము సంభవించును. దానికిట్టి లక్షణములు కలుగగ తూజా నిర్మూలనము చేయును.
9. భార్యకు భర్త పైన, భర్తకు భార్యపైగాని అనుక్షణము తీవ్రమైన అనుమానము. భార్య భర్త పైగాని, భర్త భార్యపైగాని అతి క్రూరముగా, నిర్దాక్షిణ్యముగా ప్రవర్తించును. క్షణములో ఎవరైనా వచ్చినచో మృదుమందహాసముతో మర్యాదగా, ప్రసన్నముగా ఎంతకాలమైనా గడుపును.
10. ఇంటిలో ఒకరన్న అతి తీవ్రమైన ద్వేషము. వారి ముఖము చూడలేకపోవుట.

11. ఎవరును తన్ను తాకరాదు. సమీపించరాదు. స్నానము చేయని వారు, అపవిత్ర భావములు కలవారు తన వంక చూడరాదు.
12. తన శరీరము గాజవలె చిట్టిపోవునని భయము. ఎవరైన తాకినచో పగిలిపోవునని భయము.
13. ఎవరైనా తన పాత్రను ఉపయోగించినచో అవతల పారవేయును. (A mania for purity).

Modalities :

1. కన్నులు మూసినచో బుర్ర గిర్రున తిరుగును. (Conium)
2. తేలికగా చెమట పోయును. చెమట ధరించిన వస్త్రమును అనేక రంగులలో మరక చేయును. ఒక్కొక్కప్పుడు చెమట మరకలలో రక్తపు జీరలు కనిపించును. ముఖ్యముగా చెమట పోసినప్పుడు మనిషి దగ్గర తేనె వాసన గాని, వెల్లుల్లి వాసన గాని వచ్చును. చెమట పోసినప్పుడు దేహమునకు ఈగలు ఆకర్షించును. స్నానము చేసిన తరువాత కూడా శరీరము లోళ్ళవాసన, కొత్త చెప్పుల వాసన వేయుచుండును.
3. మర్మావయవములు, ఆసనము, చంకలు, తొడలు, మెడ మడతల క్రింద శవము వాసన. నిరంతరము దుర్వాసనతో కూడిన ద్రవము తడితడిగా నుండును. రోగి ఈ వాసనకు అలవాటు పడును. చేతితో గాని, వస్త్రముతో కానీ ఈ భాగములను స్పృశించి వాసన చూచుచుండును.
4. తల దురద, సన్నని పొలుసులు లేచుట, క్రమముగా జట్టు అంతా ఊడిపోవుట. (వేసవిలో <)
5. కంటికి బ్రాంతులు, తెల్ల దీపము రంగు దీపముగా కనిపించును. ఒక దీపము రెండుగా కనిపించుట, పుస్తకము పేజీ పై ఉల్లిపొర కాగితమున్నట్లు భ్రమ. శిశువునకు పుట్టిపనప్పటి నుండి కంటి పొర (Ophthalmia). కనుగ్రుడ్డుపై కుదపలు, చిన్న గడ్డలు, పొక్కులు, రాత్రి తుమ్మజగురు వంటి చిక్కని సొనలో కన్నులు అంటుకొనిపోవును.
6. చెవిలో నిరంతరము చీము, కురుపులు, మాంసము కుళ్ళిన వాసన, తొళ్ల వంటి పెరుగుదలలు.
7. ముక్కులో కండలు పెరిగి శ్వాస నిరోధించుట, టాన్సిల్స్ నిరంతరము ఉబ్బి ఉండుట.
8. మూలవ్యాధి, వాపు, నొప్పి, రక్తముగాని, కుళ్ళిన వాసనలో రసిగాని నిరంతరము వస్త్రములకు అంటుకొనుచుండుట.
9. భగందరము (Fistula) ఆసనమున గుండ్రని రంధ్రములో కురుపుపై మాటిమాటికి చీము వెట్టుచు పగులుచు దశాబ్దముల కొలది యుండును. (Silicia, NitricAcid, N.S.)
10. మొలలను, భగందరమును శస్త్ర చికిత్స చేసిన తరువాత కలిగిన ఉబ్బస వ్యాధులు (సామాన్యముగా వర్షాకాలమున ఉద్దేశించుట, కఫము, శ్లేష్మముతో సంబంధము లేకుండుట, ఒట్టి ఊపిరితిత్తులలో కసరత్తు)
11. మశూచి, ఆటలమ్మ సమయములలో పథ్యము సరిగా చేయకగాని, చెడ్డ వైద్యము జరుగుట వలన గాని కలిగిన దగ్గు, ఉబ్బస వ్యాధులు దశాబ్దముల తరబడి యుండును. అట్టి కేసులలో ఉబ్బసము, దగ్గు వచ్చును. దీనికి Thuja వ్యాధి నిర్మూలనము చేయును.
12. ఉదయముననే ఒక పలుచని విరోచనము మిక్కిలి శబ్దముతో సన్నని తూము నుండి నీళ్ల బయటకు కొట్టినట్లు అగుచుండును. అట్టి ఉదయము టిఫిన్ తీసుకొనిన వెంటనే గాని, కాఫీ తీసుకొనిన వెంటనే మరొకమారగును.
13. చర్మముపై తెలుపు, గోధుమ రంగు కలిసిన చుక్కలు చుక్కలుగా పొడలు, బొల్లి. (Arnica - తెల్లని మచ్చలలో నల్లని చుక్కలు)
14. తామర, చిడుము కలిగి వస్త్రములో కప్పిన ప్రదేశములు నల్లగా, గరుకుగావుండును. ఎప్పుడును తడిగా యుండును. దుర్వాసన, దురద, గోకిన వెంటనే మంట (ArsenicAlbum లో తగ్గును. కానీ మరల కనిపించినచో Thuja వాడిన గాని పోదు).
15. మాత్రము పోసిన తరువాత లోపల ఒక బొట్టు మిగిలిపోయినట్లుండి నిప్పంటించినట్లుండును. (Sarsaparilla - సుగంధిపాలు).
16. వస్త్రములో కప్పబడని శరీర భాగములందు మాత్రము చెమట పోయును.
17. నిద్రించుచున్నంతసేపు తల గాక మిగిలిన భాగములు చెమట పోయును. మేల్కొనిన వెంటనే ఆగిపోవును.

గమనిక : గనోరియా వ్యాధి సంక్రమించి, అణచిపెట్టుట వలన వై బాధలలో ఎక్కువ బాధలు కలుగును. సామాన్యముగా

గనోరియా వ్యాధి అణచిపెట్టుట వలన పుంసత్వము నశించును. కీళ్లు నొప్పులు, కీళ్లు బిగిసి పోవుట కలుగును. ఇట్టి వ్యాధులలో ఎక్కువ కేసులలో Thuja ఆవశ్యకమగును. అణచిపెట్టబడిన గనోరియా వలన ఏ మందులకు తగ్గని జలుబు నిత్యము ఉండును. ఉదయముననే లేచిన వెంటనే లెక్క లేనన్ని తుమ్ములు, కొంతకాలము తరువాత మొగము బరువు, మొగములో నీరు చేరుట.. (Sinusitis--దీనికి Thuja, Dulcamara Lachesis ముఖ్యముగా నివారణ చేయును).

ఇతర ఔషధములతో సంబంధము:

Silicia, Medorhinnum, Sabadilla - దీనికి మిత్ర ఔషధములు.

Mercury, Nitric Acid అను ఔషధములు వాడిన తరువాత మిగిలా వ్యాధులను తూజా పూర్తిగా నివారణ చేయును.

11. BELLADONA

Generals :

1. ఆరోగ్యముగా, చురుకుగా, బొద్దుగా ఎర్రగా ఉన్నవారికి, ప్రత్యేకముగా పిల్లలకు ఆకస్మికముగా చేయు తరుణ వ్యాధులలో ఈ ఔషధము బాగుగా పనిచేయును. Overactive children, generally very active . ప్రాణ శక్తి ఎక్కువగా కలవారు. plethoric children.

2.If the drug has to work, reactivity should be there. రోగాన్ని నివారణ చేసేది Vital force. Allow the vital force to cure itself without disturbing the patient. వ్యాధి అన్నమయ కోశమునకు సంబంధించినది కాదు.

Bacteria : They are scavengers to expel out the bad matter from the body to the outside.

Vital force arrangement సరిగా ఉన్నప్పుడే అది శరీరముమీద మందు పని చేసేటట్లు చూస్తుంది.

తరుణ వ్యాధులలో ఎంతవేదనా తీవ్రత ఉండునో అంత dangerless. Symptoms sharp.

3.కుర్రవయసు ఉన్న స్త్రీలు, బాలురు ఆరోగ్యవంతులై, ఉత్సాహవంతులై కనిపించుచుండగా ఆకస్మికంగా కలుగు వ్యాధులు. (Responds easily).

4.Puls వారికి plethoric condition ఉన్నా చాలా backward గా ఉన్నట్లనిపించును. Bell వాళ్ళు పిడుగుల్లాంటి వాళ్ళు. Puberty age లో ఉన్నవాళ్ళు impure instincts , emotions నుంచి దూరంగా జాగ్రత్తగా ఉండవలెను.

5.Cold with phlegm. Fever with inflammation. (వాపు) (వాపుగాని,ఒరుపు గాని, కురుపుగాని)

Belladona స్త్రీజన వశికరణ మూలిక.

Important : Redness, radiating heat, burning. ఒక్కొక్కసారి inflammation లేకపోవచ్చును. 6.Inflammatory fever (పోగు, తడపర) Radiating heat (Sulphur, Bell)

సల్ఫర్ patient దగ్గర వాసన ఉంటుంది.

ప్రధానమైన మానసిక లక్షణములు:

1.Delirium with violence. తీవ్రత లో కూడిన సంది లక్షణములు. తీవ్రముగా ఏడ్పుట, అరచుట, గిచ్చుట, కొరుకుట, పక్కను, బట్టలను చింపివేయుట, తప్పించుకుని పారిపోవుట, ఒంటిమీద గుడ్డలు మాత్రము తొలగించి,పరిగెత్తుట, పాటలు పాడుట, ఇంగ్లీషులో మాట్లాడుట, అభ్యాసము లేని నీచ భాష ఉపయోగించుట మొ||

2.Bell కు సహచరులైన ఔషధములలో ఒకటి Hyoscyamus.

(Stram -- Great fever, less violence than Bell, appearance of dead relatives and friends especially recently dead.)

BELL, STRAM, HYOS -- Delirium trio.

3. జ్ఞానేంద్రియములు హెచ్చుగా పనిచేయుట--Sensitivity of senses is increased --BELL

4. Astral plane లో వాసనలు చూడగలరు. కర్పూరము, తులసి, సాంబ్రాణి -- వీని వాసనలు భౌతిక శరీరమునకు, సూక్ష్మశరీరము నుండినుండి విడగొట్టుతుంది.

5. నాడి తీవ్రతను కలిగి ఉండును. Stunt picture హీరో లాగా తప్పించుకొనగలరు..

6. Glittering and sharp eye sight -- కోరచూపులు తళతళలాడుచుండును.

Chronic Condition :

Children sharp and destructive mentality. కొట్టవచ్చు, వస్తువులు మీద పడవేసుకొనవచ్చు. దుర్గుణాలు వ్యాధులుగా తెలుసుకొనవలెను. Suspicious nature – Lachesis గ్రూప్ లోనికి వస్తారు.

Modalities :

1. Aggravation to touch. తల ముట్టుకుంటే ప్రాణము పోయినట్లుంటుంది.

2. Aggravation from movement. < touch ; < movement

3. RhusTox కు opposite : < noise : < Draft of air

కిటికీ లోంచి గాలి వస్తే ఎక్కువవుతుంది.

< Looking at shining substances (any symptoms)

< Looking at running water Hydrophobia అనే వ్యాధిలో ఈ లక్షణము కనిపిస్తుంది.. This symptom is also there in NM and Hydrophobinum. కానీ NM నీటిని త్రాగుతాడు.

< 3 PM ; < midnight

< Drinking ; గుటక వేస్తే తలకాయ బ్రద్దలైనట్లుండుట. Suffocation from drinking (త్రాగుతుంటే నదిలో మునిగినట్లుండుట)

< Uncovering the head.

< Lying down - పడుకుంటే బాధలు ఎక్కువగును.

> By rest, standing or sitting erect.

> Warm room.

Relationship with other drugs :

1. Complementaries -- Calcarea Carb, Lachesis. i.e. they are the chronic drugs of Bell.

2. దీనికి Inimicals లేవు. Can be antidoted by strong coffee. Bell కు కాఫీ తాగవద్దు అని చెప్పవలెను.

12. HYOSCYAMUS

ఇది మధ్యస్థముగా పనిచేయు ఔషధము. Moderately deep. General symptoms లేవు.

మానసిక లక్షణములు: అతిఉత్సాహము, అవేశము గల స్వభావము గలవారికి ఇది పనిచేయును. సమయము, సందర్భము తెలియక ఉత్సాహపడువారు, సులువుగా నవ్వుట, ఏడ్పుట చేయువారు. (Pulsatilla - సులభముగా నవ్వరు)

కానీ ఏడ్చుదురు. వ్యాధి లక్షణములు చెప్పుచున్నప్పుడు పట్టరాని ఏడుపు వచ్చును. Lyco లో weeps when thanked. Ignatia - ఏడవవలసిన సమయములో నవ్వు వచ్చును).

కునికీనచో కలలు వచ్చును. సామాన్యముగా భూతములు, వికృతాకారపు జంతువులు, నగ్న నృత్యములు, సంగీతము వినిపించుట జరుగును. ప్రతి చిన్న విషయమునకు భయపడును. ఒంటరిగా ఉన్నచో భయము. చీకటిలో తేలో, పామో ఉందని, మంచములో నల్లులు ఉన్నవని వెదకులాడును. నిన్న నమ్మిన వారిని ఈరోజు నమ్ముడు. ఆహారమున విషము కలుపుదురని, మందు పెట్టుదురని సందేహము. (ఇంట్లో వాళ్ళ మీదే అనుమానము). ప్రశ్నలకు జవాబులు సంబంధించినవి ఉండవు. తానున్న చోటు తనకు తగినది కాదని నమ్మకము. (తానూ కారణజన్ముడో, అవతారమూర్తియో అనుకొనును. -- Platina)

Dreams వస్తే కనుక్కోవటానికి మందులు :

1. కలలో పాములు -- Lac Caninum.
2. కలలో పుర్రెలు, ఎముకలు, శ్మశానము, గేదెలు, ఎలుకలు, పందికొక్కులు -- Bell.
3. బైరాగులు, మతగురువులు, కులపెద్దలు, క్రొత్తగా చనిపోయిన బంధువులు -- Stramonium.
4. తన దిన చర్య యంతయు కలలో వచ్చుట -- Selenium.
5. తెల్లవార్లూ ఒకే కల (continuously). మెలకువ వచ్చి నిద్రించినను దాని క్రమమే పూర్తి యగుట – Caladium.
6. ఫోలీసులో, దొంగలో వెంటపడినట్లు, గిట్టనివారో, కుక్కలో తరుముచున్నట్లు - Natrum Mur.

Note: ఇది repeated గా వస్తే మాత్రమే ఈ డ్రగ్స్ పనిచేస్తాయి.

Mental symptoms in disease :

జంతువులను, వ్యక్తులను చూచుచున్నట్లు సంభాషించుట, ప్రక్కపై నుండి ఎగిరి దూకి ఏవో కీటకములు ఉన్నవి అని చెప్పుట. ప్రక్క మడతలలో చీమలను, నల్లులను తడవులాడుట, ఎవరెది మాట్లాడినను, ఆ పదములలో ఆశువుగా, మధురముగా పాటలు పాడుతు, బూతు పాటలు, కేకలు పెట్టుట, వస్త్రములు విప్పి పారవైచుట. (Bufo-mentally not active).

పిల్లలు నిద్రలో ఏడ్చుట, నవ్వుట, లేచినడచుట, పాటలు పాడుట, తనని ఎవరికో ఇచ్చివేయుదరని, అమ్ముదురని భయము, సామాన్యముగా ప్రణయ విషాద గాధల తరువాత ఈ మందుకు సంబంధించిన వ్యాధులు కలుగును.

Modalities :

1. దగ్గు, పంటినొప్పి, తలనొప్పి, చెవిపోటు - వీటిలో ఏదైనను తీవ్రముగా కలుగును. కలుగజోవు ముందు రెండు, మూడు దినములు నిద్ర పట్టదు.
< పండుకొనినచో ఉద్దేశించును. > కూర్చుండినచో ఉపశమించును.
< బోజనానంతరము, ఏదైనా త్రాగినప్పుడు, సంభాషణ తరువాత, లలితకళాప్రదర్శనము చేసిన తరువాత.
2. జ్వరము -- కలవరింతలతో ప్రారంభమగును. ఉలికిపడుట ఉన్నచో Bell, లేనిచో Hyoscyamus.
3. రెండు దినములలో జ్వరము తగ్గును. Typhoid గా మారిపోవును.

Explanation : టైఫాయిడ్ లో సంధిగుణమునకు Bell వాడినచో సంది తగ్గి రోగి మరణించును. Hyoscyamus వాడినచో ప్రమాదం లేదు. Ignatia వాడినచో సంది తగ్గి నివారణ సులువగును.

సామాన్యముగా ప్రసవానంతరము, నూతన రజస్వల సమయములందు Hyos లక్షణములు కనిపించును.

లేదా అతిచల్లని, అతివేడిపదార్థముల స్పర్శ వల్ల లేక భయపడుట వలన, దుఃఖము వలనను, ఋతు స్రావము ఆగి ఈ లక్షణములు కనిపించును.

ఇతర ఔషధములతో సంబంధము :

1. Bell, Stram తరువాత ఇది వాడవలసివచ్చును.
2. Hyos తో పూర్తిగా నయముకాని మదపిచ్చి లక్షణములు Phosphorus తో నివారణ యగును. Phos is to some extent chronic to Hyoscyamus. అనేక దీర్ఘ వ్యాధులకు దీనితరువాత Natrum Mur కావలసి వచ్చును. Natrum Mur completes the case of Hyoscyamus.

Natrum Mur is the chronic of Hyoscyamus.

13. IGNATIA

General : సుకుమారముగా, నాజాకుగా, శ్రమ భరించలేని శరీరములకు పని చేయును. చిన్న కారణములకు ఎక్కువ బాధను, జాలిని కృత్రిమముగా అభినయించు మనస్తత్వము.

KEYNOTE :

1. పరస్పర విరుద్ధములైన లక్షణములు. ఏడ్చుచు, పకపకా నవ్వెదరు. నవ్వుచు వెక్కివెక్కి ఏడ్చుదురు. నవ్వి నప్పుడు కంటి వెంట నిరు, కారణము లేక పకపకా నవ్వుదురు. అతి దుఃఖ కారణములకు పట్టరాని నవ్వు వచ్చును. చలి వేయుచు ఉక్క పోయుచున్నట్లుండును. Fan పూర్తిగా వేసి మొత్తము కప్పుకుని నిద్రింతురు. (Psorinum - ఎండాకాలమైన, వానాకాలమైన పూర్తిగా ముసుగు పెట్టి అన్ని తలుపులు బిడాయించి పడుకొందురు).
2. చెవులలో హోరు > సంగీతము.
3. హోరులో చెముడు > జనసమ్మర్షపు కేకలు.
4. మూలవ్యాధి (piles) > fast moving
5. గొంతుపూత, నొప్పి > ఏదైనా మ్రింగునపుడు హాయిగా ఉండును.
6. ఆకలి భుజించుటచే ఉపశమించదు.
7. దగ్గు < దగ్గు. Cough aggravated by coughing.
8. దగ్గు < laugh
9. దగ్గు < వేగముగా నడచి నిలబడిన వెంటనే. పిల్లలలో కోరింత దగ్గులో పై లక్షణములున్నచో దీనిలో ఉపశమించును.

Important Note : దీర్ఘకాలం రహస్య దుఃఖకారణములు కలవారికి ఈ లక్షణములు కలుగును. సామాన్యముగా కొత్తగా ఉద్యోగములో చేరినవారు, కొత్తగా కాపురమునకు పోయిన స్త్రీలు, త్రాగుబోతుల, వ్యభిచారుల భార్యలు - ఈ ఔషధ లక్షణములు కలవారెక్కువ మంది.

10. అప్రయత్నముగా మాటిమాటికి నిట్టూర్చుట.
11. ఒంటరిగా నుండగోరుట.
12. ప్రతి చిన్న మాటకును, వేరే అర్థమును తీసుకుని బాధపడుట, నిర్ణయము చేయలేకుండుట. ఇరుగుపొరుగులతో దెబ్బలాడుట. కోపించినచో ఒడలు తెలియని ఆవేశము, సుకుమార మనస్సుగల పిల్లలను క్రూరముగా శిక్షించుట, నలుగురిలో అవమానించుట చేసినచో ఈ లక్షణములతో జ్వరాదులు కలుగును. ఒక్కక్కప్పుడు చిన్న బిడ్డల లక్షణములు కూడా

కలుగవచ్చును. పెద్దవారిలో దుర్వార్య విన్న తరువాత దీర్ఘకాలము దాచుకొని మనోవ్యధ భరించలేనపుడు ఈ లక్షణములు కలుగును.

మంచి వాసనగాని, చెడ్డ వాసనగాని భరించలేక కండ్లు తిరుగుట, వాంతి, వణుకు, మూర్ఛ కలుగవచ్చును. చాలా దూరమునుండి వాసనలు తెలియుట, మొగము తిరుగుట కలుగును. వాసనలతో సర్వ వేదనలు ఉద్రిక్తము చెందును. ముఖ్యముగా పొగాకు వాసనతో అన్ని లక్షణములను ముమ్మరముగా వచ్చును. వేగ వాహనములలో ప్రయాణము చేయుచున్నన్ని రోజులు విరోచనము కాదు. కొత్తచోట విరోచన బద్ధకము. ఒక వేలు, చెయ్యిభాగము, కాలుభాగము మాత్రము తిమ్మిరెక్కుట, కొంకరపోవుట, నరములు లాగుట మున్నగు లక్షణములు.

FEVER :

జ్వరమునందు ఈ క్రింది లక్షణములు కనిపించును.

- చలి, వణుకు కలిగినపుడు మొగమెర్రగా కండును.
- చలి, వణుకు ఉన్నంతసేపు మాత్రమే అతి దాహము.
- దప్పిక లేకుండా లోపల తాపము, వేడి కలిగి కప్పుకున్నచో ఉపశమించును. చలిగాలి తగిలినచో ఉద్రిక్తించును.
- ప్రతి దినము అవే బాధలు అదే గంటకు కలుగును.

ఇతర ఔషధములతో సంబంధము :

- Coffea, NV, Tabacum -- దీనికి శత్రువులు.
- Puls దీనిని విరుగుడు చేయును.
- అనేక వ్యాధులలో దీని వైద్యము NM పూర్తి చేయవలసిఉండును.

14. STRAMONIUM (నల్ల ఉమ్మెత్త)

More for acute cases. తరుణ వ్యాధులలో ఎక్కువ ఉపయోగము. దీర్ఘ వ్యాధులలో కొన్నిటికి ఎక్కువ ఉపయోగము.

దీర్ఘ వ్యాధుల లక్షణములు :

నిలబడినను, కూర్చున్నను స్థిరము లేక పోవుట, కాళ్ళు, చేతులు, చూపులు ఎప్పుడును కదిలించుచుండుట, రక్తము వచ్చునట్లు గోళ్లు కొరుకుట, కోప స్వభావము, కోరచూపులు, సంభాషణలో దీనముగా పలుకుట, అతిగా ప్రార్థించుట, మాటిమాటికి క్షమించమని కోరుట, స్వల్ప విషయములకు దిగులు, భయము ఉండును. ఈ లక్షణములు గలవారిలో సామాన్యముగా దృష్టి దోషము ఆశ్చర్యకరముగా నివారణ అగును. కండ్ల మసకలు, రెండు బొమ్మలుకనిపించుట (Diplopia), అక్షరములు పరుగెత్తుచున్నట్లు కనిపించుట. అక్షరముల చుట్టుగాని, దీపములచుట్టూ గాని ఇంద్రధనుస్సు రంగులు కనిపించుట.(compare with Ruta), అక్షరములకు వెలుతురు చాలనట్లు కనిపించుట, చుట్టును orange రంగు కనిపించుట) (compare with Silicia - అక్షరము మీద అక్షరము ఎక్కినట్లు కనిపించుట, అక్షరమునకును కాళ్ళు ఉన్నట్లు కనిపించుట), అవసరమున్నను, లేకున్నను నిరంతరము మాట్లాడుచుండుట.

కడుపునొప్పి, దీర్ఘవ్యాధులైన తలనొప్పులు, నడుము నొప్పులు, పైలక్షణములున్నచో ఆశ్చర్యకరముగా పోవును. అట్లే చర్మవ్యాధులుగాని, విరోచన బద్ధకము గాని అనివార్యములని పేరుబడిన వ్యాధులు మాయమగును.

మానసిక లక్షణములు:

- 1.మాట్లాడుచున్నంతసేపు నవ్వుచుండును.
- 2.వెలుతురు తగ్గినచో భయము, చీకటిలో ప్రాణభీతి, గాఢ నిద్రలోనుండగా దీపమార్పినచో పెద్దగా కలవరించి కేకలతో లేచి పరుగెత్తుదురు.
- 3.ప్రక్కన మనుషులు లేనిచో భయము. ఒంటరిగా ఉండలేరు.
- 4.నిద్రలేచిన కొన్ని క్షణముల వరకు బెదురు చూపులు, ప్రతి వస్తువును చూచి భయపడుట.
తరుణ వ్యాధులలో ముఖ్యముగా అతి తీవ్ర జ్వరము, కలవరింతలు, సందిగుణము, లేచి పారిపోవుట, భయముతో ఆయాసపడుట, కొన్ని నిముషములు తెలివి, కొన్ని నిమిషములు సందిగుణము మారుచుండును. పెద్ద కేక వెట్టుచుండుట, భూతములు, పెద్దపెద్ద జంతువులు, ముఖ్యముగా చనిపోయిన బంధుమిత్రులు కనిపించుట, తల ముక్కలై దూరముగా పడినట్లు భ్రాంతి. (Baptisia - శరీర భాగములు).
- 5.గ్రుడ్లు ఉరిమి రెప్ప వేయక చూచుట.
- 6.కనుగ్రుడ్లు పాపలు వెడల్పై ఉండుట. (pupils dilated)
- 7.ముఖము కందినట్లు ఎర్రగా అతివేడిగా ఉండును. మాటలు తడబడును. తలచినది చెప్పుటకు ఎక్కువ పరిశ్రమ చేయును. జ్వరముతో వాంతులు, ముఖ్యముగా దిండుమీదనుండి తల పైకి ఎత్తగానే వాంతి యగుచుండును.
- 8.మూర్ఛ--మూర్ఛలో గూడ తెలివి యుండుట.
- 9.ప్రాంతీయముగా భాగములు అదురుట, కదులుట. దీర్ఘవ్యాధులలో chorea. (Lachesis - పక్షవాతము, నోరు పడిపోవుట, గుండె దడ, Diphtheria).
- 10.తీవ్ర జ్వరముందు ఒక్కొక్కప్పుడు నీళ్లను చూసి భయము, గొంతు నొప్పి, Hydrophobia వ్యాధి నివారణయగును. (First Echinacea పైకి పూయవలెను. 4,5 రోజులైతే Echinacea 200 - 3 doses, తరువాత నెలకు నెలకు తూజా - 6 months)

Test : అరిసె పెడితే జ్వరము వస్తే ఇంకా అపాయము ఉన్నట్లు.

- 11.నిద్ర మత్తుగా ఉండును. కానీ నిద్ర పట్టనే పట్టదు. (Chamomilla, Opium have the same symptom.)

ఉద్దేశ, ఉపశమనములు:

- 1.అన్ని బాధలు చీకటిలో ఉద్దేశించును. < darkness.
- 2.అన్ని బాధలు ఒంటరిగా నున్నప్పుడు ఉద్దేశించును.
- 3.అన్ని బాధలు మెరుపులో తళతళలాడు వస్తువులను చూచుచున్నప్పుడు ఉద్దేశించును.
- 4.అన్ని బాధలు చలి తగిలినప్పుడు ఉద్దేశించును. ప్రసవమునందు స్త్రీకి మావి శుభ్రత కలగనిచో పై లక్షణములు, సంది కలుగును. ఒక్కొక్కప్పుడు దీర్ఘవ్యాధిగా ఉన్నాదము కలుగును. ఇది Stramonium లో నివారణయగును.

ఇతర ఔషధములతో సంబంధము:

- 1.Bell, Hyos, Hydrophobinum వాడినతరువాత ఇది బాగుగా పనిచేయును.
- 2.Cuprum met ముందుగాని, తరువాత గాని ప్రత్యేక నిపుణత లో పనిచేయును.
- 3.విరుగుడు - Nux Vomica.

Lecithin Mother Tincture : ఇది 3X , 6 లలో బాగుగా పనిచేయును. సామాన్యముగా టైఫాయిడ్, కలరా మొదలగు వ్యాధులలో నీరసించి ఉన్నప్పుడు దీనితో వెంటనే నీరసము తగ్గును. పథ్యము పెట్టిన తరువాత మంచము దిగలేకుండుట, ఆకలి తక్కువ, చెమటలు పోయుచుండుట, కదలినచో గుండె దడ అను లక్షణములున్నచో పని చేయును.

Alfalfa MT :

ఇది ఎట్టి పరిస్థితిలోనైనను వాడతగినది. ముఖ్యముగా నడుము నొప్పితో నిరసము, ఆకలి మందగించుట, అన్నహితవు లేకుండుట, నిద్ర పట్టకుండుట, జ్ఞాపకశక్తి తక్కువ, విసుగు, చికాకు అను లక్షణములలో పనిచేయును.

Crataegus MT:

ఇది అన్నివిధములైన గుండె జబ్బులలోను, గుండెను కాపాడగల ప్రత్యేకమైన టానిక్. ముఖ్యముగా గుండెకండరములను దుర్బలత్వమునుండి కాపాడి అలసట తీర్చి బలము చేకూర్చును. Digitalis వైద్యము వలన నీరసించిన గుండె కండరములకు ముఖ్యముగా రక్షణనిచ్చి ప్రాణప్రమాదము తప్పించును.

15. BRYONIA

Generals : పైత్యతత్వము కలవారికి హెచ్చుగా పనిచేయును. తరచుగా ఒళ్ళు నెప్పులు, తలనొప్పి, బద్ధకము, పనులు చేసుకొనుటకు ఉత్సాహము లేకుండుట, శ్రమపడుటకు బుద్ధి పుట్టకుండుట కలవారికి హెచ్చుగా పనిచేయును. ఎక్కువ తరుణవ్యాధులలో ఉపయోగము. కడుపులో మంట, నొప్పి తఱచు పసరుపెరుగుట ఉండును. కొన్ని దీర్ఘ వ్యాధులలో కూడా పనిచేయును. ముఖ్యముగా తలనొప్పులు, నడుమునొప్పులు, కీళ్లనొప్పులు, వాత నొప్పులు, వచ్చుచు పోవుచుండు వారికి చక్కగా పనిచేయును.

మానసిక లక్షణములు:

1. చికాకు, కోపము, తన సోమరితనమును కప్పిపుచ్చుకొనుటకు ఎదుటివారు పనులు చేయుట లేదని కోపింతురు.
2. కోరిన వస్తువుగాని, పనినిగాని తక్షణమే చేయవలెనని చికాకు పడుదురు. ముఖ్యముగా పిల్లలలో అసాధ్యమైన వస్తువులకై పేచీ వెట్టి అప్పటికప్పుడు కావలెనందురు. తెచ్చిఇచ్చినచో కోపముతో తిరస్కరింతురు. (Chamomilla). పసిబిడ్డ అనేక వస్తువులను కోరుచు ఏడ్చుచుండును. అడిగిన వారినెల్ల అడిగినంత ఇచ్చివేయ వలెను. ఇచ్చిన దానినెల్ల వినరిపారవైతురు.
3. పిల్లలు ఎప్పుడును ఏడ్చుచుండురు. ఎత్తుకొనినను, తాకినను, ముద్దాడినను గుక్కవెట్టి క్రిందపడి దొర్లుదురు. (Antim Crud - ఎప్పుడును ఎత్తుకొనవలెను. దింపినచో క్రిందపడి ఏడ్చుదురు).
4. ఎవ్వరేవిషయము సంభాషించినను తాను మాత్రము తమ జబ్బు విషయమును గూర్చి మాట్లాడుచుండురు. (constitution).
5. కడలుటకును, ఎచటికైనా వెళ్ళుటకును ఇష్టముండదు. ఆవశ్యకమైనను లేచి వెళ్ళకుండుటకు, పనులు చేయకుండుటకు కారణములు కనిపెట్టగలరు.

ఉద్రేక ఉపశమనములు:

1. అన్ని బాధలయందును గొంతు, ముక్కు, కన్నులు మున్నగు ప్రదేశములందలి మృదువైన చర్మము తడిలేకుండా ఎండినట్లుండును. వెదవులు, నాలుక తడిలేక పగుళ్ళు కలిగియుండును. మల పదార్థముకూడా ఎండిపోయికాల్చిన పేడ ముద్దలవలె నుండును. (blackish, blackish brown, grey) చాలా గట్టిగ నుండి వినర్థించుటకు బాధగా నుండును.
2. మూత్రము చిక్కగాను, ముదురు ఎరుపు గాను, వంగపండు రంగుగాని ఉండును. మూత్రము పరిమాణము తక్కువ.
3. అతి దాహము. ఎంతనీరు త్రాగినాను హితవుగానే ఉండును. దాహము తీరుచుండును. కానీ ఎంతైనా త్రాగగలడు.

4. ఏ విధమైన నొప్పులైనను దబ్బనములలో లోపలికి కుట్టుచున్నట్లు గాని, మొండికత్తితో చీలుచున్నట్లు గాని ఉండును.
5. < రాత్రిపూట (ప్రధానముగా నొప్పులు).
6. < కదలికవలన.
7. గట్టిగా గాలి పీలుచున్నపుడు, దగ్గుచున్నపుడు ఎక్కువ బాధ అనిపించును.
8. > బొత్తిగా కదలకుండా పరుండుట. నొప్పి ఉన్న భాగమునకు తిరిగి, ఆభాగముపై నొక్కుకొని పరుండుట. (Bell, Arnica దీనికి వ్యతిరేకము).
9. స్త్రీలలో బహిష్టుసమయమున వైకృత లక్షణములు. (Vicarious menstruation). ఋతుకాలమున ప్రావము ప్రారంభింపక ముక్కునుండి నెత్తురు లేక దగ్గినచో నెత్తురు పడుట (Phos - ఋతువునకు బదులు వాంతులు).
10. అవమానము, కోపమునకు గురియగుట, ఆకారణముగా నలుగురిలో తిట్లు తినుట, తనకు పట్టరాని కోపము వచ్చి కూడ ప్రకటించుటకు వీలులేకుండుట అను కారణములు కలిగినపుడు సామాన్యముగా Bryonia వేదనాసముదాయము కలుగును. (Staphisagria -- నుదురు, కనుబొమల ప్రదేశమున ఎదో గుండ్రని వస్తువు పెట్టి నొక్కినట్లు భరింపరాని బరువు, విపరీతమైన తలనొప్పి).
11. చలి నుండి గాలి వెచ్చబడుకాలమున (Feb 19th to Mar 20th) ఈ ఔషధము లక్షణములతో అనేక చిల్లర వ్యాధులు కలుగును.
- (రాత్రి తీవ్రమైన చలిలోనూ, పగలు తీవ్రమైన ఎండలోనూ తిరుగుట వలన కలిగిన బాధలకు Dulcamara (same season). ఉదా : పన్నునొప్పి, కనుగ్రుడ్డు లాగుట)..
12. జ్వరము మున్నగు తరుణవ్యాధులలో తీవ్రమైన తలనొప్పి, కడుపునొప్పి, నడుము నొప్పి, హెచ్చు డిగ్రీలలో జ్వరము, దుర్గాహము, తల కదిలించినచో కన్నులు గిర్జన తిరుగుట, ఎదుట వస్తువులు, వ్యక్తులు కనిపించకుండుట, వికారము, వాంతి, సందిగుణమున్నపుడు తనవృత్తి, దినచర్య గురించి నిరంతరమూ మాట్లాడుతూ గొణుగుకొనుచుండును.
13. విద్యార్థులు పాఠములు, ఉపాధ్యాయులు, games మున్నగునవి కలవరింతురు. ఎడమ కాలు కానీ, ఎడమ చెయ్యి కానీ నిరంతరమూ కదలించుచుండుట (Helleborus- ఎదో ఒక ప్రక్క చేయి, కాలు కదుపుచుండును).
14. పొడి దగ్గు వచ్చునపుడు బొడ్డు దగ్గర నుండి వికారము, వాంతి వచ్చుట.
15. ఋతుస్రావము కానీ, మాత్రముకాని ముక్కులవెంట, కంటివెంట నీరు గాని, బాలింతలకు పాలుగాని, చెమట గాని - ఏ ద్రవమైనను శరీరమునుండి వచ్చును. దానిని కృత్రిమముగా నిరోధము చేసినపుడు బ్రయోనియా వేదనా సముదాయముతో ఘోర వ్యాధులు కలుగును.
- (suppression of discharges) Silicia, Sulphur వీటిలో కూడా పై symptom ఉన్నది.
16. వేడి పదార్థములు త్రాగినను, తినినను వెచ్చని గదిలోనున్నను అన్ని బాధలు ఉద్దేశించును. చల్లని పానీయములు, పండ్లు, చల్లని గాలి మంచి ఉపశమనము కలుగచేయును.

ఇతర ఔషధములతో సంబంధము:

Alumina, RhusTox పరిపోషక ఔషధములు. (complementary drugs). తరువాత గాని, ముందుగాని ఈ లక్షణములున్న వాడవచ్చును.

Helleborus, Bell లక్షణములు, ముఖ కవళికలు తరుణవ్యాధుల యందు బ్రయోనియా సామాన్యముగా నుండును. ఉదా : చల్లని పానీయమందించినపుడు ఆత్రముతో, కంగారుతో త్రాగుట. సంభాషణలో వేగము, ఆత్రము, తడబాటు.

Calcarea, Baryta Carb దీనికి శత్రువులు. Bryonia కు దీర్ఘ ఔషధము NM.

పాఠ్యపు నొప్పులు మున్నగు దీర్ఘవ్యాధులలో Bryonia తరువాత NM తో గాని పూర్తి నివారణ జరగదు.

16. RHUS TOX

Gouty Trio (కీళ్ల వ్యాధుల మందులు) 1. బ్రయోనియా, 2. ఆర్పికా 3. RhusTox .

Flatulant Trio : (ఉబ్బరించినపుడు మందులు) 1. China, 2. Lyco 3. Carbo Veg

Generals: ఇది plant drug. ఇది తరుణ వ్యాధులలో, దీర్ఘ వ్యాధులలో కూడా పనిచేయును,

తరుణ వ్యాధులు:- అనేక విధములైన జ్వరములయందు పనిచేయును. ముఖ్యముగా Typhoid Fevers.

దీర్ఘ వ్యాధులలో ఒళ్లనొప్పులు, కాళ్లనొప్పులు, ముఖము, కీళ్లకు సంబంధించిన వ్యాధులలో గుర్తుకు రావలెను. ప్రమాదకరమైన గుండె జబ్బు వ్యాధులలో ఇది ఎక్కువగా కావలసి వస్తుంది. ఉబ్బరించిన వారిలో ఎక్కువ మందికి అవసరము రావచ్చును. కీళ్ల నొప్పుల వ్యాధులు, గుండె జబ్బుల వ్యాధి, చర్మవ్యాధులు పరస్పరము ఒకదానికీ ఒకటి సంబంధము ఉంటుంది.

Herring's three guiding principles are important.

10. సం||ల పిల్లలకు కీళ్ల జ్వరములు నయమైన తరువాత 25 సం|| లలో గుండెజబ్బు వస్తుంది. (Angina Pectoris). కీళ్ల నొప్పులకు, కీళ్ల వాతములకు (Rheumatism) మందులు వేయరాదు.

వానలో తడియుట వలన, నదిలో స్నానము చేయుటవలన, పాదములు నీటిలో కొన్ని గంటల సేపు తడియుట అను కారణములలో, బాధలలో వ్యాపించు వ్యాధులు. (Washerman's remedy), (Silicia - Stone cutter's Remedy).

బెణుకుట, కాలు మడత పడుట(false step), మెలికలు తిరుగుట (twisting and over-stretching), బరువులెత్తుట (weightlifting) -- వీని వలన కలిగిన బాధలు తగ్గించును.

మానసిక లక్షణములు:

1.Over-active : మనస్సుకు చురుకు ఎక్కువ. ఎప్పుడూ శరీరము తిరుగుతూ ఉండవలెను. (ever on a scooter).

2.Aggravation of all symptoms by rest -- దేహము కదలకుండుటవలన అన్ని బాధలు ఎక్కువ అగుట. Marked amelioration by movement.

3.రోగులనడిగితే ప్రాధుననిద్ర లేచినపుడు ఎక్కువ అంటారు.

4.కీళ్ల బిగింపు. Stiffness of joints. మిగిలిన శరీరమునందున్న కీళ్లదగ్గర వేడి తక్కువగా నుండును.

వ్యాధుల వేర్లు శాస్త్రీయములు కావు - Hahnemann. కీళ్ల భాగముల వాపు (joints swelling), నీలపు రంగు, నీరు పట్టుట.

5.తిమ్మిరి, తేలికగా శరీర భాగములు తిమ్మిరెక్కుట (numbness)., మొద్దుబారుట (parts of the body go to sleep) నిద్రపోయి లేచేటప్పటికి Miserable -- RhusTox, Lachesis ; Lachesis < by sleep ;

Tonsils -- నిద్రపోవుచున్నపుడు చాలా ఎక్కువ --Lachesis ; జ్వరము - నిద్రపట్టగానే temperature ఎక్కువ ఔతుంది - Lachesis

6.కుంటి నడక -- సాగినకొలది సూటియైన నడక.

7.మనసు స్థిరము లేకుండుట, కంగారు, భవిష్యద్భయము (apprehensive). Anxiety is the sign of disease.

8. Can not stand long in one position, ఒకే తీరున ఎక్కువ సేపు కూర్చుండలేడు.
9. గుటక వేయుచున్నప్పుడు రెండు గూడల నడుమ వీపులో నొప్పి, పొటు, పట్టివేయుట, అక్కడ నుండి భుజములోనికి, గూడలోనికి, చేతులలోకి నొప్పులు పొడుచుచుండుట. Unless the doctor is a donkey, the patient can be a cancer patient -- Hahnemann.
10. నడుము మధ్యలో గుంట ఉంటుంది. (small of back) నడుముగుంటలో పొటు, పట్టివేయుట, కూర్చునిగాని, పడుకునిగాని ఉన్నంతసేపు ఎక్కువ అగును. నడుచుచున్నంతసేపు ఉపశమించును.
11. కొత్తగా గుంజలు తీసినప్పుడు కలుగు బాధలు.
12. Fear of cold - చన్నీళ్ళన్నచో భయము.
13. వెన్నువెంట చలి - చన్నీరెత్తి పోసినట్లు.
14. > by hot applications, వేడినీళ్ళ bag, కంబళి, కుంపటి పెట్టుకొనుట.
15. < all symptoms on hard surfaces.
16. < by open air, cold air. గాలి, ప్రత్యేకముగా చలిగాలి. Puls, Iodium, Ledum Pal. -- always wants to touch cold things.
17. రాత్రులందు తీరని భయము, సందేహము, తనపైన విషప్రయోగము చేయుదురు అను అభిప్రాయము. వేటాడుటకాని, కలలు వచ్చుట గాని ఉండును. పడుకొని లేచునపుడు తల తిరుగుట, ఒళ్ళు తూలుట, తలనొప్పులతో అడుగు వేయుచున్నప్పుడుగాని, లేచినలబడుచున్నప్పుడు గాని, తలలో భాగములు వదులైపోయి టకటకలాడుచుండును.
18. < బీరు పుచ్చుకొనుట వలన dreams వరుసగా వచ్చును. అందు ఎక్కువ భాగము పడవ ప్రయాణము, నీటిలో ఈడుచున్నట్లు, శరీరభాగములు శిథిలమగుచున్నట్లు, అధికమైన దూరము నడచి నడచి అలసిపోవుచున్నట్లుండును.
19. నిళ్ళ విరోచనములు ముఖ్యముగా ఆపుకోలేకుండుట. ఒక్కక్కప్పుడు Typhoid నందు వస్త్రములందే విరోచనము తెలియకుండానగుట.
20. మత్తు, మగత: మాట్లాడుచున్నను, నిద్రలేచినను, మత్తుగా, మగతగా ఉండును. ఒక్కక్కప్పుడు రోజులతరబడి నిద్ర పోవుచునేయుండును. టైఫాయిడ్ నందు మేల్కొలుపుట కష్టము. చెవులు వినిపించకుండుట, కనులు కనిపించకుండుట, (Typhoid నందు 3,4 వారములలో మరియొక రకముగా నుండును.)
21. Eczema and skin diseases: తీనె రంగులో కాని, బూడిద రంగులో గాని సొన వచ్చును. ప్రత్యేకముగా కీళ్ళ పైన గల చర్మము మీద వచ్చును.

మొగముపై గాని, తలపైగాని సర్పి వచ్చును. వాతావరణము మార్పుచెందబోవునపుడుగాని, తుఫానులు వచ్చుటకు ముందుగాని మానసికవ్యధ, భవిష్యత్తుగూర్చి తీరని భీతి యుండును. వాన పడిన తరువాత అన్నియు ఉపశమించును. వాతావరణము తడిగా నున్నపుడు తన జీవితమున అవకాశములన్నియు తప్పిపోయినవి అని ఊహలు కలుగును. వర్షాకాలమున అర్ధరాత్రి నుండి కుటుంబ సమస్యలపై, జీవిత సమస్యలపై విచారం. వానలో గాని, చెమటలోగాని, తడిసి ఆరినతరువాత కలుగు వ్యాధి లక్షణములు.

ఎండ పొడిగా నున్నపుడు గాని, వెచ్చగానున్నపుడుగాని, బాధలన్నియు ఉపశమించును. వ్యాధి గ్రస్తమైన శరీర భాగములు కదిలించునపుడు, విదిలించునపుడు చక్కని ఉపశమనము. వేగ వాహనములలో ప్రయాణము చేయుచున్నపుడు తగిలే గాలి సూటిగా వీచి దేహమునకు తగిలిన చక్కని ఉపశమనము.

గమనిక : కీళ్ళ నొప్పుల సందర్భమున RT వేదనాసముదాయమునకు సామ్యము లేనివారికి వాడినచో కీళ్ళనొప్పులు ఉపశమించి గుండె నిరసము, గుండె బరువు, గుండె నొప్పి కలుగును. వెంటనే Sulphur లో విరుగుడు చేయవలెను. గుండె జబ్బు వారికి సామ్యము కలిగినచో ఇది దివ్యోషధము. కలగనిచో దినములలో ప్రాణము తీయును.

Calendula : దెబ్బ తగిలినప్పుడు వెంటనే రాసినచో చీము, నొప్పి చేయుట, నీరు పట్టుట, క్రిమిదోషము లేకుండా కాపాడును.

Cantharis : నీటి బొంబులు, కాలినట్లు కనిపించునవి, కాలుటవలన కలుగునవి దీనితో నివారణయగును. ముఖ్యముగా కాలిన ప్రదేశములయందు వెంటనే రాసినచో తరువాత బాధలుండవు. చాలా కాలము క్రిందట కాలిన గాయములు, వానితో కలిగిన ఇతరవ్యాధులు కూడా నివారణ యగును. అన్ని ప్రమాదములలో గాయమునకు రాసి, ఇదే ఔషధమును 30, 200 పొటన్సీలలోలోపలికి వాడవచ్చును.

Ledum Pal : దెబ్బ తగిలి నయము కాని గాయములు, గాయము, చర్మము కలిసికొనక పైకి లేచి ఒడియమెండినట్లు వేడెత్తుట, నిప్పంటించినట్లుండుట, Sepsis దోషము (Septic condition) ముఖ్యముగా తుప్పు వస్తువులు గుచ్చుకొనుట, గుఱ్ఱము కాలికి, కొట్టి పీకిన మేకులు గుచ్చుకొనుట, దీనితో నివారణ యగును. 30, 200 potency లలో లోనికి కూడా వాడవచ్చును.

Guiding Symptom : ఏ బాధ అయినాను పాదముదగ్గర బయలుదేరి క్రమముగా పైకి ప్రాకుట. ఉదా: తేలుకాటు, పాముకాటు, నరములనొప్పి, పక్షవాతము, చర్మవ్యాధులు.

Echinacea MT :

సకల విషహర ఔషధము. ఆహార విషయములు, తేలు, పాము, జెర్రి, సాలీడు, కుక్క, పిల్లి, మనిషి కాళ్లు. All animal and plant poisons. గాయమునకు కొద్ది నిమిషములకొకసారి వ్రాయుచుండవలెను. ఒక చెంచా ఔషధము, 4 ounce ల నీటిలో కలిపి తడవకు రెండు చెంచాల చొప్పున మ్రింగుచుండవలెను. (Sure Antidote).

Rauwolfia Serpentina MT :

ఇది సర్ప గంధి అను పేర వేల సంవత్సరముల తరబడి రక్షణితు నివారణ ఔషధముగ ఆయుర్వేదమున ప్రసిద్ధము. దీనిని అనుదినము 10 చుక్కలు ఒక ఔస్స్ నీటిలో కలిపి వాడినచో చాలా వ్యక్తులలో ఈ క్రింది లక్షణములు నివారణ యగును.

తల బరువు, త్రిప్పు, తూలిపడబోవుట, కొంతకొంత సేపు వస్తువులు, ముఖములు, స్పష్టముగా కనిపించకుండుట, పుస్తకము చదవలేకపోవుట, మనస్సు నిలకడ లేకుండుట, స్పష్టముగా ఎదుట కనిపించుచున్న వస్తువుల కొరకై వెదకుట, కొద్ది క్షణములలో మరిచిపోవుట, కుడిభాగము గాని, ఎడమభాగముగాని ప్రత్యేకముగా తిమ్మిరెక్కట, మొద్దుబారుట, చీమలు ప్రాకుచున్నట్లుండుట, బోజనము చేయుచుండగా వీపు కంపరము. (Glonoine 30, 200).

17. ACID PHOS

విరోచనములు, కలరా, రక్తస్రావము మున్నగు కారణములచే నీరసించిన శరీర తత్వములు.

1. శరీరమునకన్న మనస్సుకు ఎక్కువ నీరసము.
2. టైఫాయిడ్ మున్నగు తరుణ వ్యాధుల తరువాత కలిగిన నీరసము వలన వణుకు. < వస్తువులను పట్టుకొనుట, లేచినలబడుట.
3. కనుగ్గుళ్లకు మెల్ల వచ్చుట (strabismus).

4. వస్తువు రెండుగా కనబడుట (Diplopia).

5. మనస్సుకు అకారణముగా విచారము, ఒంటరిగా నుండుటకు అతి భయము, ఒంటరిగా ప్రయాణము చేసినచో దారిలో చనిపోవుదునని నమ్మకము. ఇంటిని, చుట్టములను చూడకుండా నిలవలేడు. ముఖ్యముగా భార్యాపిల్లలను.

6. జ్ఞాపక శక్తి తగ్గుట, భార్య శిలముపై, భర్త శిలముపై తీవ్రమైన సందేహము. ఈర్ష్య, అసూయ, ద్వేషము, విడచిపెట్టుట లేక చావగొట్టుట, తలుపులు తాళమువేసి తిరిగివచ్చుట -- ఈ లక్షణములతో చూచాయగా ఏది కనిపించినను, తరుణ వ్యాధుల తరువాత నీరసము కలిగి నడుము నొప్పి, పుంసత్వము తగ్గుట అను లక్షణములు కలిసియున్నచో Acid Phos 6 ప్రతిదినము వాడవలెను. లక్షణములు తగ్గిన వెంటనే నిలిపివేయవలెను.

ద్వాదశలవణములు :

వీనిని తక్కువ పోటన్సీలలో నీరసము పోగుట్టుటకై అనుదినము వాడుకొనుటలో తప్పులేదు. వానిలో FP, KP, MP, NP, CP అనునవి ముఖ్యముగా అనేక విధములైన నీరసమును నివారణ చేసి త్వరగా ఆరోగ్యము చేకూరునట్లు, ప్రధాన ఔషధమునకు సహాయము చేయును.

వీటిని 3X, 6X, 12X పోటన్సీ లలో అనుదినము వాడవచ్చును.

1. Ferrum Phos

రక్తము తక్కువ, పాండువ్యాధి, దెబ్బలు మున్నగు కారణములవలన రక్తము నష్టపడుట జరిగిన సందర్భములలో దీనిని వాడవలెను.

జ్వరమున్నపుడు గూడ వాడినచో జ్వర తీవ్రతను తగ్గించును. ఒక 10 బిళ్ళలు 6X పోటన్సీలో పొడి చేసి ఔస్

నిళ్లలో కలిపి ఒక చెంచా త్రాగించవలెను. మిగిలిన దానిలో మరల ఒక చెంచా నీరు కలిపి కుదిపించి మూత పెట్టవలెను. అరగంట తరువాత ఒక చెంచా త్రాగించి అట్లే మరల నింపుచుండవలెను. దీనివలన తీవ్రజ్వరములు 1,2 దినములలో ఉపశమించును.

2. Kali Phos

టైఫాయిడ్, కలరా మున్నగు తరుణ వ్యాధుల తరువాత గాని, ముసలితనమున నీరసము వలన గాని ఒళ్ళు వణుకుట, తలనొప్పి, ఆకలి మందగించుట, ఒక వస్తువు రెండుగా కనిపించుట, కాళ్ళు, చేతులు చల్లగా నుండుట మున్నగు లక్షణములతో టానిక్ గా అనుదినము వాడవచ్చును. నరముల బలహీనత, పక్షవాతము కలిగిన వారికి చక్కని ఉపశమనము నిచ్చును.

3. Magnesia Phos

నరము పట్టుట, ఒణుకుట, గుండెనొప్పి, ఊపిరికుట్టు, కడుపునొప్పి నరముల నొప్పులు, ఎక్కిళ్ళు, డెక్కపట్టుట, మొదలగు లక్షణములలో 6X లో 5 ని ||లకు 2 బిళ్ళల చొప్పున 3,4 డోసులు వాడినచో ఉపశమించును.

గర్భిణీ స్త్రీలకు ప్రసవ సమయమునకురెండు, మూడు మాసములకు ముందు నుండి అనుదినము వాడినచో అనేక విధములైన నొప్పులు ఉపశమించుట, నొప్పులు పడుతున్నప్పుడు 4,5 బిళ్ళలు వేడి నీటిలో కరిగించి త్రాగించినచో, దొంగ

నొప్పులగునేని మాయమగును. నిజమైన నొప్పులైనచో వెంటనే సుఖ ప్రసవమగును. అన్ని నొప్పులకును వేడినీటిలో వాడినచో బాధలుపశమించి త్వరగా చక్కని గుణమునిచ్చును.

4. Calcarea Phos

చిన్న పిల్లలకు పళ్ళు వచ్చునపుడు కలుగు సకల బాధలను నివారించును. ఆ సమయమున కలుగు విరోచనములు, వాంతులు, పండ్లు కొరుకుట, పోరుపెట్టి ఏడ్చుట, ముఖ్యముగా పాల రంగు విరోచనమగుట, ఆహారము తీసికొనిన వెంటనే విరోచనమగుట, దంతములు వచ్చుట ఆలస్యము మున్నగు లక్షణములు ఉన్నపుడు బాగుగా పనిచేయును.

5. Natrum Phos

నులిపురుగులు, ముక్కులో ఎల్లపుడు దురద, బొడ్డుచుట్టూ తెరలుతెరలుగా నొప్పి, గ్రుడ్లుగ్రుడ్లుగా పెరుగులో కారబూబ్బి కలిపినట్లు విరోచనములు, ఆసనము దురద అను లక్షణములలో బాగుగా పనిచేయును. పిల్లలు ముక్కులోనికి వేళ్ళుపెట్టి ఎప్పుడు ముక్కు కందిపోవునట్లు నలుపుకొందురు. పెద్దపాములున్నపుడు కూడా దీనిని వాడినచో చచ్చి పడిపోవును. Acidity తో బాధ పడువారికి చక్కని ఉపశమనము కలిగించును.

6. Natrum Mur 6X

పిల్లలు ఉప్పు ఎక్కువగా తినుట, పోరుపెట్టి ఏడ్చుట, సన్నబడి పోరుపెట్టి ఏడ్చుట, జుట్టు ఊడిపోవుట, పెదవులు, చంకలు మున్నగు ప్రదేశములు ఒరిసి పుండుపడుట, పిత్తదోషము, చూపుడు దోషము మున్నగు లక్షణములు ఉన్నపుడు చక్కగా పనిచేయును. వడ దెబ్బ తగిలినపుడు అతి దాహము, తలనొప్పి, మత్తుగానుండుట వున్నపుడు వెంటనే నివారణ చేయును.

వేసవికాలములో Natrum Mur 3X సూర్యాస్తమయమైన తరువాత రెండు మాత్రలు చప్పరించిన వడ దెబ్బ తగలదు.

7. Kali Mur 6X

నరముల నీరసము, ఎప్పుడును ఆకలిగానుండుట, కొంకర్లుపోవుట, తిమ్మిరెక్కుట, మూర్ఛలు, హిస్టిరియా మున్నగు లక్షణములలో చక్కగా పనిచేయును. మూర్ఛవ్యాధులలో పెద్దపెద్ద potency లలో మందులు వాడుటకు వీలు లేనంతగా నీరసించిన రోగులకు, ముఖ్యముగా నిద్ర మాత్రలు వాడుట వలన ఆరోగ్యము చెడిపోయిన వారికి ఇది అమోఘముగా పని చేసి చక్కని ఆరోగ్యము కలుగజేయును.

8. Natrum Sulph 6X

ఇది పెద్ద potency లలో Anti Sycotic ఔషధము. కడుపుబ్బరము, బరువు, ఆయాసము, ఉబ్బసము, నిరంతరమా జలుబు, వరుసగా ఎక్కువ సంఖ్యలో తుమ్ములు, ఆకలిలేకుండుట, ఒళ్ళు బరువెక్కి నట్లుండుట. మూలశంక మున్నగు లక్షణములలో బాగుగా పనిచేయును. పిల్లలకు అజీర్ణ లక్షణములు, జలుబు లక్షణములు మార్చి మార్చి వచ్చునపుడు పనిచేయును. క్రొత్తగా సముద్రతీరమునకు వూరు మారి వచ్చినచో పిల్లలకు సముద్ర గాలి పడనిచో వై లక్షణములు కనిపించును. అట్టి వారికి అమోఘముగా పనిచేయును.

అణిచిపెట్టబడిన మలేరియా గాని, క్వినైన్ ఎక్కువగా వాడుట వలన గాని ఆరోగ్యము చెడిన, దీనివలన బాగుపడును. ఒక్కొక్కప్పుడు Natrum Mur కూడా కావలసి వచ్చును.

9. Calcarea Fluor

అరికాళ్ళు, అరచేతుల చర్మము పగుళ్లు, దంతములు క్రమముగా పుచ్చి పోవుట, అరిగిపోవుట, ముక్కులు ఎండిపోవుట. ఎముకలమీద కురుపులు, ఎముకలు పెరుగుట ఉన్నప్పుడు ఇది పనిచేయును.

10. Silicia

కురుపులు, పొక్కులు, చిడుము, చీము, దురదలు, బుగ్గలపై, ముఖంపై రంగు మార్పు, పొడలు, మచ్చలు, శోభి,

పోట్లాడుట, తలచుండ్రు, విరోచన బద్ధకము, పిల్లలు విరోచనమగునపుడు భయపడి ఏడ్చుట, విరోచనముకాకుండుట మున్నగు లక్షణములతో కూడా చక్కగా పనిచేయును. ముల్లు, గాజుపెంకు గుచ్చుకొన్నప్పుడు ఇది వాడిన చీముగాని, రసిగాని పట్టి, దానితో బయటకు వచ్చివేయును.

ఈ మందు మాత్రము గర్భిణి స్త్రీలకు వాడరాదు.

11. Calcare Sulph

రాళ్ళవంటి కురుపులు, చితుకని నెత్తురు గడ్డలు, పసుపుపచ్చని రంగులో చీము గడ్డలు, గొంతులో టాన్సిల్స్ చీముపట్టుట, వాచుట, ఆహారము మ్రింగలేకుండుట, శ్వాసకణ్డము పడుట, నాలుక వాపు (Diphtheria) మున్నగు లక్షణములతో పనిచేయును.

12. Kali Sulph

నెలలతరబడి దగ్గు, ఊపిరితిత్తులలో నిమ్ము చేరుట, న్యూమోనియా, టైఫాయిడ్ మున్నగు జ్వరముల తరువాత మిగిలిపోయిన దగ్గు దీనితో నివారణ యగును. గొంతులో దురద, మంట, శ్వాసతో గురగుర, కడుపులోమంట.

Potencyలు మూడు విధములు.

దశాంశము	శతాంశము	సహస్రాంశము
Decimal X	Centesimal C	Millesimal
1X : 9X	1 : 99	1 : 999

వ్యాధులు రెండు రకములు.

1. తరుణ వ్యాధులు 2. దీర్ఘ వ్యాధులు.

తరుణ వ్యాధులు :

1. మోతాదులు వెంటవెంటనే వాడవలసిన అవసరము కలుగ వచ్చును.
2. వ్యాధి లక్షణములు తగ్గుట, రోగి ముఖములో, శరీరము కదలికలో, ఆహారము స్వీకరించుటలో అభివృద్ధి కనిపించుట అనునవి వ్యాధి నివారణ లక్షణములు. మొదటి మోతాదు ఈ లక్షణములు ప్రారంభించినచో ఇక మోతాదు వాడరాదు. మరల వ్యాధి పెరుగుదల లక్షణములు కనిపించినచో రెండవ మోతాదు వాడవలెను. ఏ మోతాదు తో లక్షణములు తిరిగి కనిపించక మాయమగునో దానితో వైద్యము నిలిపివేయవలెను.

దీర్ఘ వ్యాధులు :

1. ఒకే మోతాదు తరువాత, చాల కాలము రెండవ మోతాదు ఆవశ్యకముండదు.

2. మొదటి మోతాదుతో బాధలు తప్పక ఉపశమించును. వ్యాధి ముదరనిచో దానితో వైద్యము పూర్తి అగును. కానీ వ్యాధి కొంత ముదిరినచో అనగా బౌతిక శరీర ధాతువులలో కూడా కొన్ని మార్పులు వచ్చియున్నచో మొదటి మోతాదుతో ఉపశమనము కనిపించి, మరల కొలది దినములలో లక్షణములన్నియు ఉద్దేశించును. దీనిని Homoeopathic aggravation అందురు. అప్పుడు మరల వెంటనే మోతాదును రెట్టింపరాదు (repeat). కొలది దినములున్నచో తగ్గిపోవును. కొంతకాలమునకు వ్యాధిలక్షణములు కనిపించును. అప్పుడు మోతాదు రెట్టింపవలెను (రిపీట్). మరల శమించును. అటుపైన ఎన్ని మారులు వ్యాధి లక్షణములు కనిపించునో అన్ని మారులు మోతాదును తిరిగి వాడవలెను. అటుపైన ఉన్న లక్షణములు మాయమై పూర్వమెప్పుడో ఉన్న కొన్ని వ్యాధి లక్షణములు కనిపించును. దానికి మందు వాడ రాదు. కానీ ఈ లక్షణములు ప్రాణ ప్రమాదకరములైనచో దాని నివారణకు ఔషధము వాడవలెను. అట్టి సందర్భమున వ్యాధి ముదిరిపోయినదనియు, ఉపశమనమే కాని, నివారణ సాధ్యము కాదనియు తెలియవలెను. వెనుకటి వ్యాధి లక్షణములు కనిపించి మాయమైనచో మోతాదు మరల వాడరాదు. మాయముకాక నిలిచిపోయినను, రోగి కృశించుట, ఆకలి తగ్గుట మున్నగునవి జరుగుచున్నను మోతాదు పనిచేయుట అయిపోయినదని అర్థము. అప్పుడు మరియొక మోతాదు వాడవలయును. మరల అప్పుడున్న వ్యాధి లక్షణములు ఉపశమించి రోగికి అంతకుముందున్నవి కనిపించును. పైవిధానమునే అనుసరించుచు వ్యాధి మాయమగువరకు నడుపవలెను. మోతాదు తిరిగి వాడినను, ఉపశమనము లేనపుడు potency ని పెంచవలెను. అటుపైన మరల అదే potency లో పనిచేయుచున్నంత కాలముంచవలెను. రోగికి కావలసిన potency తగిలిన వెంటనే మరియొక మోతాదు అవసరము లేకుండా వ్యాధి నిర్మూలనమగును. ఈలోపున ఆహారము, వాతావరణము, విశ్రాంతి మున్నగు విషయములలో రోగి కూడా శ్రద్ధ వహించి సహకరింపనిచో దీర్ఘవ్యాధుల నివారణ జరగదు.

Note : తరుణ వ్యాధులలో కానీ, దీర్ఘవ్యాధులలో కానీ వైద్యము తక్కువ పోటిన్నీ లో ప్రారంభించుట క్షేమము. 30 potency అన్ని వయసులవారికిని, అన్ని పరిస్థితులవారికిని క్షేమము. 200 పోటిన్నీ కూడా చాలావరకు క్షేమమే కానీ సంవత్సరముల తరబడి నిరసించిన ఊపిరితిత్తుల వ్యాధి, గుండె వ్యాధి, నీరుపట్టుట, జలోదరము అతి దీర్ఘ జ్వరములు, చాలాకాలమునుండి రక్తము స్రవించుచుండుట వంటి పరిస్థితులలో 200 potency కూడ ప్రమాదము ముఖ్యముగా ఈ దిగువ మందులు అట్టి పరిస్థితులలో 30 పోటిన్నీ దాటి వాడినచో రోగి వైద్యుని వలన తప్పక మరణించును.

1. Sulphur, 2. Phosphorus, 3. Arsenic Alb, 4. Digitalis, 5. Nitric Acid, 6. Silicia, 7. Calcarea Carb, 8. Calcarea Fluor, 9. Tuberculinum

తరుణ వ్యాధులలో ప్రారంభమున ఎంత చిన్న పోటిన్నీ అయినాను ఆశ్చర్యకరముగా పనిచేయును. దీర్ఘ వ్యాధులలో 30 పోటిన్నీలో ప్రారంభించి అవసరమునుబట్టి ఎంతవరకు అయినను పోటిన్నీ పెంచవచ్చును.

సామాన్యముగా 60 సం|| దాటిన వారికి లేదా సం|| ల తరబడి మంచము పట్టి నిరసించు వారికి 200C కన్నా పోటిన్నీలు వాడుట మంచిది కాదు. అరుదుగా 1M వాడవచ్చును. చిన్న పిల్లలకు అవసరమును బట్టి ఎంత పోటిన్నీ వాడినను భయము లేదు. వారికి కూడా గుండెవంకర, ఊపిరితిత్తులు, కంఠనాళములకు సంబంధించిన ఆజన్మ వక్రత కల వ్యాధులలో 200 దాటి పోటిన్నీలు వాడరాదు.

గర్భిణీ స్త్రీలకూ ఈ క్రింది మందులు వాడ రాదు.

1. China, 2. Silicia, 3. Pulsatilla.

(After delivery 1. China, 2. Pulsatilla, 3. Arnica వాడవచ్చును.)

ఏ ఔషధమైనను, ఏ రోగికైనను ఒకటి, రెండు మోతాదుల వరకు సామాన్యముగా నష్టము కలుగచేయదు. ఔషధము తప్పుగా ఒకటి, రెండు మోతాదులు వాడినను దోషము లేదు. తక్కువ ఔటెన్సిలలో నష్టము కలుగదు. వరుసగా కొన్ని మోతాదులను తప్పుగా వాడినచో 5,6 మాసములలోపల రోగికి సంబంధము లేని ఔషధ గుణ సముదాయము కనిపించి దేహమున నూతన వ్యాధి ప్రవేశించును.

1M కన్నా పై ఔటెన్సిలలో ఔషధములను అనుభవము లేనపుడు సూటిగా వాడరాదు. 30, 200 ఔటెన్సిలలో పరిశీలించి స్థిరము చేసుకొనిన వెనుక వాడవలెను. ఈ ఔటెన్సిలు రోగి లక్షణములు సారూప్యము కలవి కానిచో వాని లక్షణములు రోగి యందు వ్యక్తమై రోగి తత్వమునకు అదివరకు సంబంధము లేని లక్షణ సముదాయము కనిపించి తత్వములో స్థిరపడి పోవును. ఈ మార్పు అటుపైన ఏమి చేసినను నివారణ కాదు. ఆజన్మాంతము ఉండును.

ఒక ఔషధము యొక్క ఉపయోగమయిపోయిన తరువాత ఉన్న లక్షణములను బట్టి మరియొక ఔషధమును వాడవలెను. రెండు గాని, మూడు గాని ఔషధములు కలిపివాడుటకాని, ఏక కాలమున వాడుట గాని ఎట్టి పరిస్థితులలో పనికిరాదు.

NOSODES - వ్యాధి పదార్థ ఔషధము

- 1.Psorinum -- గజ్జి షొక్కు నుంచి తీసిన చీము నుండి
- 2.Syphillinum -- Syphillis వ్యాధి యొక్క షొక్కు నుండి
- 3.Medorhinum - గనోరియా తాలూకు చీము నుండి
- 4.Bacillinum -- క్షయ వ్యాధికి సంబంధించిన ఒక విధమైన షొక్కు నుండి
- 5.Tuberculinum --క్షయ వ్యాధి ఊపిరి తీత్తుల నుండి.

1.Bacillinum

తరుణ వ్యాధులలో జ్వరములు, ఊపిరితీత్తుల బాధలు, పేగుల బాధలు, నెలల తరబడి జగట విరోచనములు, రక్త విరోచనములు, దగ్గులో రక్తము పడుట, తీవ్రజ్వరము, వారముల కొలది ఏ మాత్రము లొంగకుండుట, వున్నప్పుడు ఒక మోతాదు 50M లో వేసినచో ఆ క్షణము నుండి వ్యాధి లక్షణములు తగ్గును. క్షయ వ్యాధులలో ఎక్కువ నీరసించిన తత్వములకు Tuberculinum తట్టుకొనలేక ఆపద సంభవించును. అట్టి పరిస్థితుల్లో Bacillinum లో వైద్యము ఆరంభించినచో వ్యాధి నివారణ సురక్షితముగా ప్రారంభించవచ్చును.

2.Psorinum

- 1.వేదనా సముదాయము సరిపోయిన ఔషధములు ఏవియు రోగిపైన పని చేయవు.
2. Typhoid మున్నగు జ్వరములలో వేదనలను అనుసరించి ఔషధము వేసినను పనిచేయదు. అప్పుడు Psorinum వాడినచో అంతకు ముందు వాడిన మోతాదే చాలును. (Sulphur).
- 3.చలిగాలి తగిలినచో భరింపలేడు. వేసవి లో ఉన్ని టోపి ధరించుట, వేసవిలో గదిలోపల ఆపాదమస్తకం కప్పుకొని నిద్రించును.
4. ఎక్కడ పనిచేయుచున్నను మాని వెంటనే ఇంటికి పోయి కాలు చేతులు దాచుకొని వెల్లకిల పరుండవలెనని కోరిక.
5. ఇంటికి వచ్చి వస్త్రములు మార్చినప్పుడు గాలి తగిలిన వెంటనే అంతులేని దురద, గోకుచునే ఉండవలెను.
6. అరికాళ్ళు, అరచేతుల పగుళ్ళు కానీ, వివిధ చర్మ వ్యాధులుగాని, ప్రతి సంవత్సరము చలి కాలమున ఉద్దేశించుట లేదా ఉబ్బసము వ్యాధి ప్రతి చలికాలము ఉద్దేశించుచు చర్మ వ్యాధులలో పర్యాయము చెందుట. (Alternating).

3.Syphillinum

- 1.అరికాళ్ళు, అరచేతులు, పెదవులు, చిగుళ్ళ పగుళ్ళు. చంకలు, గజ్జలు, పొట్టు ఊడుట, మంటలు, అతి తరచుగా నోటిపూత, చిగుళ్ళు బద్దలగుట, నాలుక ఎరుపు, నోరుమంటలు, రక్తము వచ్చుచుండుట, చిగుళ్ళు వదులై దంతములు ఊగులాడుట, అరిగిపోవుట, విరిగిపోవుట, కన్నములు పడుట, నిలువుగా బద్దలగుట.
- 2.కన్నులు ఎరుపు, మంట, నీరుకారుట, రెప్పలు దురద, బరువు తరచుగా నుండుట.
- 3.చర్మముపై ముఖ్యముగ పాదముల, పిక్కలపై దళసరియగుట, మచ్చలు, నిగ నిగ నునుపు పొరలాడుట, తిమ్మిరి, స్పర్శజ్ఞానం తగ్గుట.
- 4.ఎముకలలో విపరీతమైన నొప్పులు, క్రమముగా ఎముకలు వంకర పోవుట, ఎముకలు అరిగిపోవుట.
- 5.అరికాళ్ళు, చర్మము బద్దలై నెత్తురు కారుట, పాచిపోవుట.
- 6.అతి తరచుగ విపరీతమైన తలనొప్పులు దశాబ్దాల తరబడి ఏ మందులు వాడినను ఎప్పుడును తగ్గవు.
- 7.మెడలు, భుజములు, వెన్ను ఎప్పుడు లాగుచుండును.

KeyNote:- పై బాధలన్నియు సూర్యాస్తమయము నుండి హెచ్చు అయి, సూర్యోదయము దాకా తీవ్రముగా బాధించుట, జ్ఞాపకశక్తి, గ్రహణశక్తి క్రమముగా తగ్గిపోవుట, పది సంవత్సరముల క్రిందట తానే వివరించిన విషయములు తనకు అర్థము కావు. చలి అన్నచో భయము. ఏ బాధ కలిగినను చలి వణికించును.

4.Medorhinum

- 1.చిరాకు, ఇతరులన్నచో అసహ్యము, వ్యక్తులను చేరనిచ్చినచో రద్దీ చేయుదురనియు, వస్తువులను పాడు చేయుదురనియు, ఇతరులు తనకన్నా తక్కువ విజ్ఞానము కలవారనియు, ఎవ్వరికిని శుచి, శుభ్రము తెలియదనియు విశ్వాసము.
- 2.ఎండ ఎక్కువగుచున్న కొలదియు, అన్ని బాధలు ఎక్కువగును. అర్ధరాత్రి, మధ్యాహ్నం బాధలు భరింపలేకుండుట ఉండును.
- 3.ఎప్పుడును నయము కాని జలుబు, ఆగకుండ తుమ్ములు, కీళ్ళు నొప్పులు, కీళ్ళు పట్టుట వుండును.
- 4.అన్ని బాధలును ఎండగాని, వానగాని, చలిగాని ఎక్కువైనపుడు వుద్దేకించును.ఇతడు వాతావరణమునకు బారోమీటరు వలె పని చేయును.
- 5.ఎముకలకు, నరములకు సంబంధించిన నడుము నొప్పులు సంవత్సరముల తరబడి నిలిచిపోవును. చట్రము జారుట(slip disc). నడుము నుండి తోడలు ఎముకలు లోనికి నొప్పులు, ఎముకలు మెత్తబడి కురచై చీముగా మారిపోవుచుండుట - ఎముకల T.B., ఎముకల cancer.
- 6.పిల్లలు సన్నబడిపోవుచు, ఎదగకుండా నిలిచి పోవుదురు. వారికి గొంతులో పెద్ద Tonsils, ముక్కులో కాయలు, మాటలు తిన్నగా రాకుండుట.
- 7.చెవులనుండి సం||ల తరబడి చీము, చెముడు.
- 8.అన్నము సహించకుండుట, విరోచనమున పురుగులు, ఆసనము పుండుపడుట, ఒరిసిపోవుట.
- 9.పెద్దవారికి మూల వ్యాధి.
- 10.మందబుద్ధి, గ్రహణశక్తి తక్కువ, చదువు రాకుండుట, శరీరమంతయు వణకు పుట్టుట.
- 11.చిన్నతనమున గనేరియావ్యాధితో బాధపడిన వారికి పెద్ద వయసున వచ్చు కాలు, చేయి వణకు, తల వణకు, కాకిచమ్మలు, (కాలు, చేయి, వెడల్పుగా చాచి నడుచుట, chorea). బాహుక్ వ్యాధి(రాను రాను కృశించి parkinson disease, శరీరము తగ్గి పొట్టి అగుట) లేవలేడు, నుంచున్నచో కూర్చొనలేడు.
- 12.జ్ఞాపకశక్తి తగ్గిపోవుట, పేర్లు గుర్తుండవు.(Anacardium) పేర్లలో మొదటి అక్షరములు గుర్తుండవు. ఎవరైనా హఠాత్తుగా తనపేరు గాని, address గాని అడిగినచో బుర్ర ఖాళీ అగుట, మాట్లాడుచు ఏమి మాట్లాడుచున్నాడో మరచిపోవును. వేసిన ప్రశ్నకు జవాబు చెప్పు లోపున మరల ప్రశ్నింపవలెను.

- 13.కొద్ది కాలములో జరగబోవు మంచి, చెడ్డ విషయములు, మోసము, అనారోగ్యము, మరణములు మనసుకు ముందుగా తట్టుచుండుట.
- 14.స్వల్ప విషయములకు కారణము లేక ఆకస్మికముగా కోపించుచుండును. ఉదాహరణకు పేరు అడిగినచో కోప్పడును.
- 15.సినిమా చూచుచున్నప్పుడు, పుస్తకము చదువుచున్నప్పుడు, సంభాషణము చేయుచున్నప్పుడు, జాలి, విషాదములు గల సన్నివేశములో భరించలేని దుఃఖావేశము కలుగును. సంభాషణములో కూడ ప్రతి స్వల్ప విషయమునకు కన్నీరు, దుఃఖము, భావావేశము కలుగుచుండును.
- 16.ఇతరుల పొరపాట్ల విషయమును క్షమించకుండుట, అన్యాయము చేయుట, నీచముగా ప్రవర్తించుట.
- 17.కాలమంతయు వ్యర్థమగుచున్నట్లు, పనులేమియు సాగుటలేనట్లు, తన కాలమును అందరు పాడుచేయుచున్నట్లు ఎప్పుడును భావించును. కోపించి తన పనులు చేసికొనవలెనని తప్పించుకొని, రహస్యముగా, ఒంటరిగా నుండి పోయి, ఏమి చేయవలెనో జ్ఞాపకముండక చాలా తడవు నిద్రించి తిరిగి వచ్చును.
- 18.ఏదైనా పని చేయుచున్నప్పుడు ఆత్రము, తొందర ఎక్కువ. అది కాలేదని చిరాకు, కోపము పని మీద ఎవరినైనా పంపించి కొద్ది నిముషములలో వారు రాలేదని కోపించి మరల ఇంకొకరిని పంపించెదరు.
- 19.ఏ బాధలైనను జ్ఞప్తికి వచ్చినపుడు వానిని గూర్చి ఆలోచించునపుడు ఎక్కువగును. మరిచిపోయినపుడు ఏ బాధలు వుండవు(oxalic acid).
- 20.భరించరాని ఆకలి వంటి మంట, కడుపునిండా భోజనము చేసిన వెంటనే నీరసముతో మంట వచ్చును.

5.Tuberculinum

- 1.పుట్టుక నుండి సన్నగ, పొడవుగ ఉండురు. ఆహారము చాలా తక్కువగా తీసుకొనుట, పుష్టి అయిన ఆహారములు ఇష్టము లేకుండుట, జీర్ణము కాకుండుట.
- 2.కొన్ని సంవత్సరముల పాటు జలుబు, దగ్గు, తరుచుగ వచ్చుచుండును. దగ్గు తగ్గుట చాలా ఆలస్యము. చిన్న జలుబు చేసినను, ఊపిరితిత్తులు లో నిమ్ము, ఛాతిలో మంట కలుగుచుండును.
- 3.వర్షాకాలములో తరచూ జ్వరములు, ఊపిరితిత్తులలో నిమ్ము చేరుట, (pleurisy). నిమోనియా కలుగుచుండును.
- 4.కొన్ని సంవత్సరములు ఏ వ్యాధి లేనట్లు ఉండును. కానీ తిండి పెరుగుదల, మనిషి పెరుగుదల ఉండదు. కానీ జ్వరములు, దగ్గు, జలుబులు ప్రారంభించినచో ఇక మానవు.
- 5.వేదనలు తరచుగా మారిపోవుచుండును. వేసిన మందుకెల్ల ఉన్న బాధలు మాయమై కొత్త బాధలు వచ్చుచుండును. వేదనా సముదాయముపై నిర్ణయించిన ఔషధములు వెంటనే పని చేసి మాని వేయును (Psorinum). ఔషధములు పని చేయవు. ఇట్లు తరచుగా మారుచు వచ్చి కొన్ని దినములకు మరల మొదటి ముందుకు సంబంధించిన వేదనలు వచ్చును.

Note:- వంశ చరిత్రను గమనించినచో తల్లి వైపు గానీ తండ్రి వైపు గానీ క్షయావ్యాధితో అకాలముగా మరణించిన వారి సంఖ్య ఎక్కువగును.

- 6.ఏ బాధల నుండియు పూర్తిగా కోలుకొనుట జరుగదు. నానాటికి సత్తువ తక్కువ, రోగము బలమెక్కువగుచుండును.

Mental symptoms:-

1. ఏ రోజు విశ్వాసములు ఆ రోజు మాత్రమే స్థిరములు. మనస్సు ఎప్పుడును మార్పు కోరుచుండును. స్థిరముగా ఒక పరిస్థితులను నడువననీయరు. ఉన్న పరిస్థితులలో ఏదో అసంతృప్తియున్నట్లు కనిపించి ఒక క్రొత్త మార్పు చేయును చేసిన కొద్ది దినములు బాగున్నట్లు అనిపించును. మరల మారిపోవలెనను చికాకు కలుగును.
2. క్రొత్తగా పరిచయమైన మిత్రులు, వ్యక్తులు, చాలా మంచివారని ఉత్సాహముగా చెప్పుచుండును. తరచుగా ఉద్యోగములు, ఊళ్ళు, ఇళ్ళు, మార్చివేయుచుండురు. వైద్యుడు సరియైన మందు ఇవ్వలేదని అనుమానము. తరచుగా వైద్యులను మార్చుచుండురు. అకారణముగా ఉద్యోగము మానివేయును. చేసిన పనిని సమర్థించుటకు, పనిచేయడము తప్పించుకొనుటకు ఎట్టి అబద్ధమాడుటకైనా జంకరు.
3. చనిపోయిన అంతరాత్మ కలవారు.
4. ఆకలి బాగుగానుండును. దినమునకు అనేక పర్యాయములు తట్టుకోలేని ఆకలి వేయును. ఆకలి వేసినప్పుడల్లా తినుచుండవలెను కాని మనిషి కృశించి నానాటికి ఎముకల ప్రొగుగా కనిపించును.
5. ఉత్సాహము గాని, పెద్ద-చిన్న గౌరవము, విశ్వాసము గాని నశించును.
6. పిల్లలు తరచుగా ఇళ్ళు విడిచి పారిపోవుట, కొంతకాలమునకు తిరిగి వచ్చుట, డబ్బులు దొంగలించుట వస్తువులను దొంగలించి అమ్ముకొనుట చేయుదురు.
7. చలికి భయమెక్కువ. వేసవిలో కూడా ప్రతి దినము చిరుచలి, పులకరింపు, స్వల్ప జ్వరము, కొద్దిగా దగ్గు వచ్చి పోవుచుండును.

చెమటలు

శవపు వాసన గలిగిన చెమటలు - } Phos, Ars, Podophyllum

Decomposed meat smell - }

Collapse cold sweats

China, CV, Veratrum alb }

NM - 1. ఉప్పురిసినట్టుండును. Saltish sweat

or the salt crystals.

2. oily (Bryonia).

Selenium - Yellowish patches which cannot be washed.

HOMOEOPATHY NOTES GIVEN BY MASTER E.K. IN 1981

SECTION - I

PREFACE

1.Organon

SECTION - II

1.Apis

2.Rhus tox

3.Merc sol

4.Lachesis

5.Silicea

6.Pulsatilla

7.Lycopodium

8.Bryonia

9.Psorinum

10.Nux vomica

11.Thuja

12.Ars.alb

13.Arnica mont

14.Sulphur

15.Tuberculinum

16.Belladonna

17.Chamomilla

18.Ignatia

19.Hyoscyamus

20.Coffea cruda

SECTION – III

1.Bio-chemical treatment

SECTION – IV

1. First aid in Homoeopathy

ORGANON

Define health -

Human body is of two planes. One is structural (Physical) and the other is functional (Vital).

The structural body contains tissues and the chemicals that form the tissues. E.g. Calcium in the bones, Phosphorus in nails and teeth. The functional body causes all the movement, activity and metabolism. The sensations, senses and the appetite, motions, excretions are caused by the functional body. The functional body governs the centripetal and centrifugal centres of force. These centres are mainly six and they work as a team. The distribution of Physical matter is caused by this vital body. It is conducted as a force through the nerves. The nerves are to the man what electric wires are to the current. A proper arrangement and function of the vital centres causes a proper distribution of Physical matter. Such a stage is called health. Any disturbance of the vital centres causes a wrong distribution of physical matter. Such a stage is called ill-health. Health can be known by an ease of all parts of Physical body. Disease indicates ill-health.

It follows that health and disease do not exist in the physical body. They exist in the vital body and manifest on the physical body. Causes are in vital body and results manifest on physical body.

A cure should be attempted on the vital body. Then the physical body is rectified automatically. If cure is attempted on physical body, the causes still remain on the vital body and manifest again.

A disease first attacks the vital body and then only attacks physical tissues. In allopathy the changes in the physical tissues are examined and wrongly called disease. They are only results of the disease.

II. What is homoeopathy and explain how it differs from other systems of medicine?

Homoeopathy is a system of medicine in which the health of a patient is restored through an application of the law of similars.

LEARNING THE LAW OF CURE FROM NATURE:-

When we observe the nature, we will know how diseases are cured. We can understand how nature helps us by giving us hints as to how to cure ourselves. Observe the following facts:- (1) Two different diseases can co-exist in a constitution if they are dissimilar in their symptoms.

This proves that a medicine can produce a second disease in the body which is dis-similar to the already existing one.

This is how things happen in allopathy. Nature proves that such an administration of a medical substance does not cure the disease. Instead it produces its own disease (ill effects) which is of a different nature.

2)When two diseases having dis-similar symptoms co-exist and one of them is more powerful. It suspends the weaker disease until it passes. Then the weaker disease makes its appearance in full. The swelling of a leg disappears as soon as an epidemic fever begins. After the epidemic passes off again the swelling of the leg makes its full appearance.

3)When two diseases, eventhough of different nature and origin, attack the constitution to produce symptoms that are quite similar they do not co-exist. The more powerful one makes the less powerful one disappear forever.

When we use a medicine, it should act more powerfully than the original disease and should produce symptoms that are similar to those of the existing disease. Then only the drug disease expels the original disease. You can produce a stronger drug disease by the process of dilution or potentisation. This is the law of similars, the backbone of homoeopathy and this is what nature teaches us.

III.Explain the principles of Homoeopathy?

i)The cure in Homoeopathy is by administering the medicine which produces those symptoms that are similar to the symptoms of the disease.


ii)The cure is not of the disease but of the patient, which means his constitution in total, restoring the health and not driving out the disease by parts in the process.

iii)The administration of medicine is only of a single drug, at a time two or more drugs can never be used in Homoeopathy, because every drug produces and cures a group of symptoms that are quite different from the group of symptoms of any other drug.

iv)Medicines are administered in the minimum required doses. The dosage is measured by the dynamic action of the drug which is regulated by a process of potentisation. This saves the patient from the after effects of the crude medicinal substances.

v)Repetition of dose is only done after the re-appearance of the symptoms. Repetition is stopped the moment relief sets in.

IV. Enumerate the types of diseases and explain their classification in brief?



A disease is a disturbance in the normal functions of the vitality of man.

If the disturbance is caused by the administration of medicinal substances it is called a drug disease or artificial disease.

If the disturbance is produced by an external influence which is of a morbid nature, it is called Real disease.



Real Acute Diseases:- Acute disease has three stages. (1)Prodrome (2)Progress (3)Culmination.

Example:- Typhoid, Influenza, Small pox.

When left uncured the patient recovers in all cases where the patient is basically healthy.

In cases where his natural vitality has been already undermined he may die in the second stage.

Example:-Cholera, Plague.

Real Chronic disease:-

These are produced by chronic miasms which are mainly four in number. They are Psora, Syphillis, Sycosis and Tubercular miasm.

These chronic diseases produces symptoms that are recurring. Every recurrence is followed by a gradually increasing degree of intensity and a relative degree of debilitation of a constitutional vitality. Left to itself the constitution cannot expel the disease cause and cannot recover by itself. If not treated in time by proper medication the vitality gradually succumbs to the disease and death will occur due to that disease. Hence in chronic diseases there are only two stages prodromal period and a period of progress and there is no third stage.

In Allopathy there is no understanding of the difference between acute and chronic diseases. Diseases that are cured within days or weeks are called acute disease. When these are complicated by wrong drugging or overdrugging the treatment continues indefinitely when they are called chronic disease. In Homoeopathy these are called false chronic disease.

MIASMS

V. Define Miasm and explain all the three miasms?

Miasm:- It is a morbid force on the vital plane which clouds the healthy constitution of man so as to produce a distortion of functions called a disease.

God gave man goodness, but he gave man also the power to be bad. Man was good, his creator desired him to be good. But God gave him the power of free will and free action. So long as man

lived according to the laws of God, that is without abusing the power of free will there was no trouble. So long he was good, he was pure and free from disease. But as soon as he exercised the power of free will, with which he was endowed and willed against the laws of God. The trouble began, man began to think, feel and will against the laws of God – against the laws of nature.

Example:-God willed man to love his neighbour, but he began to hate his neighbour against the will of God – Law of nature. By virtue of the freedom of will with which he was gifted by God. Thus man set himself against God. Evil thinking created a turmoil in his mind. This condition of mind namely evil thinking was yet a condition of mind only and it was not yet expressed in an active desire. But any passive condition of the mind is bound to be followed soon by an active condition. Now the passive hatred gradually developed into actual hatred, and then came action. First comes an idea (Passive thinking about something) then comes thinking (active thinking, actual thinking) and last of all, action. Passive thinking is harmless because in it the element of endeavour to do is wanting. But active thinking, in which there is this element of doing according to thinking, is the beginning of harm. This active thinking, this mental endeavour of doing is a kind of itching and this is Psora.

This Psora was yet a condition of the mind not expressed in the body. Even then there is a tumult in the mind instead of smoothness that was before. This condition of mind cannot be long confined to the mind alone because the mind will gradually shape the body. Thought will be soon expressed in the physical body (Example:- The dis-satisfaction of the mind is expressed in the features of the face). So the condition of the mind, which was a condition of itching, is gradually expressed in the physical body in the form of itches. Psora is latent in the form of evil thinking in the mind. This latent Psora of the interior gradually comes out on the physical body in the form of itches. The unnatural evil thinking produced Psora in the interior, but it was invisible. It comes to be visible only when it appeared in the physical body. Now what is Psora? Psora is a condition. Condition of what? Condition of man. So Psora is that condition of man which tends to produce disease in him, without Psora there is no disease in man. Thus mind is fountain of disease.

Now this Psoric mind (thinking+willing+feeling) which was habituated to evil thinking led to evil action and his evil action brought on to two other diseases namely Sycosis and Syphilis.

“Psora is the result of evil thinking and Sycosis and Syphilis are the results of evil action“ Thus Psora is the prime cause and the only cause of all the diseases.

The attack of gonorrhoea or syphilis causes only an acute condition of gonorrhoeal inflammation. This is an attempt of vital force to expel the disease by causing inflammation. When this suppressed by some skin healing medicines the functional faculties of human organism are effected. Then only they are called Sycotic miasm and Syphilitic miasm. The attack of gonorrhoea or syphilis.

The miasm is spread by hereditary and also by contact – the inheritance will be only of the chronic miasm and not the first gonorrhoeal condition. Hence forth it progresses from the stage of its inheritance onwards.

	PSORA	SYPHILLIS	SYCOSIS
MIND	<ol style="list-style-type: none"> 1. Restlessness 2. Anger 3. Aristocracy 4. Overactive 	<ol style="list-style-type: none"> 1. Lack of comprehension 2. Imbecility 3. Impulse for committing suicide 4. Under-active 5. Idiotic 	<ol style="list-style-type: none"> 1. Making secret of everything 2. Suspicious 3. Tendency for brooding over things 4. Mischievous, grossly debased, devoid of all sense of righteousness. 5. Mean and selfish. 6. Destitute of all love and affection for others. 7. Weak memory particularly for dates and names. 8. Extremely irritable.
MODALITIES	<p>< standing, motion, exertion, morning, new moon, sun, before menses, odours, touch.</p> <p>> Rest, lying down, quiet, heat, free, eliminations, return of suppression of skin manifestations.</p>	<p>< Rest, exertion, storms, cold and heat, artificial light, night, natural eliminations (sweat, urine and stools).</p> <p>> motion, cold applications.</p>	<p>< damp, getting wet, day, change of weather, natural eliminations (sweat, urine, stools).</p> <p>> Slow motion, lying on abdomen, dry weather. Return of suppressed normal discharges.</p>
CAUSATION	<p>Suppression of emotions</p> <p>Excitement, grief, sorrow, fear</p> <p>Suppression of skin eruptions, normal discharges.</p>	<p>Suppression of abnormal discharges.</p>	<p>Suppression of abnormal discharges.</p>
TISSUES EFFECTED AND THE TYPE OF CHANGE	<ol style="list-style-type: none"> 1. Neurovegetative and endocrine system. 2. Functional disorders only, no structural changes. 	<ol style="list-style-type: none"> 1. Glands, bones and blood vessels. 2. Destruction, deformation and structural changes. 	<ol style="list-style-type: none"> 1. Fibro muscular affections. 2. Overgrowth of tissues.
CHARACTERISTIC SYMPTOMS	<ol style="list-style-type: none"> 1. Want of structural degeneration. 	<ol style="list-style-type: none"> 1. The night is the worst time for the Syphilitics. 	<ol style="list-style-type: none"> 1. While writing or speaking the sycotic is unable to collect his thoughts. In the sycotic there is poverty of language and thought.

	<p>2.Falling of the hair and itching dandruff. Premature greyness of hair.</p> <p>3.He likes those food substances which do him harm.</p> <p>4. He prefers fried things more than boiled things.</p> <p>5.He prefers sweet things.</p> <p>6.Sleep is either disturbed or full of vivid dreams.</p> <p>7.The person thinks that he is somewhat healthy.</p> <p>8.Annual recurrence of complaints.</p> <p>9.Breathing troubles ranking from colds and suffocations to the most severe type of asthma.</p>	<p>2.Decidedly weaker in sensations.</p> <p>3.< usual excretions like sweat, urine and stools</p> <p>4.Severe pains in bones < at night (leads to leprosy).</p> <p>5.Breath is foetid like sweat.</p> <p>6.An intolerance for both heat and cold.</p> <p>7.Skin troubles are absolutely non-itching and copper-coloured.</p> <p>8.Abnormality in the structure of internal organs like head, liver, kidneys, spleen and lungs. It attacks bones, blood and flesh.</p> <p>9.Malignant abscesses and boils bubos, foetid sweat and a thick flabby tongue with imprints of teeth round the margin.</p>	<p>2. a) Increase of mental irritability and urine on the approach of rain or storm. b) A desire to move about during rain and storm.</p> <p>3.A sudden hardening of skin with an unhealthy puffiness and obesity. General thickening of the skin will occur due to fatty contents in the vascular system.</p> <p>4.There will be big warts, pimples and hard muscular outgrowths like lumps.</p> <p>5.There will be very hard and strong growth within the muscles many of which grow malignant.</p> <p>6.Whenever any outgrowth like figwart is treated externally, we find instantaneous disturbance in the general health in the form of obstinate constipation, indigestion and general weakness.</p> <p>7. Sycosis causes a general inflammation of the parts of the body or polypi in ears, nose, throat, uterus or anus.</p> <p>8.There is a baseless fear for something. The person will have some queer notion and a feeling that somebody is after him.</p> <p>9.Inflammation of the testis, hydrocele, orchitis, rheumatism, cold and catarrh in any part of the body (nose, throat, lungs, stomach, intestines, uterus), anaemia, emaciation in any part of the body, all urinary troubles like diabetes, haematuria (bloody urine), all uterine and ovarian troubles of females. Teething troubles of</p>
--	---	---	---

	<p>10.Swelling of joints, pains and oedema. 11.Bloating of stomach with insatiable hunger or absolute loss of hunger. 12.Paleness of the face, relaxation of muscles and inflammation of eyes. 13.Numbness of extremities with frequent cramps. 14.Flushes of heat, redness of face and anxiety of mind. 15.Phlegm formation in the throat and much mucus with stools and nausea. 16.Worms with itching in the anus. 17.Prefers food and drinks warm.</p>	<p>10.He prefers food and drinks cold. 11.Decided aversion to meat.</p>	<p>children sweating of the head, sour diarrhoea, infantile cholera.</p>
SENSATIONS AND COMPLAINTS IN GENERAL	Dryness, burning of hands and feet.	Slow healing. Sweat offensive.	Slow recovery, constantly slipping of back, stiffness, lameness, discharges greenish yellow, acrid with sour and fish brine odour
REMEDY TYPE	Sulphur, Psorinum, Calcareas, Silicia	Mercury, Acid Nitric, Aurum and heavy metals, Kali Bichrom.	Thuja, Natrum Sulph, Medorrhinum

Psora + Syphilis -- Tubercular diathesis, hypertension, diabetes.

Psora + Sycosis --- Asthma, rheumatic heart disease.

Psora + Syphilis + Sycosis -- Psoriasis and malignancy (cancer)

6. Write an essay on the classification of symptoms explaining the order of preference?

In the system of Homoeopathy symptoms play a major role in deciding a) the nature of ill-health b) selection of drug c) the required potency and d) also the repetition of the dose.

Symptoms are broadly divided into two groups.

1. Objective symptoms: Those that can be observed by others. Example: Fever, ulcers, eruptions and warts.

2. Subjective symptoms: Those that can be felt by the patient himself. Example: Headache, stomachache, vertigo and nausea.

Subjective symptoms are again divided into two groups: 1) Common symptoms and 2) Individualizing symptoms.

Common symptoms: Example: Headache, backache, stomachache

Individualizing symptoms: These are of two types: Mental symptoms and Modalities.

Mental symptoms: Mental symptoms include the abnormalities of the patient's behaviour in terms of his thoughts, affections, convictions, beliefs and will.

1) The mental plane forms the center of a person and always diseases manifest from center to circumference and hence the importance of mental symptoms.

2) A patient with more mental symptoms is more easily curable than the one with more physical and less mental symptoms.

3) The total absence of any mental symptoms in very deep chronic cases like cancer and tuberculosis indicates the last incurable stage of the disease.

4) The selection of the drug should be mainly based on the mental symptoms whenever they are present.

Modalities: They include 1) The cravings, aversions, 2) Responsiveness to the extremes of climate, 3) The sides of the body, 4) Periodicity, 5) Posture, 6) The effect of eating and drinking.

The selection of the drug should be based on the individualizing symptoms and not on the common symptoms. If the common symptoms tally, the drug is homoeopathic, even though some symptoms are not present. If the common symptoms tally and the individualizing symptoms do not, then the medicine is not homoeopathic and such a selection of drug may give a palliation or may not respond at all.

VII. a) Why medicines are to be potentized?

b) Explain when and where different potencies are used for different symptoms?

a) All diseases flow from the inner most to the outermost, that is from the 'Will' to the 'Body'. Health also flows in the same direction. A substance which aids the constitution in re-establishing the health is called medicine. It should also flow in the same direction and work in the same direction. Drug substances should be prepared in a form to suit this. Crude substance acts on the physical disease. The substance of medication should be prepared in a vital form to meet the vital body. For this

purpose the specific process of potentization was discovered by the Father of Homoeopathy. The process is in accordance with the laws of action in human constitution. Moreover the accuracy and the efficiency of the process is sufficiently verified and found correct.

b) 1) When the disease symptoms are in the physical plane, medicines are to be used in low potencies i.e. mother tinctures to 30 potency. Ex: indigestion, diarrhoea, itches and blisters.

2) If the disease is in the vital plane, the medicines are to be used starting from 30 to 200 potency. When the disease is in the vital body, it is indicated in the form of modalities.

3) In chronic diseases, namely Psora, Sycosis and Syphilis, disease is found in the mental plane in the form of abnormalities in the function of all the five senses.

In such cases there may not be any physical symptoms.

Even then we have to consider them as patients of sensorium plane. e.g. 1. Formication 2. Sleeplessness 3. Letters run while reading. In such cases we have to give medicines starting from 200 to 1M potencies.

4) When the chronic miasms are deeply acting, abnormalities in the mental attitude is found in the form of mental symptoms, e.g. despondency, suspicion, jealousy, fear of future, fear of loneliness etc. In such cases we have to use medicines starting from 1M to 10M potencies. In such cases, treatment takes form months to years.

5) When the disease is still deeper in action, then we find symptoms in the intellectual plane (understanding and memory). In such cases illusions, hallucinations and finally insanity are observed, e.g. illusion that someone is in the house, illusion that she is pregnant, illusion of rats, cat going round and chasing, insanity with sexual violence, insanity in which the patient feels as if a ghost, angel or a spiritual master is possessing him, tendency to uncover the body.

In such cases medicines in 10M, 50M and CM potencies are to be administered.

6) In injuries if the sufferings are too intensive, medicines are to be repeated in low potencies like 6 with minimum intervals of time. Same is the case in epidemics like cholera and plague.

In acute diseases, lower potencies are to be repeated with short intervals. In chronic diseases higher potencies are to be used at larger intervals of time. Where lower potencies are indicated, you should not use high potencies. After high potencies, low potencies do not work.

J.T.Kent's method of potencies—In any chronic disease start with 30th potency and gradually go to higher potencies in ascending order when symptoms disappears, stop repetition.

VIII) Explain the law of verification and law of cure.

Law of verification:

SYMPTOMS	PATIENT	RESULT
Better	Worse	too bad
Worse	Worse	Bad
Better	Better	Very good
Worse	Better	Good

Laws of Cure:

1. Cure should be from center to circumference.
2. From above downwards.
3. Case should be in the reverse order of their previous occurrence.

IX. Give a list of inimical drugs.

INIMICAL DRUGS

<u>Acid Nitric</u>	X	<u>Lachesis</u>
<u>Ammonium Carb</u>	X	<u>Lachesis</u>
<u>Apis</u>	X	<u>Rhus Tox, Phosphorus</u>
<u>Argentum Nitricum</u>	X	<u>Coffea Cruda</u>
<u>Arinica</u>	X	<u>Not to be given when bitten by mad or angry dogs</u>
<u>Baryta Carb</u>	X	<u>Calcarea Carb</u>
<u>Belladonna</u>	X	<u>Dulcamara</u>
<u>Bryonia</u>	X	<u>Calcarea Carb</u>
<u>Calcarea Carb</u>	X	<u>Sulphur</u>
<u>Cantharis</u>	X	<u>Coffea Cruda</u>
<u>Carbo Vegetabilis</u>	X	<u>Carbo Animalis</u>
<u>Causticum</u>	X	<u>Phosphorus and all acids</u>
<u>Chamomilla</u>	X	<u>Nux Vomica</u>
<u>Conium</u>	X	<u>Psorinum</u>
<u>China</u>	X	<u>Digitalis, Selenium</u>
<u>Dulcamara</u>	X	<u>Lachesis</u>
<u>Hepar Sulph</u>	X	<u>Spongia</u>
<u>Lycopodium</u>	X	<u>Calcarea Carb</u>
<u>Merc Sol</u>	X	<u>Silicea</u>
<u>Rhus Tox</u>	X	<u>Apis</u>
<u>Sepia</u>	X	<u>Bryonia, Lachesis</u>
<u>Zincum Met</u>	X	<u>Nux Vomica</u>

X. Explain how a homoeo medicine cures a disease?

When a medicinal substance is introduced into a healthy constitution immediately it acts upon the body of the patient. Its material affects his material body. Its vital part affects the vital force of man. Then it is called the action of the substance upon the constitution of man. Immediately the

vital force begins to fight to dispel the foreign influence which is harmful. In its fight the vital force produces its own symptoms against the particular substance. This is called the reaction of man to that substance. Thus we find that every medicine produces its effects at first while the constitution produces its own medicine produces its action and induces the reaction of the constitution. It stimulates the capacity to react. This second process has the power to eliminate the disease from the constitution. It is blind to believe that medicines cure diseases. They only stimulate the constitution to cure itself. It is only for this stimulation, we invite a medicine into the constitution.

PRIMARY AND SECONDARY ACTION:

When Opium is administered to a healthy person it produces a temporary sleep like state. After some hours it passes away and person is found a little bit weak instead of being refreshed by this sleep. His sleep induced by Opium should therefore be understood as a sleep like state and not sleep. Sleep refreshes a man and removes all his fatigue. The sleep like state of Opium is therefore an artificial sleep, a state similar to sleep in its outward appearance. Similar thing cannot be the same thing. The sleep like state is the action of the opium while the weakness that follows is due to the reaction of the vital force. There was a fight between the vital force and opium during the stupor. Finally the vital force conquered and man came to consciousness again.

Like this every drug produces its effect upon the constitution at first. It is called the "Primary Action" of the medicine. Then follows the fight between the vital force and the poisonous effect of the medicine. This produces its own effect and they are called THE SECONDARY ACTION of the medicine. It is always true that every primary action is opposed by the Secondary action. It is inevitable that the secondary action of a drug is always of an opposite nature to the primary action. According to tradition, rural people of all the countries administer opium when a person is suffering from sleeplessness. Allopathy does it even today. All the tranquilizers and sleeping tablets contain opium and similar sedatives. The patient sleeps due to this stupor (the primary action). The next day or third day the patient suffers from utter sleeplessness due to the secondary action of the vital force against the drug. It is also common that opium is administered to children suffering from loose motions. Immediately the motions are controlled. The primary action of the opium makes the rectum and the intestines senseless. The secondary action produces loose motions in a more violent way. In such a case you have to go on repeating the dose as you do in the case of sleeping tablets. The primary action of a medicine is used in Allopathy in an antipathic way. But it is always temporary since the vital force establishes the secondary action to save the patient. Whenever we depend upon the primary action of a medicine, we have to use it in an antipathic way. It always produces only a temporary betterment of sufferings which will be followed by a worst condition. In Homoeopathy cure is attempted with the assistance of the secondary action of any medicine. Always the symptoms of the secondary action are opposite nature to those of the primary action. For this reason the homoeopathy gathers the symptoms of the patient and selects in its secondary action.

XI.

CASE TAKING

"A CASE WELL TAKEN IS HALF CURED"

Hints while taking a case:

1. Note the symptoms in the patients own language.
2. Do not interrupt in the middle.
3. Leave space under each symptom.
4. Try to gain the confidence of the patient.
5. Do not put direct questions which can be answered "yes" or "no".

**

1. Name, age, sex, occupation of the patient
2. Objective aspects : Demeanour, Nervous excitability, Facial expression, Temper, Secretions, Colour, Odour.
3. Mind : Irritability, Sadness, Fear, Placidity.
4. Sensations : Burning, cramping, cutting, bursting, soreness, throbbing, thirst.
5. Modalities : The cravings and aversions, responsiveness to the extremes of climate, the sides of the body, periodicity, posture, the effect of eating and drinking.
6. Affected part : Organs, Right, Left

APIS

Introductory remarks:

- 1.Many symptoms show on the surface. Surface symptoms are teasing and exciting.
- 2.This drug often affects the coverings of the internal vital organs.
- 3.This is partially deep acting and its action will be completed by its chronic drug Natrum Mur.

Pathological symptoms:

- 1.Eruptive fevers of all types like small pox, chicken pox, measles, scarlet fever etc.
- 2.Throat troubles of a dangerous acute nature, (especially diphtheria) because of suppression of eruptive fevers. The fever goes down before the eruption sets in. it is a clear indication of Apis Mel.
- 3.Dropsy(accumulation of water in the parts of the body)—dropsy of lower lids prominent. The characteristic feature in dropsy of Apis is pitting by pressure.
- 4.All sorts of brain fevers especially of hydrocephalus (accumulation of water in head). It is a rank drug in encephalitis. The characteristic feature is the Cephalic Cry like a bird which is repeated frequently and uniformly.

Constitutional symptoms:

- 1.Restless disposition and puffy face with many skin disturbances including red blisters with urticaria indicates the Apis constitution.
- 2.They are inclined to be oedematous in the internal and external organs.
- 3.Eyelids swollen in the morning with great anguish, heat and feverish sensation mingled with a little chill.
- 4.They are effected in speech, walk and movements. Often droppings things from hands and spoiling any work that is given to them.
- 5.They have no regularity of their routine and they are always busy not able to complete the work of the day.
- 6.Many times suffering from many twitchings, very sensitive to touch. Sometimes they grow very angry if one of their hand touches the other.
- 7.Often tries to wash face and parts of body with cold water when she finds it very happy for a few moments.
- 8.They cannot comb their hair because it is highly sensitive and it pains too much when lightly touched. But when rubbed with pressure it is very happy.
- 9Feels tortured with everything and everyone at home. Many times she has thoughts of suicide, but it is only a passing emotion due to unbearable jealousy and suspicion over others.
- 10.She is found always quarrelling with the neighbours and the male of Apis has no friend among his colleagues. Often he finds fault with others on an imaginary plane.
- 11.He believes that he is insulted by many and he has no place to hide his head.

12. Often he explodes amidst conversations and uses foul language with insults for which he never repents.

13. Often he goes into hypertension with headache on the top with staggering and sensation of burning from the body. He may have little fits of unconsciousness or great reeling when he has to sit down.

Mental symptoms:

1. Sadness with spite and tears without any cause. Worry about everything.

2. Cannot sleep many nights. Spends nights thinking about the faults of others, talking to herself or with others in air.

3. Foolishly suspicious about others. Very jealous. Troublesome to everyone in the house (Kali Carb: upper eyelids swollen).

4. Want only joyless.

5. Sudden shrill. Screams in children either in sleep or when awakened.

MODALITIES:

1. All pains > by coughing, walking or sitting.

2. < after sleep especially in closed doors.

3. Intermittent fevers with chill without thirst starting by 3 PM.

4. All symptoms < external heat especially a warm room. (Sulphur, Pulsatilla, Bryonia).

5. Complaints prominently right sided. The liver is often affected.

6. Involuntary loose motions with every movement. This is generally found in second or third week of typhoid.

7. Constipation and fear to strain. "Something would break inside when strained."

8. Skin irritation along with mental irritation and redness or rose colour of effected parts.

9. Skin effected in patches (scalp, face, ears, private parts).

10. Distressed heat, suffocated and smoked. The body appears puffy as if the whole organism would burst (Carbo Veg).

11. Oedema, flatulence, suffocation, subjective heat. In chronic cases they are followed by one key note "Suppressed urine". Whenever the urine is suppressed it aggravates the hypertension which in turn shows all the mental symptoms mentioned. When any of the symptoms are individually cured the case becomes chronic. Before jaundice he will get sore mouth.

12. Digestive disturbance of the following features constipation alternating with loose motions.

13. Pains have stinging, smarting, hot feeling, numbness of parts paining > sprinkling of cold water. It is called pin prick feeling. This sensation is mostly found in the part when there is swelling. Often we find diabetes in such symptoms.

14. Parts discharge water when punctured.

15. Dropsy without thirst (opposite to Acetic Acid).

16. Pain burning and stinging and swellings often change parts.

17. Frequent urination, quantity becomes less. The urine smarts, stings and burns.
18. Incontinence of urine. If the patient gets the sensation of urine he has to run immediately. Sometimes the urine is painful, scanty and bloody.
19. The same condition may be among ladies in old age. Very rarely among males. They will be always scolding, violent or throwing something. These are prominent in puerperal mania.

Causation:

1. Bites and stings. Bites of the animal or human.
2. Use of astringents and also tobacco in any form.
3. Eruptive fevers wrongly treated.
4. Living in marshy places.
5. Bad effects of vaccination.

Relationship:

1. Deadly inimical to Rhus Tox.
2. Complementary to Thuja, Natrum Mur, Pulsatilla, Phosphorus, Sulphur, Cantharis and all the poisons and all the spider poisons.

Especially Thuja and Natrum Mur act efficiently to complete the half cured cases of Apis.

Arnica is also inimical to all poisons. Psorinum is also inimical to all animal poisoning and all acids.

RHUS TOX

Pathological symptoms:

1. Swellings.
2. Pain in the joints.
3. Pain in the bones (Bryonia is not useful for bone pains).
4. Watery pustules. Small pox like pustules.
5. Eruptions with oozing, burning, fever, shivering. (these are symptoms of septic fever. Hypericum, Anthracinum, Thuja, Arsenic Alb, Ailanthus).

1. Septic fever (or Tetanus):-

Arsenic Alb – Restlessness – burning. Repeated thirst for small quantities of water. Fear of death, swelling of glands, high fever.

2. Hypericum – Splinter like pain and burning in and around the wound. Stiffness in neck and spine. Great pain and stiffness in leg, fidgety < by hanging affected part.

3. Ailanthus – Great shivering big pustules that are transparent bending forward, pustules are of great redness and bleeding from mouth or nose or eyes or urethra. Low temperature, nausea or vomiting.

4. Thuja – When all the drugs fail, Thuja saves the patient. Smell of rotten skin with greenish white pus.

Prevention – Hypericum 200 or Thuja 30.

6. Sprains.

7. Malarial fevers.

8. Typhoid.

9. Paralysis with pain.

10. Toxic condition, coma.

11. Herpes.

12. Cramping catches.

13. Heart diseases like angina pectoris.

Constitutional Symptoms:

1. Plethoric, lacking in heat, joints warmer or colder than the rest of the body.

2. Painful joints many times swollen and red.

3. Suffering from damp weather of rainy season.

4. Often suffering from cold, cough, phlegm and fever with chills and shivering.

5. They protect themselves by covering and wearing woollen clothes.

6. Moving round in city busily during bright hours. Cannot keep to one place for long. Even in house they go round enquiring about everything.

7. Very careful and slow about bodily movements.

8. Frequently uses warm water for everything.

9. Chilly to the extreme.

10. Great exhaustion after eating and sleeping.

11. Forced sleep after eating.

12. Burning in eyes, ears, nose and throat. Eyes often red.

13. Generally he cannot think or plan.

14. When the climate is changing, frequent attacks of pains, pustules, skin diseases near the joints, back of the ears and folds of the private parts.

15. Any injury or eruption may go to septic condition and bring fever with chills neglected.

Mental symptoms:

1. Dazed, alternated by anxious moods.

2. Incoherent in talk.

3. Answers hastily, remarks hastily.

- 4.He does not mean what he talks when he is excited.
- 5.Anxiety and apprehension.
- 6.Fear and anxiety, passive.
- 7.Despondency.
- 8.Mental prostration.
- 9.Inability to sustain mental effort.
- 10.Disgust for life.
- 11.Aversion to responsibility.
- 12.Wants to get drowned, but fears death.
- 13.Sadness, weeping as if met with misfortune.
- 14.Looks, walks and talks as if intoxicated.

Modalities:

- 1.Very sensitive to cold weather. Feels all his pains and swellings a few hours before storm or changed weather.
2. < from cool weather or moisture.
- 3.Chilly, afraid of chill. He is affected by chills and he produces chills.
4. > by warmth, warm room, warm clothing.
5. < by rest, > by constant movement. Feels everything better by brisk walking. Feels exhausted, out of breath and as if parts paralysed after walking.
- 6.A feeling of numbness.
- 7.Chill from below to upwards in the spine, as if very cold water was poured or sprinkled especially old chronic malarial or acute fever.
- 8.Suppression of sweat by cold breeze brings all sufferings which he has.
- 9.Suppression of menstrual flow by cold water brings all sufferings in ladies.
- 10.Sudden, speedy swellings especially in neck, knees and face.
- 11.Skin very smooth and shiny.
- 12.Large blisters and joint swellings, pitting by pressure.
- 13.Any pains with numbness, paralytic weakness.
- 14.Angina Pectoris with blueness (heart pain), sweat, trembling.
- 15.Angina Pectoris and gouty pains alternate (Oxalic Acid). Important: Oxalic Acid: pain in the heart < from thinking of them. > by change of thought, polyurea. Hemiplegia : Paralysis of one half side of the body.
- 16.Swellings, pain, numbness in effected parts, short breath, < from exposure to cold weather, formication.
- 17.Twitching and chorea from exposing to cold wind or rain.
- 18.Fever: The tip of the tongue is red, cannot protrude his tongue. Brain feels loose, headache with buzzing in the ears. The head dizzy. Feels as if the head is screwed together, delirium of a muttering nature.

19. Continuous dreams of oceans, rivers, seas, storms and getting drowned.
20. Pain in the back of the head > by hanging head back.
21. Deaf and dumb, stunned, toxic, involuntary loose motion, especially while sleeping.
22. Headache < wetting the hair, scalp painful and numb on the side laid down.
23. Eruptions on the scalp, face, ears with pain and suppuration. Resembles chicken pox (Apis, Graphites).
 - Barber's itch – Sulphur 200 only one dose – don't repeat.
 - Falling of hair is of two types: 1. Hereditary 2. Due to malnutrition
 - Drugs: Thuja, Arnica, Syphilinum, Apis, Acid Phos, Sepia, Kali Bichrom, Sulphur, Phosphorus, Thyroidinum.
24. Diseases of ENT due to exposure to cold.
25. Small pox like pustules on the face or on the body.
26. Eye symptoms: Rhus Tox – 30 – Photophobia, red blood eyes (Euphrasia – 6, Apis, Rhus tox 30)
Effect on the eyes by X-ray, give X-Ray – 30, Nuclear disturbances – Electros – 30.
27. Drop of upper eyelids (Rhus tox 200), nose stopped with every cold.
28. Lips dry, cracked, peeled, bleeding. Phosphorus – Feels burning and craves for ice cold drinks and vomits them within 5 minutes.
29. Tongue sore, painful, paralysed, cannot protrude the tongue. Tip of the tongue is red. Tongue shivering, upper portion of the tongue is mapped and very sore. Sometimes you find drops of blood on the tongue. Teeth and gums bleed. (This is a dangerous condition).
30. Throat: Throat very painful, wants to drink cold water but is afraid of touching cold water, cannot swallow solids (diphtheria).
31. Freak symptoms:
 - a) Hunger without appetite.
 - b) Empty sensation without desire for food.
 - c) Unquenchable thirst at night with great dryness of mouth.
 - d) Cold drinks produced nausea, cough, vomiting and chills.
 - e) Great desire for oysters.
 - f) Great aversion to meat.
 - g) Great appetite with an inclination to vomit.
32. The patient cannot lie on the right side. (liver trouble, Jaundice, thyroid).
33. Abdomen sensitive to clothing and touch. (Lachesis).
34. Great comfort by lying on back and drawing the limbs up.
35. Black blood in loose motions during prolonged fevers (Opium).
36. Violent cough indicates the coming of chill and attack of fever in malaria. Violent cough – Fever - - chill. They come gradually.
37. Urine becomes red when preserved.
38. Rawness and hoarseness of voice when beginning a concert (Musician's drug).
39. Bleeding from throat or nose with blowing instruments.

40.Heart diseases in Rhustox:

- a)Palpitation, pain in the heart, sweat, collapsing weakness. All symptoms start with a chill.
- b)Angina Pectoris in athletes, boxers, runners, most prominently in weight lifters. Pain between the shoulders while swallowing the food.
- c)Lumbago with heart palpitation and weakness < by sitting in wet places and > by lying on the back on a hard surface.

41.Tingling, pricking in hands and fingers while carrying something.

42.Skin symptoms > by scalding.

43.Female modalities:

- a)Prolapse after over-lifting.
- b)Labour like pains after the above causes.
- c)Miscarriage or abortion, advanced stage after lifting, overstraining or overstretching.
- d)Menses disturbed with the above causes (excess of flow).
- e)Suppression of menses due to washing the feet and hands or taking a cold water bath or drenched in rain or going out in winter.

Causation:

- 1.Exposure to cold winds, cold wash, cold weather or getting drenched in rain.
- 2.Sitting in wet grass or storms after a rain.
- 3.Probable remedy for washerman.
- 4.Over-lifting, overstretching, overstraining.

Relationship: 1. Deadly inimical to Apis Mel 2. Very strong antidote to Anacardium.

MERC SOL

Introductory remarks:

- 1.A strong anti-syphilitic, anti-sycotic and anti-psoric medicine.
- 2.A very deep acting and very long acting medicine.
- 3.A medicine which is often useful for infants. Old people and those who have degenerated tissues, pale and weak constitution.
- 4.It effects the hardest of all tissues like bones and teeth and breaks them to granules and pieces.

Pathological symptoms:

- 1.Liver diseases like liver enlargement, jaundice.
- 2.Anaemia.
- 3.Indigestion of chronic nature.
- 4.Dyspepsia (alkaline stomach).

5. Gland trouble, enlargement, painful, sometimes boil forms as abscess. In glands blood and pus come out. Pus will be greenish or yellow or grey in colour.

Painful glands after degeneration.

6. Ear, nose and eyes trouble.

7. Polypi, adenoids or tonsils swollen, chancres, furuncles.

8. Sore mouth, gums receding, gum boils.

9. Eczema.

10. Weakness of the nerves with trembling of parts.

11. Paralysis with tremblings.

12. Exostoses.

13. Dysentery.

Constitutional symptoms:

1. A patient of long standing sickness with slowly increasing debility and weakness with short breath which is disturbed by least walking and exertion. The breath smells mercurial odours.

2. The mouth is often sore and inflamed. The gums swollen, grey in colour and receding with dirty yellow deposits or grey deposits at the root of the teeth. Often gum boils pain like pin pricks (Apis).

3. The teeth often change in colour and get decays. The tongue is felt increased in size and it has serrate margins. It carries the print of the teeth. The taste is decreased and the mouth smells like rotten cheese. Excess of salivation makes speech awkward.

4. The patient is gouty. The joints painful and the heart palpitates by walking or exertion.

5. The skin is greasy and shiny and has the colour of greenish brown tinge. Many times it has pale black spots and is swollen around the eyes and near by joints.

6. He sweats too much and the sweat smells.

7. He has frequent urination of water like urine without any contents.

8. He dislikes food and cannot digest nutritious foods.

9. The throat often ulcerates and pains like pin prick.

10. The change of temperature with climate produces health disturbances every time.

11. Easy pus formation of any small injury and it takes a lot of time to heal.

12. The body lacks in heat and generally the affected parts are colder than the rest.

13. The skin ulcerated and there it is cold.

14. He has repeated history of liver troubles with jaundice.

15. He lacks enthusiasm and feels discouraged and weary of life. Always he feels exhausted and he wants to retire.

16. The understanding is slow and he answers questions after a pause.

17. Sometimes the males and females show endocrinal disturbances. The young man sometimes bears milk in his breast and feels painful. The lady bears milk when she is not a mother. More often milk flows during menstrual period and sometimes instead of menses there is only milk flow.

Mental Symptoms:

- 1.He is slow in grasping and poor in comprehension, feeble in logic and forgetful of facts.
- 2.No enthusiasm to do anything.
- 3.Often his movements are hasty, jerky and hurried.
- 4.Restless in understanding and planning. He spoils many things by wrong planning.
- 5.He is both anxious and idiotic. He thinks before he answers because he has to think to understand a simple sentence.
- 6.He develops a peculiar interest to die or to specialise in the literature about death.

MODALITIES:

- 1.Most forgetful when it is cloudy.
- 2.Restless and jerky when the sun is hot.
- 3.Chilly-fears a chill. All symptoms worse from chill weather, winter.
- 4.Dreads summer. All the nerve troubles, diabetic troubles, boils worse in summer.
- 5.Very sensitive to the changes in weather, worse from extreme of temperature.
- 6.Acute symptoms are worse from warmth of the bed. (skin burns, feels hot where it touches the bed, bed sores In bed-ridden patients).
- 7.Forced to uncover and gets worse again by uncovering.
- 8.Restless in mind and body. Cannot find peace in any position.
- 9.In acute diseases like typhoid, the room smells like the smell of the patient (mercurial odour).
- 10.The breath smells. The stool and urine are very offensive and smell like rotten meat. The stool in acute diseases is stuffy, loose, grey or greenish yellow (Chamomilla, Phosphorus, Argentum Nitricum).
11. a)Involuntary salivation during talk or sleep. Articulation difficult.
b)Gums and mouth grey, ulcerated gums, boils, aphtha.
c)Gums recede, smell and expose the roots of teeth which soon turn yellowish.
- 12.All pains and burnings < during night (syphilitic miasm).
13. a)Skin of joints becomes dry and hardened. In later stages it shows oedematous swelling.
b)Glands hardened, swollen, painful, sometimes ulcerate and ooze pus and blood. (neck glands of children and old people, breast glands of ladies after menopause).
- 14.Feels the tongue swollen like a lump.
- 15.Ashy white ulcers, boils, discharges. The stool is greenish. Constipation alternates with diarrhoea.
- 16.Nails decay, teeth decay, hair falls. (Syphillinum, Phosphorus, Selenium, Antim. Crude).
- 17.a)Rheumatic inflammations and catarrhal inflammations. < in winter and cool weather.
b)Skin eruptions like boils, urinary symptoms, fevers worse by heat and summer.
- 18.No relief of any suffering from sweats. a)Fever (Opium) b)Headache c)Palpitation d)Pains.

19. Progressive emaciation with trembling of limbs. He comes to a stage when he cannot walk. (Parkinson's disease—no control over limbs, nerves and joints). Becomes stiff and going on straight and will not stop even then there are hurdles, dashing against the obstacles and falls down).
20. No tendency to repair: Whenever you administer a well indicated remedy, the trouble is settled, but the patient is not better.
- a) The symptoms are cured and the patient is not better – Merc Sol.
- b) Indicated remedies fail to sustain the action – Tuberculinum.
- c) Indicated remedies fail to act – Psorinum.
21. Gangrene of lips, cheeks and gums.
22. All sufferings especially the joint pains and skin symptoms > by exposure. (feels better by undressing (Opposite to Psorinum).
23. The tongue works disorderly. The child cannot talk:
- a) If tongue is the reason – Merc Sol.
- b) If Mind is the reason – Baryta Carb 1M.
- c) If due to general weakness – Causticum 1M.
24. Impulse to kill himself.
25. Great anxiety and sadness during menses.
26. Milk in breasts at the time of menses.
27. Milk in breasts instead of menses. (vicarious menstruation – Phosphorus. Nose bleed or vomiting or both instead of menses or both and menstrual discharge – Phosphorus can be administered at this time. Second dose after menses).
28. Sterility with scanty flow and gouty joints, bad teeth hormonal disturbances, hair on chin, history of mercury poison in the past.
29. Lingering fevers after ear discharges are depressed (False Typhoid).
30. Head drawn back, stiff after high fevers of prolonged duration and after suppression of ear discharges (false Meningitis).
31. Headache over the nose as if the scalp was tied. Something very hot in the head. Cold with sneezing and ear discharges continue for months over.
32. Periodical bone pains < damp weather.
33. Joint pains and fever with chills repeatedly occur with pus in the ears or sweats in the feet and palms (Merc Sol 1M).
34. Brain fevers after measles. (Merc. Sol, Zincum Met, Cuprum Met, Apis); Hydrocephalus.
35. Eye troubles: Dim vision, Myopia, Diplopia, Itching of conjunctiva < looking at the fire, looking into brilliant light, shining surfaces, tears excoriate, intense photophobia, swollen eye lids.
36. Stinging pain or smarting pain or pin pricks in the effected parts (Apis).
37. Any suffering of the thorax < from lying on the right side. Ex: Lung troubles, pneumonia, cough, heart troubles, liver troubles, bowel troubles, asthma.
38. a) Frequent urging to urinate, drilling sensation of pain or burning (gonorrhoea), b) bloody urine with great burning.

39. Burning, stinging, pinprick sensation with white discharges in ladies. Little girls have this symptoms even before puberty.
40. Boils, itching or eczema like skin trouble during menses in private parts along with pimples on the face (Cimicifuga).
41. Oedematous swelling of the genitals during the menses or pregnancy.
42. Repeated miscarriages.

Causation:

1. Nerve troubles after suppression of discharges.
2. Rheumatism developed after syphilis or gonorrhoea.
3. Senility as old age approaches with history of gonorrhoea during youth.

Relationship:

1. Merc Sol is deadly inimical to Silicea
(So an inter current remedy Hepar Sulph is to be used between Merc Sol and Silicea).

LACHESIS

Introductory remarks:

1. This is a snake in Africa called Surukuku or African Bush Master. This grows to 7 ft. in length. A famous Homoeopath Dr. Hering proved the snake poison.
2. Dr. Kent says that Lachesis suits to the whole race as the disposition of the present man kind is like that of venom in snake.

Lachesis represents the snake in man.

It is a long acting anti-sycotic medicine. You must know how to use it. When misused the effects remain lifelong.

Pathological symptoms:

1. Inflammation of various types. (It turns blue or purple. It bleeds black).
2. Swelling and painful condition of glands. (Generally accompanied by high fever and septic condition with blue or purple skin).
3. Ulcers eat in (Mottled blue or purple). Mottled white-Arnica, Mottled red rose – Apis.
4. Gangrene generally from Injury with blue skin.
5. Heart diseases (Apis, China, Lachesis).
6. Ovary troubles.
7. Serious throat troubles like diphtheria. (diphtheria – Apis, Lachesis, Merc Bin Iod).

MERC BIN IOD

Pathological symptoms:

- 1.Excessive salivation.
- 2.Cannot swallow.
- 3.Mouth and tongue smell like decomposed meat.
- 4.Redness in the throat and tongue.
- 5.Very painful and very much swollen glands under the neck.
- 6.Mottled white spots in the throat and root of the tongue.
- 7.Throat cancer.
- 8.Headaches.
- 9.Paralysis.
- 10.Typhoid fevers.
- 11.Zymosis, sordes on teeth.
- 12.Insanity with spite, unbearable jealousy, incessant talking.
- 13.Puerperal fevers.
- 14.Fistula with blackish oozing with decomposed meat smell.
- 15.Piles-bleeding.
- 16.Menstrual colic: shooting pain in the left side.
- 17.Various eye troubles. Cataract starting in the left eye.
- 18.Morning deafness.
- 19.Jaundice.
- 20.Diabetes.
- 21.Sciatica—sciatica especially during pregnancy.

Constitutional symptoms:

- 1.Feeble, morose fellows who are suspicious, critical, fault finding and jealous.
- 2.Fainting, palpitation, perspiring.
- 3.Mind works with fits and starts.
- 4.Cold in feet and hands sweating.
- 5.Fears cold and chill.
- 6.Face anxious always.
- 7.Cannot be happy.
- 8.Fears someone may harm him.
- 9.Face engorged. Eyelids swollen, sharp and suspicious eyes.
- 10.Staggering walk.
- 11.Often suffers from vertigo.
- 12.Face pale and nose colder than other parts of the face.

13. Often he feels his body is very heavy, sometimes he cannot move his limbs.
14. Often he goes on talking and changing the topics quickly even though you don't care to listen.
15. He cannot tolerate two friends sitting and talking together. He is sure that they are talking about himself.

Mental symptoms:

1. No brightness of life. Always has a cloudy mind.
2. Always self-consciousness, self-conceit and preconceived.
3. Revengeful cruelty.
4. He is with envy, hatred and spite.
5. Jealous and suspicious (Hyos, N.M.).
6. Improper love of self.
7. Confusion: Stumbles in using words.
8. Feels drunken.
9. Insane behaviour, impulsive behaviour. Impulsive insanity.
10. Tired mind. Cannot remember things. If you talk to him before he starts somewhere. He forgets to take his bunch of keys, spectacles and even the most personal things of immediate use (Arg.N., Nux V., N.M> Hyos, Acid Phos)
11. Dull articulation. Misspells words and sentences leaves off last syllables. Thick lips and thick tongue. Commits blunders in speech and accents (Hyos.).
12. It is more often indicated in children, old people and girls at puberty. (The girls at puberty are suspicious of their girl friends. Cannot tolerate two persons talking).
13. Insanity features:
 - a) Suspects that others are trying to poison him. They starve to death (Hyos.).
 - b) Others are contriving to injure her. (puerperal insanity).
 - c) Apprehension of the future.
 - d) Feels that an incurable disease is taking seat in her, most probably heart disease(ARN.).
 - e) Does not remember whether it is a dream or reality. Believes that it is all a dream.
 - f) Suddenly she thinks that she is dead. This symptom repeatedly appears in dream.
 - g) She thinks that she is someone else speaks of himself in third person (Anacar).
 - h) He believes that he is under superhuman control.
 - i) People hear voices.
14. No peace of mind.
15. He is full of religious insanity – that she has committed a crime, that she has stolen something, that the police is after her. Religious insanity.
16. Loquacity. There is no use attempting to describe it, it is so rapid, changing from one subject to another. Sentences are sometimes only half finished.

Modalities:

1.< spring season (diabetes, carbuncles, boils on the back and neck).

< when weather changes from cold to warm.

< when he goes into a warm room from a cold place. (face becomes bluish, sweats, palpitation, gets speedy thoughts). By continuous usage of A/c. rooms we get troubles of heart and nerves.

Comparison with Dulcamara:

1. There will be severe changes in cold and warm.

2. There will be no heart palpitation.

3. Sleep:

a) All sufferings are worse from entering into sleep. Ex: headache, snoring. A very long sleep greatly < all the symptoms, humming in the ears, nose blocked or sick headache.

b) Sleep disturbed by attacks of suffocation or palpitation or tickling cough or awful dreams like some is jumping on chest.

c) Not refreshed at all. Very sick feeling, vertigo, nausea, burning in throat and stomach. Melancholy.

3. Mental symptoms and palpitation are < warmth, warm bath.

4. Burning headache and high fever, heat at palms, very cold, numb, shifting, cannot be made warm by wrapping. Very hot head, bluish face, red eyes, half closed, intoxicated, groaning.

5. Palpitation is < least movement and change of position.

6. As if all the blood is rushing into the top of the head. Head would fly to pieces, if position is changed. Heart would stop.

7. Fears cold and cloudy weather very much. But < from warmth.

8. a) Ulcers stand long turn purple and late black, blood too much black blood (Secale).

b) Injured or inflamed parts soon turn black – smelling – eating away.

c) Little wounds or boils or ulcers bleed too much.

9. Epistaxis: Profuse bleeding, pain in the left ovary.

10. Varicose after delivery.

11. Palpitation with least emotion, skin covered with sweat, head hot.

12. Suffocated when wrapped—child kicks off the covers, cannot tolerate chest covered (in children). (Elders) Suffocated with tight garments.

13. Cannot expose back of head to cool air as it causes severe headache.

14. Audible palpitation.

15. Symptoms generally left sided – symptoms start on the left and travel towards the right. Ex: paralysis, partial headaches, catarrh, sciatica.

16. Formication: High B.P. in staggering, pain in the heart.

17. Mental symptoms ----> Heart symptoms; ----> mental symptoms; Headache ----> Heart symptoms ----> Headache.

Headache (Lachesis):- Is left sided headache with nausea, vomiting she wakes with headache of bursting and paralyzing type. She will have palpitation < from least movement. Head full of water. She cannot bend any side.

18. Aversion to work and thinking.
19. Dullness and heaviness in the head. Commits mistakes in counting and copying.
20. Any suffering is < from lying down (Lyco); < from lying on the back. Ex: Heart disease, Asthma.
21. Surging sensation in a) Head b) Heart c) Lungs d) abdomen. In advanced conditions of heart and lung diseases vomits blood. Before he vomits he feels the smell of blood.
22. Waves of pain are in tune with pulse.
23. Palpitation < from changing position.
24. Headache:
 1. Begins during sleep or early in the morning.
 2. Vertigo, nausea and vomiting.
 3. Vanishing of thought.
 4. Inclines to turn to left which gives no relief.
 5. Moving in the bed become worse. (RT moving gives relief but in Lachesis there is no relief).
 6. Extremities are cold and numb.
 7. All blood vessels pulsate.
 8. Weight and pressure within.
 9. < by touch of cloth (Apis).
 - > by Hard pressure (Apis)
 10. < Noise, talk and jar (Ignatia, Coffea, Chamomilla).
25. In any acute disease he feels great pain in the eyes if you touch his throat.
26. Anything introduced into the ears causes spasmodic cough and tickling in throat.

Causation:

1. Disappointment of serious type. a) Examination b) Love (Ignatia, Hyos, Puls, NM).
2. Shattered hopes.
3. Prolonged grief.

Relationship:

1. Lachesis is complementary to Apis Mel.
2. Belladonna is complementary to both Lachesis and Apis.

SILICIA

Introductory remarks:

1. Deep acting anti-psoric drug.
2. Hepatization by external injury.
3. Injury, sutures, wounds.
4. Warts, corns, growths.
5. It should not be given during pregnancy.

Pathological symptoms:

- 1.Ulcers that are operated.
- 2.Wounds opened.
- 3.Fistula (pus and blood oozing)
- 4.Whitlow.
- 5.Boils half suppressed and shoe warts.
- 6.Piles operated, occasionally painful.
- 7.Pus in the form of granules.

Constitutional Symptoms:

- 1.Fine dry complexion, pale, withered, wrinkled face.
- 2.Skin is cold – Always tries to cover head and body.
Never sits or sleeps in open, even in summer. Very chilly. He wears a fur cap in summer (Psorinum).
Kent says “He has to use an umbrella in moonlight.”
- 3.Fibrous tissues often affected.
- 4.Easy suppuration.
- 5.Pus boils with granules and fibres.
- 6.Sluggish.
- 7.Lacks in stamina, very delicate lacking in resistance – No ability to hard work. Becomes sick with extra hard work.
- 8.Headaches often when they go out, when they read a little. Falls sick after or before or during examination.
- 9.Slow nutrition. “Food stays in stomach after many hours”.
- 10.Injuries are very painful. They grow nodular.
- 11.Boils or ulcers appear shiny and glassy. Recurring boils at the same place. Recurring polypi and fibroids.
- 12.Palms and soles sweat too much. The sweat smells like preserved leather. If the sweat is locally cured he goes into a)Asthma b)Heart disease c)Wasting disease d)Parts die e)Leprosy f)Loss of sensation.

Mental Symptoms:

- 1.Lacks mental stamina.
- 2.Never undertakes a responsibility.
- 3.Feels embarrassed when something is explained to him. Cannot pick up and understand things explained to him.
- 4.Yielding temperament.

- 5.No self-confidence. Cannot decide anything. Cannot appear for examination unless encouraged. (Ignatia, Natrum Mur, Hyos, Arum met).
- 6.No firmness in talking or speech.
- 7.Cannot read continuously. Headache and watery eyes while reading. Reading is mechanical. Letters run like ants while reading letters, appear in brilliant colour. (Phosphorus).
- 8.Fears appearing before the public – Lyco.
- 9.Always afraid of failure – Lyco.
- 10.He dreads the final examination.
- 11.Dreads his profession.
- 12.Fatigue to appear in the office.
- 13.Timid when left alone.
- 14.Irritable when cared for.
- 15.The child cries when spoken to.

Modalities:

- 1.Complaints develop slowly.
- 2.Suppression of discharges cause many diseases.
 - a) A boil suppressed causes emaciation, cough and tuberculosis like condition through one or two years.
 - b)Suppression of menstrual discharge will cause heart palpitation, loss of appetite and coldness of body.
 - c)Suppression of cold and sneezing leads to horrible headache and gastric ulcers.
 - d)A fistula operated will lead to melancholia and sometimes insanity of passive type.
 - e)Piles or fistula operated result in lifelong attacks of asthma.
 - f)Discharge of ears treated locally (Puls. Phosphorus, Thuja, Mercury, Sulphur, Lachesis).
- 3.Headache with nausea and vomiting. It will continue for 28 days. Highest headache most probably corresponds with a full moon day (around full moon).
- 4.Better by head < day time > night.
- 5.Generally sweating is less, but painful part perspires. It makes him to expose to cold air. He covers the remaining parts because it tends to (pain) > by warmth.
- 6.Effecting harder tissues forming granules at injured part, pus will have sand.
- 7.Cold stinking sweats on forehead with the smell of preserved leather.
- 8.Probability of the sweat more on the upper half of the body.
 - a) Headache > after sweat.
 - b)Headache > after cool air.
 - c)Cool air causes headache when exposed.
- 9.Vertigo on closing the eyes, some faint (Lachesis, Conium).
- 10.All symptoms worse before menses. Better by appearance of flow.

11. Vertigo on closing the eyes, some faint. Fainting fits come due to sleeplessness or hysteria or fright or oppression.

12. Epilepsy (Psora, Sycosis). In case of epilepsy, starts with nausea. When eyes are closed and epilepsy starts, give Silicia 200.

13. Constipation:

a) More in children upto 10 years.

b) Stools white or yellow, very dry and very hard.

c) First part of stool massive and ball like.

d) It pains very much. The child cries in a shrill voice.

e) Begins to weep when stool sensation begins.

f) The skin of anus erupts, it bleeds (Graphitis). Colour brownish black in lumps. Hard stone like stools, covered with mucus.

g) He cannot expel. Many times goes back before it is expelled.

Causation:

1. Prolonged mental strain (Nux Vomica, Lycopodium, Silicia)

2. After continuous sleepless nights.

3. Suppressed discharges (foot and palm sweats, otorrhoea, piles and fistula operated, menstrual discharges suppressed).

4. Post-operative complications.

5. External injuries hardened.

6. After effects of vaccination (Plus., Thuja, Sulphur)

Relationship:

1. Complementary to all Calcareae.

2. Deadly inimical to any Mercury salts.

3. Do not use in pregnancy – Silicia, Puls. China, Hepar Sulph, Sepia.

PULSATILLA

Introductory remarks:

1. It is called the ladies's drug (Ignatia).

2. It is anti-psoric and anti-syphilitic drug.

3. Kent says "it is one of the most frequently used drugs and abused many times when wrongly used".

Pathological symptoms:

1. Digestive troubles of chronic nature.
2. Psoriasis.
3. Styes.
4. Pus in ears (R); Discharges will be yellow or greenish yellow.
5. After effects of wrongly treated smallpox, chickenpox, measles etc.
6. Menstrual troubles.
7. Sterility.
8. No violent insanity. Thinks that by torturing himself, he will be rid of all sins.
9. In males gleet condition. Burning pus oozing.
10. Glands swollen and painful. Swelling of testicles.
11. Paralysis of the vasomotor.
12. Milk fever, milk leg, (Lac Can)

Constitutional symptoms:

1. Fearful blondes > (Ignatia, NM, Aurum Met, Acid phos).
2. Plethoric.
3. Little credited of being sick i.e. does not appear externally to be sick. She does not want to make others know about her sickness. She is negative.
4. Nervous fidgety (No part of the body will be at rest - Apis, Zincum Met).
5. The patient is changeable in their nature and change is sensible. She is easily led by others, persuaded. Mild, gentle, irritable, passive, touchy.
6. Feels slighted.
7. Fears slighted.
8. Full of notions and fixed ideas (Arg. Nit.)
9. Highly imaginative.
10. Easily susceptible to miscarriage, sterility, false conception.
11. Averse to marriage or family life.

Mental symptoms:

1. Melancholy (looking dark side of everything), despondency, sadness, weeping disposition.
2. Religious insanity. Religious despair.
3. Feels that she has sinned.
4. Utter dislike of the company of the opposite sex. Cannot be tolerated. Believes that marriage is a sin.
5. They believe that it is dangerous to do certain things. Own beliefs about everything.
6. Averse to family life.

- 7.Fixed ideas concerning the scriptures.
- 8.Sanctification mania and mortification mania, self torture.
- 9.Sits down and does not answer any questions, shakes her head.
- 10.Puerperal insanity (delivery).
- 11.Refuses to be studied.

Modalities:

- 1.Utter dislike of milk. Puls. – 6 should be given for children who don't like milk and vomit it. (aversion to buttermilk – Lactic acid – 200) Puls. should not be given to milk giving mothers.
- 2.Many symptoms are associated with chronic weak stomach. Ex: Hemicrania with a weak stomach, testicles swelling and mental diseases.
- 3.The patient is < in a warm room, > while walking in open air, cool fresh breath and bright light in the open air.
- 4.He is relieved of his pains by walking slowly in cool open air. If he walks speedily it aggravates.
- 5.Greatly by cold applications, icy cooled drinks and ice creams. He goes down with sickness due to these things. Within a few hours gets throat pain, cough, swelling, fever etc. Begins to dream angels and ghosts in dreams.
- 6.Dryness of the mouth, lips and tongue without, any thirst.
- 7.Chilli suffocation and sudden onset of pains all over the body on entering warm room (Ignatia).
- 8.Food remains in the throat. Often it is accompanied with acidity and burning in the throat.
- 9.Discharges are yellow or green and excoriating.
- 10.No two stools alike.
- 11.The person is feverish many times. The body is hot. But the temperature is normal or below normal in the thermometer. This means the fever here is a subjective fever. This is due to the modality of < heat and > cool air and icy cooldrinks sets.
- 12.He wants thin dress in a moderately cool temperature.
- 13.Great aversion, itching, irritation of skin with woollen clothing.
- 14.Skin mottled, spotted, purplish or bluish.
- 15.The veins are troublesome. Varicose veins of purple colour. The body is full hot, puffy and purple in spots and plethoric.
- 16.Nausea and suffocation with chill in a warm room or warm bed, even in winter. This symptom is more prominent when menses is approaching.
17. Puffiness of face and abdomen with nausea and suffocation with chill and weeping with anger during menses.
- 18.Anger from consolation, weeping when consoled, weeping while reporting symptoms.

19.Menstrual symptoms:

All symptoms including pain and menstrual colic are < two weeks before the on set of flow. Gradually no desire for food. Feels more and more choked and suffocated. Suffocation without any physical obstruction. Blackness under the eyes. All these symptoms are suddenly > appearance of the flow excepting the weeping mood and irritability.

20. Discharges are offensive with the smell of rotten meat.

21. Nose bleed just before the menses and disappears after the menses starts.

22. Vertigo > glasses; Headache > glasses.

23. Perspiration on one side of the head and face (Silicia).

(Sweating only in patches or sweating in the longitudinal half of the body – Silicia. Copious sweating of feet and palms and the sweat smells like the rotten flesh. The sweating patches on feet and palms gradually lose sensation leads to leprosy. This is all due to the sycosis inherited.)

24. Fever on one side and sweat on the other side of the body. This symptom is < in the evening and night.

25.

Suffocation	< heat of the sun > Cool breeze
Puffiness	
Choaking	
Headache	
Irritability	
Weeping	

Bodily pains	< at night > Morning and evening
Heat	
Fever	
Chill and acidity	

26. Unbearable headaches < strain to the eyes or overeating.

27. Loose motions (yellow) with mucus, great pain, distension. Flatulence, rumbling noises, great sounds of heart all over the body, sick feeling of mind, pains in all the joints, headache, nausea. These symptoms are one condition of an acute nature. Sometimes cholera or sometimes after a heavy dinner or after a prolonged journey. These are of a recurring nature in a chronic patient, whose liver is enlarged and who is a born sycotic or acquired sycotic. Sometimes the person will have orchitis (swelling of testicles with great pain) or inguinal hernia along with the above set of symptoms. The most marked feature with these symptoms is found in thirstlessness with dryness of mouth and lips.

28. Ophthalmic Neonatorum. The disease of the eye balls with inflammation of eye balls.

Neonatorum means newly born. (Icterus Neonatorum – Nux Vom- 6 5 doses in 5 days)

RT – the eyes are blood red or bluish red; Eye balls swollen – RT 30 one dose.

29. Sensation of itching of the eye lids. > rubbing with cold water

30. Loss of smell and taste (NM).

31. Rheumatic symptoms due to suppression of discharges like menses, otorrhoea or sweats in the feet and palms. Also suppressed of eruptions.

Silicia, Sulphur, Psorinum, Mercury, Tuberculinum, Bacillinum, Syphillinum and Medorrhinum -- In all these, the causation is complaints due to suppressed eruptions.

Causation:

1. After effects of vaccination, small pox, chicken pox, measles, suppressed discharges and suppressed eruptions, suppressed emotions (especially a continuous torture in the family), aftereffects of suppressed gonorrhoea, suppression of milk.

Relationship

1. Complementary to Silicia, Natrum Mur, Thuja and Phosphorus.
2. Pulsatilla chronic drug --Silicia and Natrum Mur.
3. It has no inimicals.

LYCOPodium

Introductory remarks:

1. A very deep and long-acting drug.
2. It is an anti miasmatic drug for all the three miasms.
3. It permanently effects the liver, the heart and the joints.

Pathological Symptoms:

1. Very deep and long standing abscess.
2. Spreading ulcers.
3. Cancer of epithelial type i.e. cancer of skin parts, muscles and glands.
4. Rapid emaciation.
5. Rapid obesity.
6. Typhoid.
7. Pneumonia (inflammation of the lung)
8. Zymotic fevers.
9. Jaundice.
10. Deep liver troubles.
11. Paralysis especially right side.
12. Insanity.
13. Hysterical insanity.
14. Menstrual disorders.
15. Disorders.
16. Impotency (psychological).
17. Collapse in any acute disease. (Semi-conscious, eyes open, left leg colder, lower jaw dropped, wings of nose flat) after a prolonged time.
18. Obstinate type or intermittent fevers.

19. Constipation very obstinate.
20. Insomnia.
21. Snoring (Opium and Lachesis).
22. Kidney failure, renal colic, Gall bladder (stone in kidney) or any urinary infection. Sand in the urine. White cloudy urine. Bright's disease. (in urine --Albumin, pus cells).

Constitutional Symptoms:

1. Dull and diffident.
2. Cannot walk any distance, cannot walk fast, cannot climb a ladder or a stair case, a gradient. Easily out of breath.
3. Nervous, timid, easily excited into emotions weeping or sex. Sex excess – Lyco, Caladium
4. Most forgetful, confused and giddy.
5. Weakness and prostration with every emotion.
6. Restless in mind and body – Hesitation.
7. Feels bloated, suffocated, puffy, smoky (Apis). Flatulent, distended and can hardly breath, palpitation--fainting dyspnoea—Emphysema.
8. Folds ulcerate. Skin becomes thick in folds.
9. Old boils reappear every season. February, March, April.
10. Poor circulation – staggering and awkward walking.
11. Always he is found belching and passing flatus.
12. Develops fat and massive body towards the lower half.

Mental Symptoms:

1. Confirmed belief that everything he eats turns into wind.
2. Always feels hungry. But he is satiated with the few mouthfuls of food.
3. Cannot endure noise “Noise goes through him.” (Borax, Antim. Crude).
4. Everything disturbs him. Little things annoy him.
5. Key note: Feels prematurely old—Caladium.
6. Fatigued mentality.
7. Timidity to undertake any work. He believes that he cannot finish, he commits mistakes. He believes he loses the thread of his thoughts, proves perfect when made to work. (Teachers and lawyers--Silicia).
8. Dread to appear before the public.
9. Fears loneliness.
10. Home sick.
11. Apprehensive.
12. Religious insanity.
13. Great fear of some evil ahead.

14. Believes that he is a great sinner.
15. He is mostly comfortable at home with his own environment and people.
16. Wants to be alone but dreads loneliness. There should be someone in the house.
17. Does not want to be talked though he wants to talk sometimes.
18. Does not want to be forced to do anything.
19. Excessively merry. He laughs at simple things.
20. Most apprehensive.
21. Aversion to life.
22. Misanthrope.
23. Distrustful.
24. Suspicious.
25. Fault finding. Keynote : "Fear of failure".

Modalities:

1. Symptoms right - sided. Complaints start on the right side and travel to the left.
2. Symptoms travel from above downward. Ex: Emaciation starts above and travels below. Upper parts emaciated and lower parts massive.
3. I. Head and spinal troubles: a) < heat and warm atmosphere. (wants a cool room or open air) b) < exertion.
 II. Other parts, throat and stomach symptoms: > heat and warm atmosphere (wants a warm room), < cool air.
 III. Heart troubles, short breath, puffiness: < exertion, < cool air, > warm air.
4. Rheumatic troubles excluding head and spine: < slow continued movement. Keeps tossing all the night.
5. Headache : lying flat < exertion. > from gentle movement. < warmth.
6. Fever, loose motions, colic or crisis in the acute diseases, weakness, unconsciousness and sweats: < until half -an- hour after awakening in morning and 4 to 8 PM.
7. Lycopodium in typhoid: Unconsciousness, semi-consciousness and passive, face cold which sweats. Nose colder and bluish, wings of nose flap.
8. Cannot eat oysters or fish, boiled egg and boiled milk. Aversion to boiled milk and milk rich products.
9. Deep slow ulcers covered under the skin with smarting. == > cool applications; < heat.

Pains > warmth	LYCOPODIUM
Skin < cold	

10. Deadness of single parts. Sensation absent, Numbness, tingling; acute symptom – limbs go to sleep; Severe chronic – trembling of parts when weight is loaded. Next condition – paralysis.
11. Weeps – when appreciated, when thanked, when he sees his friends and relatives.
12. Yellow and offensive discharges (puls. Arg Nit.).

13. Emaciation of single parts (Causticum. Curare)

14.a) Headache with gastric troubles, < delay in dinner, > eating a little,

b) headache with great hunger < heat and lying down

c) Headaches with progressive emaciation month by month. Mostly in children, the little child screams in sleep, awakens with headache, does not recognise people for a time. This repeats many times in one night. This is most probable after typhoid or pneumonia.

15. Red sand in urine -> Rheumatic trouble.

16.a) Fullness after swallowing mouthful, b) Great untimely hunger ----> no hunger ----> great untimely hunger

17. Stomach pain after eating relieved by vomiting < cool drinks.

18. Liver swollen is a special symptom of Lyco.

19. Feeble reaction to drugs, feeble functions digestion, heart beat, mind grasping. No tendency to recovery.

20.a) Waits a long time to urinate. Slow flow of urine with any type of sediment. Mother says "urine leaves a scar on cloth. B) quantity of urine increases during nights—diabetes.

21. Fever:

a) Picks at imaginary things in delirium. B) Little things flying. C) Interchanging happiness and sorrow. Wings of nose flap. Salivation flows, lower jaw drops –Dangerous symptoms.

22. Children:

Eczema with bleeding and oozing, hair fall, emaciation, headaches, indigestion, bloating, wrinkled face, hungry, dry cough, urine leaves a scar, left foot colder, offensive discharges from ears, deafness, nose stopped, breaths through the mouth, cries with a shrill tone.

23. Women:

a) Dry private parts, coition painful, burning during and after coition. Suppression of menses with emaciation.

b) Girls after puberty do not develop bodily: no subsequent menses in some cases.

Causation:

1. Mentally overworked.

2. Too many intellectual pursuits.

3. It is frequently indicated among lawyers, doctors, teachers, musicians and politicians.

4. Overuse of spine, brain or genitals.

5. Frequent use of rich foods especially sweets and fat contents.

Relationship:

1. Complementary to Kali Carb, Argentum Nit. and Natrum Mur.

2. Lyco works well after Carbo Veg and Lachesis.

BRYONIA

Introductory remarks:

It is a very good medicine for all acute and chronic complaints which start slowly and develop slowly and destroy the constitution slowly. It is not indicated in complaints that make a sudden appearance or speedy crisis or a speedy recovery. It is predominantly a gouty remedy.

Pathological symptoms:

1. Rheumatism
2. Diabetes
3. Headaches
4. Colic
5. Constipation
6. Long fevers (Typhoid)
7. Pneumonia
8. Asthma
9. Gastric complaints
10. Acidity
11. Jaundice
12. Mucus and blood in motion (dysentery)
13. Piles
14. Menstrual colic

Constitutional symptoms:

1. Plethoric with round features often suffering from cold fevers, pains, oily sweats.
2. Most uncomfortable in Sun, sick in summer.
3. Often fainting, out of breath.
4. Feels very happy under a cloud, wet and cool breeze.
5. Bathing in cool water, often washing many times.
6. Grows gradually sick and gouty.
7. Great thirst for large quantities of cold water at large intervals of time.
8. Catarrhal fevers often with headache.
9. Earache, pus from the ear.
10. Confused after and during sleep.
11. Fancies that he is going to die soon.
12. Predicts that someone is going to die.
13. Many complaints start in the nose. Ex: nose bleeding, cold.
14. Loss of taste.
15. Face bloated, purple.
16. Great dryness of lips in fevers. Children prick the lips.

17.Frequent hiccough and belching.

18.Desire for cold drinks

Mental Symptoms:

1.A state of irritability of passive nature; grumbling and complaining nature.

2.No enthusiasm not satisfaction.

3.Appears ignoring every thing that is said. Receiving capacity is poor and no working mood.

4.Stupid feeling in the head. Dullness of mind (diabetes starting symptom). Cannot work or think. (in fevers there will be dullness of mind to semi-consciousness and unconsciousness. Muttering delirium. Thinking away from home.)

5.Irrational talk.

6.He does not understand what he wants. Wants some thing but knows not what is (This symptom is + sharp anger = Chamomilla)

7.Desires things that cannot be had, refused when offered.

8.He is to be constantly compelled to do something.

9.Fear of death. Predicts his own death or of others.

10.Air of supremacy (violent type-Platina)

11.Fear of poverty.

Modalities:

1.Complaints develop slowly and gets cured slowly.

2.Aversion to movement.

3.All troubles are worse by moving.

4.Dazed after sleep.

5.Troubles commence early in the morning.

6.Acute symptoms:

a)Cough suddenly starts at 9 PM. B)Chill starts at 9 PM. C)Mental symptoms start at 9 PM.

7.All troubles are < anger, < being aroused, < disturbed, < controversy.

8.Chronic mental symptoms are < 3.00 AM.

9.Headache symptoms are > cool applications. Other symptoms like bodily pains are > hot applications.

10.Great thirst for large quantities of cool water at long intervals of time.

11.All the pains of the body are > great pressure or bandage (opposite – Arnica).

12.Anxiety and delirium are > cool air.

13.All symptoms are < visitors.

14.Dizziness is < warmth.

15.Epistaxis (nose bleeding) during menses.

Causation:

1.Living in damp climates especially river banks and delta areas (Rhus Tox and Dulcamara)

2. Sitting on damp surfaces.
3. Living near stagnated water, drainage canals.
4. Leading sedentary life.
5. Habitual over eating.

Relationship:

1. Bryonia is inimical to all Calcareae.
2. Bryonia is complementary to Rhus Tox, Arnica and Alumina.
3. Natrum Mur is the chronic drug of Bryonia.

PSORINUM

Introductory remarks:

1. One of the very deep acting remedies that is employed to complete the treatment of any chronic disease when all the other medicines including Sulphur fail to help.
2. It should not be given to cure Psora. But it should be employed only when a similar totality is found.
3. It is indicated with weakness as its key note. (Tuberculinum, Bacillinum, Psorinum, Medorrhinum, Thuja, Merc Sol, Sulphur).

Constitutional symptoms:

1. Debilitated - One who does not find enthusiasm in the inevitable minimum of his daily routine. Every minute he feels like going away from activity, leaving the presence of people and lying down calm on his back and shut the ventilation of the room.
2. He does anything without energy to do it.
3. His skin is dirty, unclean, greasy and smelling like rotten meat or eggs.
4. His sweat, urine, stool and eructations smell very bad to himself and to those who are near to him.
5. Often he is covered and his traditional dress includes many garments even in summer.
6. The hair appears dry though oil is applied. It is not obedient and it falls in all directions. It becomes sticky and matty.
7. The nails become bad and get distorted in many ways.

Mental symptoms and modalities:

1. Hunger with headache.
 Headache < Hunger
 Headache > Eating

(If these symptoms are between 10 am to 11 am then give Sulphur. If these symptoms are specially during the evening and at night then give Psorinum)

2. All the symptoms of Apis except he is chilly, dreads chill, cold air and covers himself.
3. All the symptoms of Sulphur except he is chilly, dreads chill, cold air and covers himself.
4. All the symptoms of Phosphorus except the craving for cold water.
5. When Apis, Sulphur and Phosphorus fail to cure then Psorinum is indicated.
6. Annual recurrence of acute and chronic troubles.
 - a. Skin troubles < Winter
Asthma > Summer
 - b. Digestive troubles, urinary troubles, headache and gastric troubles < In summer
7. a. Children are better during the day time and worse at night.
 - b. Adults
 1. Worse from exertion, cold weather, continuous work- mental or physical.
 2. Itching < coming home, < getting undressed
 3. Weakness < hunger, > lying on the back with hands stretched away from body.
8. Acute diseases :
It is indicated in typhoid and cholera during the recovery period when indicated remedy fails (even Sulphur). After typhoid it is indicated when the following symptoms linger.
 - a. Weakness lingers for months.
 - b. Sweats from least exertion.
 - c. Indigestion, false hunger, lingering cough, gas in the stomach, feels puffy, feels suffocated, cannot breathe, stool, flatus, eructations smell like rotten eggs.
 - d. Stool many times in a day.
9. Psoriasis (cure within 5 years). It starts in the skin of the scalp with patches and scaly eruptions, worse in winter - Psorinum 10M (Worse in summer - Apis, Arnica, Thuja, Anacardium).
10. Excessive pus which is yellow or milky white. (Calc sulph, Hepar sulph)
11. Diabetes - Drugs :
Apis, Psorinum, Sulphur, Phosphorus, Pulsatilla, Natrum Sulph, Thuja, Medorrhinum, Bryonia, Argentum Nit, Syzygium, Cephalandra Indica
12. Pus - Eruptions, dandruff, sweating - a smell like rotten eggs or meat.
13. Menses or haemorrhage with the above smells are cured by Psorinum.

Causation:

1. Suppressed scabies (cause asthma and weakness), sweating and hard growths.
2. Continuous over drugging.
3. Smallpox or chickenpox are wrongly tackled.

Relationship:

1. Use any drug after Psorinum except Sulphur.
2. Psorinum is inimical to animal poisons and all acids.
3. Sulphur does not act after Psorinum.

NUX VOMICA

Pathological symptoms:

Headache, constipation, indigestion, gastric troubles, nerve troubles, muscular weakness, paralysis, spasm, cramps, cough, jaundice, renal colic, calculus, toothache, earache, lumbago.

Constitutional Symptoms:

1. Lean, tall, bent, hungry, bent forward.
2. Craves for stimulants (coffee, tea, tobacco and alcohol etc). Craves for pungent and bitter things, fries.
3. Poor digestion.
4. Selective foods, reject many.
5. Craves for frequent medication.
6. Quarrelsome and takes pleasure in disagreeing with others.
7. Dyspeptic.
8. Aversion to meat, ghee and butter.
9. Pain in the stomach after eating.
10. Distention and heaviness in stomach.
11. Urine dribbles in old people.

Mental symptoms:

1. Over sensitive, sensitive to impressions, over sensitive to smell, cold weather, sounds, breeze, pains, medicines.
2. Touchy (misinterprets or misunderstands).
3. Never contended.
4. Wants to disagree.
5. Disturbed by surroundings. Wants to tear things and break things.
6. He scolds everyone.
7. Impulses. Undetermined acts.
8. Cannot bear contradiction.
9. He is always in a hurry.
10. He is over careful about trivials.
11. By nature he is false-finding, jealous, bilious and quarrelsome.
12. Spiteful, nervous.
13. In advanced cases desires suicide, but fears death.
14. Hypochondriac.

Modalities:

1. Over sensitive to everything.
2. Strong food disturbs the stomach, < meat.

3.Sleep: Sleeps by fits and starts. Wakes up by 3 AM. Thoughts rush to mind. Sleep exhausted at about 6 AM. Sleeps late into the day and gets up unwillingly, exhausted and unrefreshed.

4.Very ill-tempered after a haircut.

5.Chilly. Takes cold by every exposure.

6.Head symptoms are < heat.

7.Body symptoms are < from cold.

Lies with head towards the window or a fan and the body thickly covered.

8.Sweats and shivers when emotional.

9.Antiperistalsis is a very peculiar and distinguishing symptom of this drug. The more one directs muscles and nerves into a particular action, the more they work in the opposite direction.

10.Pains shoot up in the rectum.

11.Backache < by lying down on the back.

12.Pains cause sensation of stool.

13.Nux patient is < constipation
< after eating
> when hungry

14.Fever:

A.Begins after eating or the next morning after dinner.

B.Chill, covers the body, headache and exposes the head to breeze.

C.Chill begins in extremities.

15.Stomach symptoms : < in the morning
< while lying

16.Mental symptoms are < From 3.00 A.M to 6 A.M

17.All symptoms are < by exertion.

18.Milk sours in the stomach.

19.Heat in the head while eating.

20.Loose motions after leaving alcohol.

21.Sensation of a lump in the stomach.

22.Menses :

a.Too soon 10 to 20 days.

b.Continue for many days, 5 to 8 days.

c.One period runs into another.

Note : In the menses cases Nux Vomica is to be given after the period (Potency 200).

d.Menstrual colic or labour pains are > using hot water bottle.

23.Cannot use his brain after eating.

Note : In chronic diseases, commence the treatment with Nux Vomica when the symptoms are confused by over drugging through a prolonged period of time.

Causation:

1.Old drunkards and debauchers.

2.Worry of business, long continued mental strain. (Sulphur, Lycopodium, Acid Phos, Argentum Nitricum, Ignatia)

3.Office worry, over use of coffee, tea, tobacco and spicy food.

4.Sedentary life.

Relationship:

- 1.Complementary to Sulphur, Argentum Nitricum, Anacardium, Opium.
- 2.Inimical to Zincum Met.

THUJA

Introductory remarks:

- 1.It is a very deep acting, long acting and anti sycotic medicine.
- 2.It is equally indicated in very urgent, acute diseases as well as slow long standing disease.
- 3.Very frequently indicated in low potencies (6 or 10). Example : After vaccination, eruptive fevers whooping cough, cough after smallpox and chickenpox.

Pathological symptoms:

- 1.All types of hard growths on the skin and cutaneous layers.
Example : Warts, fig warts, corns, pimples, exostosis, polypi in ear, nose and throat.
(Spongia-These symptoms are interchanged with respiratory symptoms.
Acid Nitric-These symptoms are interchanged with gastric and urinary symptoms.
Medorrhinum 10M-All the symptoms are mixed).
- 2.Chilblains on elbows and knees.
- 3.Deep ulcers and that eat away into the bones. (Leprosy and Syphilitic wounds).
- 4.Cancer early stage.
Cancer :
 - a. Carbo Animalis
 - b. Lycopodium
 - c. Lac can
 - d. Calc carb
 - e. Calcarea Silicata, Cal.sulph
- 5.Gangrene in the cheek and ankle.
- 6.Hernia
- 7.Arthritis (Swelling of one testicle with great pain - Pulsatilla, Opium).
- 8.Hardening of glands in groins and axillae.
- 9.Insanity
- 10.Styes
- 11.Fistula
- 12.Stoppage of urine and stool.
- 13.White scaly dandruff.

Constitutional symptoms:

- 1.Hydrogenoid constitution, coryza, bodily pains, puffiness, swelling. All the symptoms are < Damp weather, Cold weather, Cloudy weather, Sea shore.

Then use Natrum Sulph.

- 2.Lymphatic constitution : Skin eruptions, glands painful and swollen, muscles flabby (Imp : Hair splits at the end).
- 3.Hair dry, no shining, falls early, hair splits at the end.
 - a.Psorinum - Hair is matty, tangled, cannot be combed.
 - b.Syphillinum - Hair fall, itching of head, eruptions, dullness after long fevers.
 - c.Selenium - Hair falls, scalp smooth, eyebrows and whiskers fall off, hair on the genitals completely fall off.
- 4.Whole sleep is a dream. Dreams matter of the day. Dreams continue after the interval. Frequent wet dreams in old age. Pains in loins and legs. Sweat stains brown.
- 5.The eyes and ears are not clear. Eyelids itching and painful.
- 6.Often eyelids are agglutinated after a sleep. It is very painful in Thuja.
- 7.Eyes always oozing some liquid.
- 8.Often the ears are oozing with frequent ear itching.
- 9.The axillae, the groins, the folds of the elbows and knees are moist and smelling. They smell like putrefied leather.
- 10.The genitals and rectum are always moist.
- 11.The whole body sweats easily and the patient faints from a little walk or exertion. Sweat attracts flies. Sometimes the patient smells like garlic and some people smell like beer or toddy or honey.
- 12.The patient bleeds very easily from any place. Especially a friction of the folds causes bleeding. The skin becomes red when angry or when exposed to sun. (Sulphur)
- 13.Tongue bleeds while cleaning.

Mental symptoms:

- 1.Fixed ideas which are peculiar to others.
- 2.They die as insane or semi-insane. (Thuja people will go to Cantharis, Hyoscyamus, Anacardium)
- 3Feels like if soul and body are separated. Dreams as if flying away in an astral plane.
- 4.He feels that he is under the control of a great spirit of master. He feels that a strange person is guarding him.
- 5.He feels that some invisible being is going in the house.
- 6.The fellow feels that some living being is in the belly. He hears the animal howling in the stomach. The lady feels that she is pregnant. The unmarried lady of Thuja feels that she might have committed a sin with a great angel or devil.
- 7Feels like somebody is moving in the house, feeling the presence of people.
- 8.The patient develops an affinity to his smells.
- 9.Cannot be touched (Arnica).
- 10.In delirium and insanity, he feels that parts of the body break when touched and as if parts were made of glass.

Modalities:

- 1.Vertigo on closing eyes (Lachesis, Conium).
- 2.Fever after measles, chickenpox and vaccination.
- 3.Toothache or headache < sex life and also overheat when exposed to sun or after drinking tea.

4. All symptoms are < onion, tea.
5. Any type of fever with chill starting in the thighs.
6. Toothache and headache as if a nail were driven (Chamomilla, Coffea). As if the head of the button is pressed in.
7. Ophthalmia neonatorum with photophobia.
8. Eye symptoms :
 - a. Itching and oozing.
 - b. Agglutination.
 - c. Pain in eyeballs while reading, > warmth and covering, < exertion and cold water.
 - d. Catarrhal flow of water (water from E.N.T) after measles, chickenpox, smallpox, vaccination.
9. Sweat :
 - a. Stains brown or bloody.
 - b. Smells like garlic, honey, beer or toddy.
 - c. Attracts flies.
10. Eructations on empty stomach (Natrum Sulph).
11. Free motion after fasting, constipation after dinner.
12. Boils with blood and pus, but do not burst including whitlow.

Drugs of boils :

Thuja, Carbo animalis, Hepar sulph, Apis, Belladonna, Silicia)

 - a. Carbo animalis - Craves cold air.
 - b. Hepar sulph - Dreads cold air, keeps himself always covered.
 - c. Apis - Red, burning < cold water repeats in the same place.
 - d. Belladonna - Radiating heat, redness, burning fever, headache.
 - e. Silicia - Small boils.
13. Teeth :
 - a. Painful in the roots.
 - b. Decay in the roots.
 - c. Turn yellow.
 - d. Smell like rotten apples or almonds.
 - e. Toothache causes pain in the ear or eye.
14. Constant movement in the abdomen -
 - a. All animals crying.
 - b. A snake or mole crawling.
 - c. Arms of a foetus.
15. Pain in the abdomen < drinking water, < walking, < lying down.

The sounds of water taken in are heard while walking.
16. Extreme sensitiveness of female private parts. They cannot use napkins (Coffea).
17. Eruptions on covered parts, sweat on exposed parts. Oozing from orifices.
18. Severe cutting pain after urination (Bryonia), more likely after vaccination suppress gonorrhoea.

Causation:

1. After effects of vaccination, eruptive fevers, suppressed gonorrhoea.
2. History of animal bite especially dog bite is traced before the beginning of a chronic

disease.

Relationship:

- 1.Thuja is a chronic drug to Arsenic Album, Nitric Acid and Natrum Sulph.
- 2.Thuja is complementary to Medorrhinum, Psorinum, Sulphur, Merc Sol and all animal poisons.
- 3.Thuja has no inimicals. Allium Cepa is slightly inimical to Thuja.

ARSENIC ALBUM

Introductory remarks:

- 1.It is a frequently indicated remedy.
- 2.It is equally indicated in acute and chronic diseases.
- 3.It is an active medicine producing very active symptoms.
- 4.It effects every part of man.
- 5.It effects all the tissues of man.

Pathological symptoms:

- 1.Typhoid
- 2.Septic fever
- 3.Malaria
- 4.Filaria
- 5.Tetanus
- 6.Suicidal psychology
- 7.Liver troubles
- 8.Jaundice
- 9.Headache
- 10.Cholera
- 11.Summer evacuations
- 12.Pneumonia
- 13.Insomnia
- 14.Gangrene
- 15.Septicaemia
- 16.Asthma
- 17.Fatal debility
- 18.Eczema
- 19.Gastric ulcer
- 20.Heart disease with palpitation, fever and loathing of life.
- 21.Rheumatic heart with pulse frequent, small, trembling.

Constitutional Symptoms:

- 1.A perfect gentleman who wants everything in order.

He cannot tolerate anything misplaced or postponed either in the office or in the house. Very regular in his habits and feels very restless and disturbed when he finds disorder. He cannot stay in new places and cannot stay away from home for a long time unless he has an equipped and well furnished room in the house and office. He cannot work and soon becomes sick. He is neatly dressed and has high standards of living. He always preaches models about regularity, punctuality, discipline, cleanliness and order.

2.He has a mania of finding something wrong in others and feeling restless about it. Sometimes the lady of Arsenicum Album grows hysterical about the behaviour of the husband. She bears with him and goes into insomnia or tuberculosis, on gastric troubles of serious nature or into an incurable state of insanity (Ignatia, Hyoscyamus, Pulsatilla, Aurum Met, Argentum Nit, Thuja, Theridion).

3.The fellow is suspicious of some harm being done to him. Sometimes he grows very jealous and intolerant about the behaviour of others. He develops into psychic and kill joy who can appreciate or enjoy nothing in this world.

Mental symptoms:

1.Anxiety and fear of death.

2.Impulses

3.Suicidal, sudden freaks (deviation of his own logical thinking) and mania, delusions.

4.Insanity, delirium or excitement, sadness, weary of life, loathing of life, wants to die (after Ars Alb give Thuja 1M)

5.Restlessness, constantly moving, changing the bed from chair or cot and so on.

6.The child goes from nurse to mother and back to the nurse. The cause is restlessness.

7.Restlessness and uneasiness in the early stages of an acute disease, but when advanced there is complete prostration and debility.

8.Thoughts of deaths, incurability and desire.

9.Picks the bed clothes, moaning, loudly groaning, weeping.

10.Religious insanity, insanity with silence, refuses to speak or report.

11.Averse to meet people near and dear. He believes that he had offended them.

12.Sudden fear makes him jump out of bed.

13.Insane thoughts that their officers are watching them (Natrum Mur). In Natrum Mur thinks that police is chasing him.

14.Some unusual evil is going to fall.

15.Over sensitiveness of all the senses.

16.Character : Fastidious, regular, orderly and clean.

Modalities:

1.Suddenness and speed of incurable condition. (Belladonna - sudden - sudden starting).

In Ars Alb diseases increase rapidly.

2.Complaints accompany with great burning sensation.

3.Headache > cold applications and cold breeze (Bryonia).

4.All bodily pains are > warm applications and hot breeze (Nux Vomica).

5.The skin symptoms, itching and burning alternate. The skin symptoms interchange with respiratory symptoms (Merc Sol, Thuja, Sulphur, Psorinum, Calc Carb and Calc Phos).

6. Secretions are acrid, excoriating and burn cause redness (Sulphur).
7. Ulcers ooze thin bloody fluids which excoriate and smell like rotten meat (Gangrenous nature).
8. The patient smells putrid, cadaverous odour.
 - Phosphorus - Sour smell
 - Sulphur - Sulphur smell
 - Thuja - Garlic smell
 - Ars Alb - Cadaverous
9. The patient bleeds easily from any orifice, bleeds black blood offensive in odour.
10. Inflammation with chilliness. In such people, the inflammation goes speedily into septic condition or sometimes into gangrenous condition.
11. All physical symptoms are < 12 to 2 A.M.
Mental symptoms are < 12 to 2.00 P.M.
12. Chilliness is not better by covering, but > by staying near fire.
13. Chilliness makes him pale and waxy (chill makes him more red - China, Ferrum Phos, Ferrum Met)
14. Periodicity is well marked:
 - a. Alternate days.
 - b. Seventh day.
 - c. Fourteenth day.
15. a. Physical symptoms alternate with mental symptoms.
b. Head symptoms alternate with body symptoms.
16. All symptoms are < light, noise (the patient feels better by lying down in a dark room, head high over two pillows and another on his face which makes him comfortable).
17. Periodical headaches start between 1 to 3 P.M after lunch, grow worse in the afternoon lasting all night.
18. Chronic headaches or stomach symptoms make the face appear older. Indigestion and loose motions gain periodicity when the disease takes a deeper root in the intestines.
19. Burning and stitching in the rectum during menstruation.
20. No urine formation after delivery.
21. As long as there is chill he craves for hot drinks and after the chill he craves for cool drinks.
22. Chills commence in the hands and feet.

Special Features:

1. Malaria and gangrene -
 - a. Chills are very violent causing cramps.
 - b. Shivering may cause heart failure.
 - c. Chilliness makes him feel that the blood is flowing like ice water or needles of ice.
 - d. Sweat after the fever relieves all pains, but causes exertion and short breath.
2. Non-dangerous cases -
 - a. Dropsy of face and limbs.
 - b. Eruptions on scalp and ankle.
 - c. Ulceration on the eyeballs (Euphrasia, Rhustox, Apis).

Causation:

- 1.Dangerous ulcers externally healed.
- 2.Animal poisons absorbed.
- 3.Discharges suppressed.
- 4.Catarrhal conditions dried up.
- 5.Sugar in urine disappears and blood sugar increases.
- 6.Eczema is externally cured and results in severe asthmatic attacks.
- 7.Vomitings and loose motions locally cured.

Relationship:

- 1.Thuja is the chronic drug of Arsenicum Album.
- 2.Complementary to China, Sulphur and Tuberculinum.
- 3.It has no inimicals.

ARNICA MONT

Introductory Remarks:

It is one of the anti-sycotic drugs. It is a deep acting remedy and it cures deep seated diseases.

Pathological symptoms:

- 1.Fever with eruptions, body pains and delirium. Smell in the body, cough smells, smell of rotten meat, indicated dangerous conditions.
- 2.Gouty pains effecting the joints.
- 3.Bleeding of gums, teeth, nose (R.T). This is more painful in R.T.
- 4.Bleeding from the urethra. Hence this is indicated in gonorrhoea.
- 5.Hair-fall, premature baldness, dandruff.
- 6.Blurred vision, diplopia with itching and thick oozing from eye-lids.
- 7.Zymotic fevers in which blood becomes poisonous.

Constitutional symptoms:

- 1.Very busy after something which he does not know. He believes that he has much to do. (N.V, Arg Nit)
- 2.Always ahead of the present postponing mentality.
- 3.Very quick in doing wrong things. Hastily and impulsive.
- 4.Gouty, painful in all complaints.

5. Eats well, but are afraid of being known.
6. Wants the sympathy of others.
7. Feels nothing is going well.
8. Cannot do things independently, unless threatened by the environment.
9. A patient of all imaginary illnesses.
10. A risky gambler, an insincere faithless being.

Mental symptoms:

1. Always feels sick. He believes that he has a very deep incurable disease. He takes disease as a privilege.
2. Suffering from great anxiety always. Spends sleepless nights because he cannot sleep, because he wants to show that he cannot sleep. All through the night he thinks of the incurability of the disease.
 - a. Hahnemann says, "He has only one thing important in the world and that is himself".
3. Goes on narrating his troubles unless you stop him.
4. The child in the house is jealous that the other children are being treated properly. The child weeps that it is ill-treated. Jealousy is one of the key notes of **Arnica**. "Feels neglected" in children and old people.
5. His sleep is full of dreams that are horrible dreams that they are getting drowned in thick, muddy water, in the ocean or river when it is too dark and not visible.
6. Horror of instant death in the nights.
7. Gets irritated with the doctor.

Modalities:

1. Bruised feeling all over the body.
2. Afraid of being touched.
3. Cannot keep to bed in a position. "Feels bed too hard".
4. Fever :
 - a. Delirious, drowsy, semi-conscious answers questions while sleeping. When you question him he is conscious and he begins to answer in a sensible way, but before he can finish the sentence he goes to sleep.
 - b. Bleeding gums.
 - c. Measles like eruption on the skin.

5. Skin is dry and scaly. Skin is mottled with red and rosy spots (Leucoderma). In dangerous cases black spots.
6. When there are no modalities of Arnica, Vipera 200 is to be given and after six hours a second dose.
7. Fever starts after taking wine or bad grapes.
8. Better mouth with the smell of sulphur fumes or apples in the morning or in fevers.
9. Eructations like apples (Ant crude ?).
10. Aversion to milk and meat (NV, Sul, Lyco)
11. Thirst during chill.
 - a. Malaria cases – Thirst after chill – China
Chill after thirst – R.T.
No thirst before, during or after chill – Puls.
12. Vomiting of black inky substance visible in fever and headache with nausea. Give Arnica 200 after every vomiting.
13. In headache dread of being touched with nausea. (Arnica, NM, Sul, Cocculus, Lach, Lac can, Lyco, Sang, Bry)
14. In liver troubles, typhoid and jaundice - liver and stomach cannot be touched.
15. In a pregnant lady movement of the child is unbearable. The mother feels restless, nervous.
16. Infantile convulsions : Convulsions starting with vomiting, face mottled and head is hotter than body.
17. Cough < by touch.
 - a. Sometimes vomits blood (whooping cough).
 - b. Cough with anger.
19. Pin pricks in heart.
20. Stitches from left to right in the heart.
21. Heart diseases : Fatty degeneration of heart.

Causation:

1. A fall, an injury or a bruise or a sprain.
2. Prolonged effects of mental works.
3. After effects of continuous sleepless nights.

4. Suppressed discharges like coryza, otorrhoea, menstrual flow, foot sweat.
5. Exposing the head to a powerful gush of wind.
6. Bad effects of vaccination.
7. It is a stone cutter's medicine (Silicia).

Relationship:

1. Arnica and Rhus Tox are twin drugs.

SULPHUR

Introductory Remarks:

1. Very deep acting, long acting, anti-psoric, anti-sycotic, anti-syphilitic drug.
Broad range of applications.
2. Every case almost requires Sulphur at a certain stage.
3. The best medicine to conclude the treatment of acute diseases and to commence the treatment of chronic diseases.
4. Sulphur is the king of anti-psoric drugs.
5. In acute diseases when the indicated drug fails to act, give one dose of Sulphur.

Pathological Symptoms:

1. All types of skin troubles.
2. Diabetes.
3. Chronic indigestion.
4. Emaciation.
5. Loss of appetite.
6. Paralysis.
7. Headaches.
8. Weakness.
9. Catarrh.
10. Glands.

11. Asthma.
12. Bedsores.
13. Varicose Veins.
14. Any chronic long-standing disease.

Constitutional Symptoms:

1. a. Lean, bony, hungry many times a day.
b. Dyspeptic (alkaline stomach).
c. Stopped.
2. Skin unclean, face dirty looking though washed often.
a. Skin of any part burns.
b. Skin easily turns red by least friction or exposure to sun or emotion. The skin gets easily diseased.
3. Long periods of indigestion, bad assimilation and feeble nutrition. Eat foods, not sufficient to sustain.
4. Sulphur patient is a ragged philosopher. Dirty skin, avoids washing.
a. His house will be very dirty. His room will be foul smelling and stinky. Things in the room will be most dis-orderly.
b. Children: Often very filthy. They walk very dirty. Often the child tastes nasal discharge. His stool, urine and sweat are very offensive.
5. Sleeps on bed with feet and hands uncovered.
6. Craves for strong pungent foods.
7. Eats less and drinks more.
8. Sulphur patients crave for cool water, buttermilk, cool drinks and gruels.
9. Sulphur patient's tongue cannot tolerate hot things like chillies, pepper etc. His tongue is too sensitive.

Mental Symptoms:

1. Aversion to get washed.

2.Logical in his own peculiar way. Philosophical enquiry about things that cannot be verified. Cynical logic.

3.Philosophical mania.

a.Religious mania.

b.Idle curiosity.

c.Does not care how things go. Aversion to business. Indisposed to walk.

4.Mania for unnecessary details of things. This is accompanied by foolish logic (Mania is a type of behaviour with all exclusive stress to the particular habit or way of behaviour).

5.Those who play cotton market come under this drug.

6.Narrow minded, miserly and careless about others.

7.Takes interest in criticising others and picking other's faults.

8.Work is replaced by intelligence discussions.

9.A false sense of satisfaction of satiety.

10.Cannot enjoy others being happy.

Modalities:

1.Periodicity is marked. Every seven days, every fourteen days, every three months or every six months.

2.Discharges excoriate.

3.Morning stool drives him out of bed.

4.< in a warm room

a.< hot weather

b.< hot drinks

c.< heat of bed

d.Generally < heat

5.Burning sensation of various parts of the body especially head, feet, hands, anus. Burning in urethra while urinating). **Burning of feet leads to diabetes.**

6.Skin is inflamed by pressure.

7.Limbs emaciated and pot-bellied (Liver disease).

8.Tendency to recur in seasons.

9. Itching is worse from the warmth of bed.
10. Headache after evening meal increases into the night > after 3 to 4 A.M.
11. Nerve pains are < at 12.00 noon and < at 12.00 night
 - a. Chills and fevers < at 12.00 noon and < at 12.00 night
 - b. Mental symptoms < at 12.00 noon and < at 12.00 night
12. Eats less and drink more cool drinks.
13. Aversion to milk and meat
14. Indicated medicine fails to act or complete the treatment of many medicines.
15. Skin does not show repair. Example: boils, fistula.
16. Does not recoup or recover after acute illness.
17. Vital weakness with sweating at night immediately after a nap (Sulphur 200).
18. While treating with sulphur if skin troubles appear don't change the drug.
19. < Stimulants.
20. Ulcers grow and develop into cancerous conditions from friction of shoe, tooth etc (Sulphur 30, 12 doses in 12 months).
21. A sense of suffocation and fullness from going into a warm place (Apis).
22. Flushes of heat in the chest, face and head in climactic period (Menopause).
23. The patient wants to be fanned.
 - a. < standing
 - b. Mental symptoms are < after sleep and < bathing.
24. Sulphur patients are suddenly weak and hungry between 10 to 11 A.M and > by eating.

Causation:

1. Prolonged usage of alcohol.
2. Living in filthy surroundings, ill ventilated areas, mines, laboratories, industrial areas, polluted areas, gloomy places.
3. Sedentary life.
4. Suppressed emotions, sorrows, oppressions.

Relationship:

- 1.Sulphur follows very well and acts well after Aconite, Bryonia, Lycopodium, Rhus Tox and Arnica complementing the treatment.
- 2.Sulphur is very well followed by Calcareas and Psorinum.
- 3.Sulphur is quite useless when used after Psorinum.
- 4.Sulphur is deadly inimical after Calc Carb or Calcareas.
- 5.Sulphur antidotes the bad effects of Nux Vomica wrongly repeated in very high potencies.

TUBERCULINUM

Introductory Remarks:

- 1.It is the king of anti-tubercular drugs. It goes to the deepest layers of life.

Pathological Symptoms:

- 1.Frequent fevers, especially chronic malaria.
- 2.Repeated colds, cough, phlegm with feverish condition.
- 3.Loss of blood from any orifices frequently.
- 4.Nose bleed, frequent uterine haemorrhages, bleeding of the gums.
- 5.Teeth bleed ===== emaciation
- 6.(China, Chin Ars, Chin Sulph, Achyranthes Aspera – 6, Ficus Indica – 6, Ficus Religiosa – 6, Calotropis – 6, Kali Bichrome, Merc Sol and Merc Cor)
- 7.Decay of teeth in young children (Phytolacca – 6 and Merc Sol). The mouth smells like rotten meat.
- 8.Nodular growths anywhere (Calc Flour).
- 9.Muscular nodules.
- 10.Glands hardened (Especially around the neck). Sometimes painful along with boils and pus. (C.S., C.P., M.S.)

Mental and Constitutional Symptoms:

- 1.Dread of cold and chill, much covered all day long, feels fever whenever he is exposed to chill.
- 2.Burning in the throat and bronchi. Taste disturbed, smell decreased, bitter tongue.
- 3.Goes into real fever whenever physically or mentally over-worked.
- 4.Frequent chest pain and heaviness of the chest. Breathing heavy, though there is no phlegm.

5.The collar bones, shoulders, scapulae, the neck muscle very frequently trouble the fellow with pains.

6.Sometimes when the cold and cough is present, the pains are less. When the pains increase the lung symptoms have betterment.

7.The patient is weak, dull, drowsy when the lungs are clear or when asthma is not present. 8.A total relief of asthma may lead him into coma and death.

9.A sense of insecurity in everything haunts the patient. He has no confidence either in himself or others, let it be a doctor. He suspects the doctor and changes him often.

10.Got fed up with the present job. Always wants to go away and join in a new job. Changes the house many times in the year feeling something wrong with the house. The lady changes the servant three times in a month and finds other servants virtuous.

Modalities:

1.No recovery of the patient with well indicated remedy. The symptoms are cured, but the patient is not better.

a.Symptoms ever changing.

2.Cyclic recurrence of groups of symptoms.

a.Example – sometimes China symptoms,

b.sometimes Ars Alb symptoms and

c.sometimes Gelsemium symptoms.

3.a.Progressive emaciation, grows more and more bony and becomes a skeleton (Calc Carb) – Sweating from least exertion , plumpy to lean.

b.Progressive emaciation with the increase of hunger, wants to eat every two hours. (If the patient cannot bear chill and wants to be covered, use Tuberculinum. If there is great craving for cold air, water, and want to lie naked on a bare floor, give Iodium. Both have stony-hard enlarged glands).

4.Unbearable headaches every day for some weeks. They recur after some weeks again. They start about one hour before awakening from sleep. The headache disturbs his sleep. They cannot move from the bed in the morning (Tuberculinum 10M).

5.Loose motions with sweats, short breath and weakness daily before 10 A.M (Tuberculinum 200) repeat with recurrence of symptoms.

6.a.Incurable eczema in the groins, waist, face or head.

b. Loose motions, colic.

c. Loose motions === eczema.

d. Headache.

e. Cold fevers (sometimes when cured locally asthma appears). Asthma when locally suppressed leads into a more advanced condition of lungs. The more lung symptoms are threatening, the lower should be the potency to start with. If the condition is very advanced, start with Bacillinum. (Bacillinum is proved on the human constitution. Bacillinum has no mental symptoms. It is a surface drug. The key note of Bacillinum is cough continuous and no phlegm can be brought out. Feels suffocated). All these symptoms are there but Tuberculinum will not work due to sycotic miasm give Medorrhinum - 30.

i. In cholera, diarrhoea, dysentery, anus is red particularly in the case of babies and all the indicated drugs fail to act. Then give Medorrhinum – 30.

7. Typhoid and Pneumonia:

a. Burning in the chest – intense.

b. Cool water relieves burning, but brings an unbearable chill, cough, rise in temperature, traces of blood in the spitting, restlessness, vomiting - Phosphorus - 30. If there is recurrence in every monsoon, administer Tuberculinum - 30.

8. a. Little sweat below the neck, a few minutes after a bath whether of cold water or warm water.

b. Sneezing when the sweat disappears.

c. Continuous sneezings when exposed to the early morning breeze whether in winter or summer.

d. Copious sweating as if bathed suddenly a few seconds after first nap (China, Sulphur).

Causation:

1. Overuse of quinine.

2. Malnutrition for a long time.

3. Continuous fear.

Relationship:

1. Complementary to Psorinum and Sulphur.

2. Belladonna often renders some service in acute attacks characterised by congestion and inflammation occurring in tubercular patients.

3. Hydrastis often fattens cured with Tuberculinum.

BELLADONNA

Introductory remarks:

1. Great violence
2. Sudden attack
3. Speed in sickness
4. Complaints come on suddenly, kill suddenly or subside suddenly.

Pathological symptoms:

1. Great pains of an acute nature (Not recurring).
2. Colds that set in very suddenly.
3. High fevers with intensified delirium.
4. Brain fevers.
5. Boils that grow suddenly and cause dangerous inflammation with or without high fever.
6. Insanity of a violent homicidal nature.
7. Problematic children (Belladonna 10M or 50M).
8. Children have a thieving instinct.
9. Gallstone colic.

Constitutional symptoms:

1. Plethoric blondes
2. Intellectual, quick, shrewd sparkling ice.
3. Active
4. Ardent
5. Warm

6. Vascular - Variet vascular disturbances.

7. Very sensitive in skin and senses (Ign, Coffea, Cham, Hyos).

Mental symptoms:

1. Quick grasping, quick deciding.

2. Best at studies, but easily exhausted.

3. Fond of travel. Acute sickness > after a travel.

4. Impulses are uncontrollable and often cruel. Impulses of a destructive nature. Breaks, tears, bites, destroys things, hurts himself or others.

Modalities:

1. Violent heat, great burning and redness (in all acute diseases).

2. Fever with fearful delirium. He bites, tears, breaks, picks the bed clothes, wants to escape and run away, feels animals around himself, probably rats running or dogs howling and in many cases howls like a dog.

3. Fever of short duration. If the fever exceeds forty eight hours and has all the symptoms of Belladonna give Stramonium (violent delirium sees either ghosts, devils or recently dead persons). If the temperature is below 102° F, you can give Belladonna 200. If the fever is above 104° F take 10 tablets of Ferrum Phos 3x in 10 CC of distilled water and give frequently.

4. Belladonna is never indicated in typhoid, pneumonia and pleurisy, no gradual rise and fall. Fever with glands enlarged (Arsenic Alb).

5. The inflamed parts are first red and then dusty and then mottled in appearance. All this is within a range of eight hours. These are called zymotic fevers.

6. Inflamed parts swells rapidly (Apis).

7. Pain comes suddenly and causes agony and disappears suddenly.

8. < from movement, light, cold air, cold applications and jar, wants to be wrapped warmly.

9. Headache of bursting nature. The head seems to burst the contents out and also feels that the brain is moving in the head. < every step or every movement (turning of eyeballs, rising), feels as if the blood is rushing to the head and eyes are pressed out. Any part of the head cannot be touched. Never allow the hair to be combed or bound. Feels as if the hair were pulled violently.

10.Spasm : A horrible type of spasm, clutch type of spasm, hiccoughs. The patient cries in stupor.

11.All symptoms are

- > by driving the head back.
- < by driving the head forward.
- < by rising up from a seat.
- > by applying pressure from outside.
- < by cold air with the head uncovered.

12.Head symptoms are < from a haircut. < from exposure to a flush of water.

13.Complaints start in the head and go downwards (especially rheumatic complaints). Hot head with hands and feet cold (Arnica).

14.Strabismus after any violent attack (chronic cases, Acid Phos, Helleborus, Agaricus).

15.Feeling of great dryness. Any pain is accompanied by throbbing (Pulsatilla, Chamomilla).

16.A strong craving for lemon and lemon juice.

17.Whenever there is a pain on the stomach it extends to the spine.

18.The patient sits for urination and stands after passing urine (opposite Sulphur).

19.Female symptoms :

- a.The menstrual period contains copious flow of bright red blood with clots.
- b.Labour like pains present during the flow.
- c.She feels that the blood is too hot.

20.Cough after first sleep after 11 P.M the voice changes after 5 minutes cough and croup. In many cases the child develops a dangerous type of cough (Diphtheria).

21.Rapid infection causing inflammation of throat, lungs, brain, liver, intestines. All during the early part of the night. Brain fever.

Causation:

- 1.Sudden fever or threat (fear fevers).
- 2.Infection through food poison.
- 3.Sudden jerks in climate (sudden rain in summer).

NOTE :

1. While studying Belladonna, remember the word "BIRDS"

B - Burning

I - Inflammation

R - Redness

D - Delirium

S - Suddenness

2. Belladonna works in acute cases but there is one exemption i.e. in the case of problematic children having the impulse to harm others without intuition, throwing articles, biting and breaking things. Give Belladonna 10 M or 50 M.

3. For the children with kleptomania (mad of money), give Tuberculinum 50 M.

Relationship:

1. Calc Carb is the chronic drug of Belladonna.

2. Complementary to Lachesis, Apis.

3. Belladonna is inimical to Chamomilla and Coffea.

4. Acute cases of Belladonna require Sulphur 30 to establish the cure.

CHAMOMILLA

Introductory remarks:

1. Many times useful in day to day complaints of domestic life.

2. It is also famously known as the remedy of the matron.

3. It is a sharp acting, quick acting and short acting remedy.

4. It saves life, it can be compared with Aconite.

5. When there is intense suffering, unbearable state, despair and agony, chamomilla is indicated (Aconite, Colocynth).

Pathological symptoms:

1. Insomnia especially due to over-use of coffee, tea, alcohol, morphia or a calamity. (Coffea, Opium, Cannabis Indica, Cannabis Sativa, Morphine, Nux Vomica, Glonoine)
2. Infantile convulsions.
3. Colic.
4. Loose motions in children during the teething period.
5. Nerve pains - Toothache, earache, neck pain and headache.
6. Sound in ears - Roaring, humming, spurting, bubbling, creaking.
7. Insanity with anger, spite and homicidal tendencies.
8. Mischief making.
9. Whooping cough with anger.
10. Fevers - Non typhoid, short or long.

Constitutional symptoms:

1. Nervous, lean, short, bent forward, hunchbacked, always having cotton in one ear, mad fits of anger, speedy talking and foul language for a prolonged period, great irritability.
2. A gush of wind makes him mad. Goes into various pains and mental confusion with wind (Theridion).
3. Little pain gives great suffering. Womanish in suffering and weeping.
4. She tortures his associates.
5. He is peevish and mean, with no consideration for other's comforts.
6. Dresses himself with plenty of covering.
7. Dr. Farrington says, "The intellectuals, who never smile or laugh, insult others often and feel insulted often".
8. Feels that others lack in seriousness.
9. Feels that others cannot understand him (Platina).
10. Very stingy and miserly with money and valuables.

11. Often suffer from stomachache, liver disorders, sick headaches, cramps and all sorts of nervous troubles.

Mental symptoms:

1. Great sensitiveness with nervousness.

A) Towards pain

B) Towards wind

C) Towards money

D) Towards other remarks

2. Prolonged anger and irritability, refuses to talk (childish behaviour).

3. Red faced when insulted, weeps with anger.

4. Love of loneliness.

5. Rushing of angry thoughts with insomnia.

6. Children : The child moans pitifully and throws things away.

7. Loss of generosity, no consideration for other's feelings. He quarrels with others, with neighbours, with servants.

8. Dispute with everyone. They show ugly behaviour in social matters. Insults the doctor, insults those who help.

9. Always wants something new to eat, read or play with. (The student wants to read every book for examinations. He grows crazy that he has not read the other books).

10. The child wants to be carried, changes persons (Ocimum Sanctum runs from father to mother, no peace of mind, never satisfied).

11. Melancholy. Always with himself (Arnica, Arg Nit).

12. Philosophical insanity - sits and thinks for hours, great introspection.

13. Cyclic repetitions of same thoughts in quick succession, continuous talking.

14. The child demands everything which it throws when given.

Modalities:

1.Suffering causes anger and weeping (Gets angry and weeps with headache, toothache, stomachache or pain in the piles).

2.He becomes sick when mortified or insulted (Staphisagria, Kreosotem).

3.Children :

A)Convulsions - Very hot head, jerking convulsions < from noise or a blow of wind or warmth of room, stiff, rolling the eyes, twitching of muscles, throwing the limbs about, clenching the thumbs, bending the body backwards (into the fist).

(Belladonna : The thumbs are clenched outside the fist).

Helleborus : During the fit involuntary movement of one hand and one leg; < 4 - 8 P.M.

Agaricus : Twitching of muscles.

B)Loose motions, green or yellowish green slimy like chapped grass, offensive smell, often the motion follows a pain shooting.

C)Fevers, delirium, startling, convulsions or loose motions during the teething period.

4.All pain > warmth and heat.

< cold and cold wind.

Tooth and jaw pains > by heat

< by water

5.Sharp, shooting pains radiate into the nerves.

Example : Earache, toothache, colic, lumbago, menstrual colic, labour pains, headache.

6.Patient moves, tosses, cannot keep quiet when there is pain - no relief at all by movement.

7.Angry about the pain. All pains are < when thinking about them (Acid Oxalic).

8.Fevers < 9 P.M.

Pain, Headache < 9 P.M. (Bryonia)

9.Yellowish, green discharges.

(Yellow - Pulsatilla

Yellowish green - Arg Nit, Phosphorus)

10.Sensitive to the touch of air (Theridion).

11. Loss of smell with cold (Natrum Mur, Phosphorus).
12. Face sweats after eating or drinking (When starts eating, water comes from the nose - Thuja).
13. One cheek red, one cheek pale (Pulsatilla, Ferrum Met).
14. Great thirst for cold water which cannot be quenched by drinking.
15. Irresistible desire for acid drinks (Puls).
16. Female symptoms : Nipples inflamed.
Milks run out in nursing mothers (Lac Caninum, Graphites, Pulsatilla).
17. Great aversion to coffee.
18. Continuously sleepy, but cannot sleep (Opium).
19. Eructations smelling like Hydrogen Sulphide.
20. < from drumsticks vegetables.
21. Cramps in the bowels or in the uterus (Cuprum Met).

Causation:

1. Sleeplessness due to overwork or nursing and ailing persons.
2. Night duties, shift duties (Cocculus Indicus, Sepia)
Cocculus Ind : Nausea, vomiting, headache, < shopping, cinema reading and sun exposure, journey, nausea and vomiting by bus journey.
3. Living in constant fear (Arg Nit, Ignatia, Hyoscyamus, Nat Mur) (advanced causes Opium).
4. Decayed tooth not removed (Staphisagria).

Relationship:

1. Complementary to Coffea, Opium.
2. Chamomilla antidotes Coffea, use Chamomilla after Coffea. When the patient is being treated with chamomilla or Coffea it works well if he stops taking Coffee.
3. In very strong coffee addicts, many times Coffea will not give relief when homoeopathically used, then give chamomilla whenever Coffea is indicated.

4. Don't give Nux Vomica after Coffea and Chamomilla.

IGNATIA

Introductory remarks:

1. It is one of the moderately deep acting hysterical remedies.
2. Ignatia is often required to those who live in the busy way of the modern world. Those who over tax the mind due to economic and social necessities.
3. The ladies of any society that has gone into have industrial revolution are obliged to grow into patients of either Nux Vomica or Ignatia.

American Ladies : Ignatia

European Ladies : Nux Vomica

Pathological symptoms:

1. Insanity
2. Headaches
3. Malarial fevers
4. Typhoid
5. Pain in hip joint
6. Toothache
7. Earache
8. Insomnia
9. Menstrual troubles
10. Paralysis
11. Hysteria
12. Epilepsy
13. Fistula
14. Piles
15. Gastric colic
16. Eye troubles

Constitutional symptoms:

1. Very smart, intelligent and sensitive persons.
2. They have a clear understanding and a quick grasp of anything (Opposite to Pulsatilla) - Objective alertness will be present.
3. They are very sensitive, nervous and easily excited by nature. They are less emotional and more nervous so that they can suffer and conceal the difficulties of their life for a very long time. They can put up with the oddities and cruelties of others, concealed for a long time and can keep up pleasant company with others.
4. They are of mild disposition, quick to understand and rapid in execution.

5. Often they will be sighing involuntarily.
6. They are easily offended and over sensitive to pain (Coffea, Chamomilla).

Mental symptoms:

1. Quickly changes from laugh to weeping and from sorrow to joy.
2. They dislike indecency and insult very much. They are very careful in their conversation to insult others and not to be indecent in talk but the moment when they go into hysterical mood, they burst out into all sorts of harsh behaviour and language.
3. They are as if two personalities co-exist (Anacardium, Hyoscyamus and Thuja).
4. The fellow desires to sit alone and brood in solitude.
5. Inconsistent in behaviour, impatient, irresolute, unexpectedly quarrelsome.
6. If you find fault, he is angry. But many times he is angry with himself. Rarely he is nastily angry with others.
7. Often he suffers from insomnia and severe types of headaches.
8. Many times in the day he has twitchings, catches, cramps.
9. Many times he goes into tears while narrating some incident.
10. Generally he has nausea and vomits on empty stomach.
11. Whenever he is angry, he feels like vomiting and vertigo.
12. Whenever he goes into a laughter he sobs or he goes into a big suffocating spell of cough.

Modalities:

1. Roaring in ears > by music.
2. Hard of hearing, better in the noise of a crowd.
3. Piles or fistula with great pain and burning > walk.
4. Empty feeling in the pit of the stomach with false hunger which is not better by eating (Sepia).
5. a) Cough spasmodic, prolonged, worse from standing after a walk.
b) Cough spasmodic, prolonged and < by coughing.
c) Cough spasmodic, prolonged < by laughing or weeping.
d) Weeps from joy and laughs from grief. (Sometimes he or she goes into unconsciousness stage for a period ranging upto 72 hours)
6. Pain in throat > from swallowing hard things.
7. Sexual desire < during impotency.
8. Thirst during chill in fever, no thirst after chill in fever.
9. Colour changes in face when at rest.
10. Convulsions or fever after a sudden sleep, when scolded, insulted or disappointed (Staphisagria).
11. Headache as if a nail was driven into the head > by lying on it (Hyoscyamus).
12. Headache in particular parts only > by lying on that spot (Kali Bich).
13. All the sufferings are worse from perfumes, bad smells and the smell of tobacco. (Headaches, faintings, convulsions, hysterical fits)
14. Sweat or pain in a particular spot on the face while eating.
15. While eating he bites his tongue or inside his cheek very often (Causticum).
16. Prolapse of uterus or anus aggravates lifting weight and straining (only when the patient is having loose motions).

17. Twitching, jerking or spasm when the patient is going into sleep.
18. Complaints recur exactly at the **same hour every day**.
19. When the patient is suffering from chills or fever, he would like to cover himself completely and have the fan at full speed.

Causation:

1. Mentally or physically over exhausted.
2. Prolonged or concentrated grief or anger or love.
3. Sudden bad news.
4. Vexation.
5. Suppressed dis-pleasure, mental suffering, shame or mortification.

Relationship:

1. The chronic drug of Ignatia is Natrum Mur.
2. It has got no inimicals.
3. It is complementary to Coffea, Hyoscyamus, Stramonium, Belladonna, Staphisagria, Natrum Mur.

HYOSCYAMUS

Introductory remarks:

1. It is anti-syphilitic and anti-tubercular medicine.
2. It is a moderately deep acting remedy which can cure many nervous and hysterical complaints on the physical and mental plane.

Pathological symptoms:

1. Puerperal mania and puerperal insanity.
2. Toothache, earache, headache, cramps, twitchings, catches.
3. Paralysis of various types.
4. Hysterical fits, convulsions of children and epilepsy.
5. Nymphomania.
6. Religious insanity.
7. Fever soon becomes typhoid with delirium.

Constitutional symptoms:

1. Emotional, nervous, hysterical and ill balanced people, often prevented in this views.
2. Ardent to the degree of insanity.
3. He often discusses about matters of sex, about genitals, about photos of nude, pictures of genitals and sex literature. He is fond of peculiar habits like stripping, nude rituals, nude societies and sex literature.

4. Sex mania in old age when impotency grows. Old ladies made after youths and old men mad after girls want to appear prominent in the company of the opposite sex.
5. They are very particular about their dress as young people. Example : Hair dye etc.

Mental symptoms:

1. Hysterical temperament, great emotion in describing everything.
2. Increased activity in the presence of the opposite sex (Caladium) - wants to touch the opposite sex.
3. Restless and fearing everyone. They fear black magic.
4. Fear of being alone because he is afraid of ghosts in the house.
5. He suspects that someone may poison him. He is always aware that there is a plot going on against him or that the police is on the watch.
6. Too much frightened of dogs, insects and bugs.
7. He always suspects food poisoning from his own relatives or family circle.
8. Gross self deception.
9. Laughs at everything, plays buffoonery of everything.
10. Insanity : Sings songs though he does not know music. Composes songs, extempore. Generally he sings, talks and comments about genitals. Desire to show genitals, desire to sleep naked. Immodesty of behaviour. Sensorium clouded. Staring eyes. Grasping at something. Believe that they are being sold away or killed by poisoning.
11. Involuntary stool and urine during fevers.
12. Great dread of darkness.

Modalities:

1. Convulsions from fright in children.
Convulsions from worms in children.
Convulsions from over work.
2. In little students over-taxed with many text books the frightful convulsions indicate Hyoscyamus.
3. Convulsions during or after labour (or puerperal convulsions).
4. Convulsions and vomitings after a meal (with strain - Cocculus Ind)
5. Convulsions like death.
6. Convulsions with twitching of every muscle and eyes (blink of the eyes and local twitchings of muscles - Agaricus).
7. Heat discussions will render him to go into fits.
8. If the child happens to be a Hyoscyamus patient, it must be the product of parents who have abnormal behaviour of sex.
9. Pain makes him mad especially in the toothache or earache.
10. Acute sufferings like cough or pain are < from lying down. They are definitely better from sitting and standing (Opposite to Belladonna).
11. All acute sufferings < at night, after eating or drinking or talking or singing.
12. Mental symptoms are preceded by insomnia.
13. Paralysis
 - a) Bladder - No urination but there is formation (Cantharis).

b) Tongue - He weeps, will not allow the attendant to narrate the case.

c) Infantile paralysis starts with convulsions. The child goes into a nagging type (wants to be cared about him continuously and be with him).

14. Fears everything. He goes on explaining things for hours. He cannot make any point clear.

15. Too obedient, too much fear and too much respect.

16. Fever:

	BELLADONNA	STRAMONIUM	HYOSCYAMUS
	Acute fevers with delirium		
TYPHOID	First 2 days	After 2 days after Bell	After 2 days after Stramonium
FEVER	1. Sudden raise and sudden fall in minutes	1. Not so sudden	1. Gradual
FEVER	2. Very high	2. Moderately high 100.5	2. More moderate 101 to 103
	3. Eyes sparkling and picking	3. Eyes red staring. Alternate with fright	3. Pale. Stupor, staring fright - unconscious
	4. Tries to escape	4. Tries to escape	4. Tries to escape
	5. Barks like a dog	5. Moans and weeps	5. Weeps and laughs, wings, accuses
	6. Fears and bites	6. Stares and waps	6. Exposes, tries to make himself naked, speaks of genitals
	7. Someone or an animal is chasing him	7. Ghost or recently died persons appear and call him	7. People are trying to catch him, sells him away, kills him by poisoning
	8. Cerebral (Inflammation of nerves and brain)	8. Spinal congestion of a less dangerous type	8. Hysterical, insane, deeper miasm
	9. Quick recovery or death	9. Recovery takes one week	9. Recovery takes 3 to many weeks

Causation:

1. Sudden fright.

2. Over indulgence of sex or abnormalities of sex (Acid Phos, Caladium, Bufo).

3. Cerebral diseases and the after effects.

4. Unfortunate love story (Ignatia, Natrum Mur).

5. Continued jealousy.

6. Business embarrassment.
7. Injury to the nerves.

Relationship:

1. Complementary to Phosphorus, Acid Phos, Natrum Mur, Ignatia, Cantharis, Thuja.
2. Natrum Mur is chronic to Hyoscyamus.
3. It has no inimicals.
4. It is required after Belladonna particularly in cerebral fevers like meningitis when the risk period is over.

COFFEA CRUDA

Introductory remarks:

1. A very powerful, short acting, nervous and hysterical medicine.
2. Best suited for modern intellectuals, who are smart, quick and busy.
3. Suited to actors, musicians, scientists and politicians.
4. Not useful in real chronic diseases.

Pathological symptoms:

1. Headache
2. Pains in face, eyes, teeth, ears, jaws and neck.
3. Nervous disturbances
4. Insomnia

Constitutional and mental symptoms:

1. General sensitivity of all senses greatly magnified.
2. Bunches of thoughts rushing easily all through the night. Great plans, schemes and ideas.
3. Face red, eyes sparkling, quickly moving, cannot finish a sentence in conversation. Questions, but never listen to the answers.
4. Weeping delirium and mania especially in ladies. Fainting with sudden emotions (Ignatia, Theridion, Ars Alb, Pulsatilla).
5. Pitiful weeping from pain. They like to be pampered.
6. Trembling when hurt or neglected. (Children and ladies break their heads against a wall or door). (Chamomilla, Coffea)
7. Hears noises purely imaginative.
8. Increased power to think, stupid, sleepy but cannot sleep (Chamomilla, Opium, Cannabis Indica, Cannabis Sativa).

Modalities:

1. Pains > Cold applications
> Noise
(Nux Vomica, Chamomilla)
2. Mental symptoms are < from warm drinks.
3. Red face, hot head, tingling hands, all skin over sensitive, heart palpitates, pulse flickers, goes into a faint.
Causes : Pain, bad news, insult, big sound.
4. Dreads fresh air, hair stand, < from cool air < from hot air.
5. Face red when he sees wine.
6. Intense nervousness and increase of all pains with wine.
7. Painful nervousness of skill.
8. The lady faints if she uses a napkin in menses.
9. Nursing the child makes her faint.
10. Symptoms of skin and nerves come suddenly and disappear suddenly.
11. Generally all pains are < from cool air, fare, movement, warmth. < cool air to warmth and warmth to cool air.
12. Recalls things far off past.
13. Pains in mouth, tooth and jaw > by ice in the mouth.
14. Toothache during menses.
15. Child goes pale during dentition. The child rubs one tooth with the other and weeps pitifully.
16. Imagine that things are there as he wanted.
17. Delivers lectures and conversations during sleep for hours.
18. Noise in the head, ringing and roaring, bubbling in the ears.
19. Uterine haemorrhages with mental excitability and itching of the private parts.
20. Insomnia or mania or delirium after delivery. Private part cannot bear the touch. Private parts are very sensitive.
21. Puerperal convulsions with intensive heart palpitation, milk flows away on its own accord. Nipples and private parts cannot be touched.
22. Epilepsy of children - when the children suffer from insomnia.

Causation:

1. Excitement due to very good or bad news suddenly.
2. When the person has many occupations in which he is interested and which he cannot resist.
3. The teething of children.
4. Overindulgence of sex life.
5. Unclean and unhygienic ways of sex life.
6. When the child is contaminated with the sexual impurities of the parents.

Relationship:

1. This is inimical to Nux Vomica, Tabacum.
2. It is complementary to Chamomilla, Ignatia, Hyoscyamus and Theridion.